

Durham / York Waste Feed Quantity by Crane Weighing System

9/27/2015		Facility Total 448,710			Crane Total 448,710	
		B1	B2		C1	C2
Total		222,474	226,236		4,105	444,605
HHV Test		72,390	73,827	146,217	0	146,217
9/27/15 0:06	B1	1,000				1,000
9/27/15 0:08			B2 671			671
9/27/15 0:13			B2 1,751			1,751
9/27/15 0:16	B1	1,224				1,224
9/27/15 0:23			B2 1,189			1,189
9/27/15 0:25	B1	1,183				1,183
9/27/15 0:31			B2 1,491			1,491
9/27/15 0:35	B1	1,006				1,006
9/27/15 0:41			B2 1,842			1,842
9/27/15 0:46	B1	934				934
9/27/15 0:51			B2 1,832			1,832
9/27/15 0:55	B1	2,174				2,174
9/27/15 1:00			B2 1,832			1,832
9/27/15 1:04	B1	2,068				2,068
9/27/15 1:14			B2 2,249			2,249
9/27/15 1:16	B1	2,584				2,584
9/27/15 1:27			B2 2,009			2,009
9/27/15 1:31	B1	2,237				2,237
9/27/15 1:38			B2 2,086			2,086
9/27/15 1:52	B1	1,631				1,631
9/27/15 1:54			B2 2,310			2,310
9/27/15 2:03	B1	2,285				2,285
9/27/15 2:10			B2 1,367			1,367
9/27/15 2:14	B1	1,459				1,459
9/27/15 2:17			B2 1,744			1,744
9/27/15 2:23	B1	1,892				1,892
9/27/15 2:25			B2 1,290			1,290
9/27/15 2:31			B2 1,629			1,629
9/27/15 2:33	B1	1,420				1,420
9/27/15 2:42			B2 1,273			1,273
9/27/15 2:44	B1	1,586				1,586
9/27/15 2:51			B2 1,633			1,633
9/27/15 2:54	B1	1,843				1,843
9/27/15 2:59			B2 1,569			1,569
9/27/15 3:05	B1	1,661				1,661
9/27/15 3:11			B2 1,898			1,898
9/27/15 3:14	B1	1,317				1,317
9/27/15 3:20			B2 1,252			1,252
9/27/15 3:24	B1	1,465				1,465
9/27/15 3:30	B1	1,505				1,505
9/27/15 3:32			B2 1,415			1,415
9/27/15 3:37			B2 1,785			1,785
9/27/15 3:39			B2 1,415			1,415
9/27/15 3:43			B2 1,444			1,444
9/27/15 3:45	B1	1,956				1,956
9/27/15 3:54	B1	1,853				1,853
9/27/15 4:02			B2 1,553			1,553
9/27/15 4:07	B1	1,245				1,245
9/27/15 4:11			B2 1,859			1,859
9/27/15 4:15	B1	1,390				1,390
9/27/15 4:20	B1	1,740				1,740
9/27/15 4:24			B2 1,578			1,578
9/27/15 4:32			B2 1,701			1,701
9/27/15 4:34			B2 1,152			1,152
9/27/15 4:37	B1	1,255				1,255
9/27/15 4:42			B2 1,245			1,245
9/27/15 4:44	B1	1,622				1,622
9/27/15 4:48			B2 1,637			1,637
9/27/15 4:50	B1	1,534				1,534
9/27/15 4:57	B1	2,445		C1	2,445	
9/27/15 5:03	B1	1,660		C1	1,660	
9/27/15 5:08			B2 1,762			1,762
9/27/15 5:19	B1	1,201				1,201
9/27/15 5:26			B2 1,613			1,613
9/27/15 5:36			B2 2,727			2,727
9/27/15 5:41	B1	1,756				1,756
9/27/15 5:45			B2 2,174			2,174
9/27/15 5:51	B1	2,362				2,362
9/27/15 5:57			B2 2,559			2,559
9/27/15 6:04	B1	2,267				2,267
9/27/15 6:17	B1	2,696				2,696
9/27/15 6:20			B2 2,546			2,546

Durham / York Waste Feed Quantity by Crane Weighing System

9/27/15 6:32		B2	2,360	C2	2,360
9/27/15 6:35	B1	2,829		C2	2,829
9/27/15 6:41		B2	2,117	C2	2,117
9/27/15 6:57	B1	2,022		C2	2,022
9/27/15 7:02		B2	2,018	C2	2,018
9/27/15 7:07		B2	2,446	C2	2,446
9/27/15 7:10	B1	2,434		C2	2,434
9/27/15 7:20		B2	1,826	C2	1,826
9/27/15 7:23	B1	2,228		C2	2,228
9/27/15 7:25		B2	1,811	C2	1,811
9/27/15 7:47	B1	2,866		C2	2,866
9/27/15 7:49		B2	2,879	C2	2,879
9/27/15 7:52	B1	1,452		C2	1,452
9/27/15 8:02	B1	1,283		C2	1,283 HHV Test Start
9/27/15 8:12	B1	1,799		C2	1,799
9/27/15 8:18		B2	1,856	C2	1,856
9/27/15 8:20	B1	1,654		C2	1,654
9/27/15 8:29		B2	2,904	C2	2,904
9/27/15 8:34	B1	1,955		C2	1,955
9/27/15 8:41		B2	1,773	C2	1,773
9/27/15 8:47	B1	1,974		C2	1,974
9/27/15 8:51		B2	2,689	C2	2,689
9/27/15 8:54	B1	1,799		C2	1,799
9/27/15 9:08		B2	1,486	C2	1,486
9/27/15 9:12	B1	1,805		C2	1,805
9/27/15 9:17		B2	1,773	C2	1,773
9/27/15 9:21	B1	1,884		C2	1,884
9/27/15 9:32		B2	2,145	C2	2,145
9/27/15 9:37	B1	1,891		C2	1,891
9/27/15 9:41		B2	2,175	C2	2,175
9/27/15 9:47	B1	1,756		C2	1,756
9/27/15 9:52	B1	1,894		C2	1,894
9/27/15 9:55		B2	2,314	C2	2,314
9/27/15 10:02		B2	2,457	C2	2,457
9/27/15 10:06	B1	1,616		C2	1,616
9/27/15 10:18		B2	1,595	C2	1,595
9/27/15 10:22	B1	1,657		C2	1,657
9/27/15 10:33	B1	1,613		C2	1,613
9/27/15 10:37		B2	2,005	C2	2,005
9/27/15 10:46	B1	2,420		C2	2,420
9/27/15 10:49		B2	2,281	C2	2,281
9/27/15 11:01		B2	2,685	C2	2,685
9/27/15 11:04	B1	1,954		C2	1,954
9/27/15 11:17	B1	1,605		C2	1,605
9/27/15 11:25		B2	2,113	C2	2,113
9/27/15 11:29	B1	1,846		C2	1,846
9/27/15 11:39		B2	1,859	C2	1,859
9/27/15 11:42	B1	1,691		C2	1,691
9/27/15 11:51	B1	1,793		C2	1,793
9/27/15 11:55		B2	2,488	C2	2,488
9/27/15 12:03	B1	1,866		C2	1,866
9/27/15 12:08		B2	2,118	C2	2,118
9/27/15 12:13	B1	1,901		C2	1,901
9/27/15 12:25	B1	1,681		C2	1,681
9/27/15 12:28		B2	1,795	C2	1,795
9/27/15 12:33		B2	2,076	C2	2,076
9/27/15 12:43	B1	2,007		C2	2,007
9/27/15 12:52		B2	2,565	C2	2,565
9/27/15 12:56	B1	1,316		C2	1,316
9/27/15 12:58		B2	1,463	C2	1,463
9/27/15 13:04	B1	867		C2	867
9/27/15 13:06	B1	485		C2	485
9/27/15 13:12		B2	756	C2	756
9/27/15 13:18		B2	971	C2	971
9/27/15 13:23	B1	1,898		C2	1,898
9/27/15 13:25	B1	1,070		C2	1,070
9/27/15 13:27		B2	1,047	C2	1,047
9/27/15 13:31	B1	627		C2	627
9/27/15 13:34		B2	1,334	C2	1,334
9/27/15 13:44	B1	1,584		C2	1,584
9/27/15 13:48		B2	1,455	C2	1,455
9/27/15 13:52	B1	1,771		C2	1,771
9/27/15 13:55		B2	1,814	C2	1,814
9/27/15 14:02	B1	1,717		C2	1,717
9/27/15 14:09		B2	1,898	C2	1,898
9/27/15 14:13		B2	2,427	C2	2,427
9/27/15 14:15	B1	894		C2	894

Durham / York Waste Feed Quantity by Crane Weighing System

9/27/15 14:18	B1	1,052		C2	1,052
9/27/15 14:20			B2	1,531	1,531
9/27/15 14:24	B1	1,636		C2	1,636
9/27/15 14:32			B2	1,816	1,816
9/27/15 14:36	B1	1,918		C2	1,918
9/27/15 14:38			B2	2,010	2,010
9/27/15 14:43	B1	2,244		C2	2,244
9/27/15 14:45			B2	1,361	1,361
9/27/15 14:57	B1	1,973		C2	1,973
9/27/15 15:04			B2	2,410	2,410
9/27/15 15:06	B1	2,525		C2	2,525
9/27/15 15:23	B1	2,332		C2	2,332
9/27/15 15:26			B2	1,793	1,793
9/27/15 15:44			B2	470	470
9/27/15 15:46			B2	3,051	3,051
9/27/15 15:48	B1	2,557		C2	2,557
9/27/15 15:57	B1	580		C2	580
9/27/15 15:59			B2	534	534
534 Duplicate 534kg on U2 to match hopper level, both units end at 17:00					
9/27/15 16:04			B2	2,419	2,419
9/27/15 16:07	B1	2,052		C2	2,052
9/27/15 16:10			B2	2,029	2,029
9/27/15 16:15	B1	1,014		C2	1,014
9/27/15 16:26			B2	2,818	2,818
9/27/15 16:29	B1	2,221		C2	2,221
9/27/15 16:34	B1	1,536		C2	1,536
9/27/15 16:43			B2	1,452	1,452
9/27/15 16:48	B1	2,130		C2	2,130
9/27/15 16:57			B2	1,533	1,533
9/27/15 17:02	B1	2,295		C2	2,295
9/27/15 17:14			B2	1,519	1,519
9/27/15 17:15	B1	1,649		C2	1,649
9/27/15 17:17			B2	2,935	2,935
9/27/15 17:25	B1	1,346		C2	1,346
9/27/15 17:28	B1	2,030		C2	2,030
9/27/15 17:30			B2	2,130	2,130
9/27/15 17:48	B1	2,024		C2	2,024
9/27/15 17:53			B2	1,508	1,508
9/27/15 17:55	B1	1,021		C2	1,021
9/27/15 18:00			B2	1,748	1,748
9/27/15 18:03	B1	782		C2	782
9/27/15 18:14	B1	1,942		C2	1,942
9/27/15 18:18			B2	1,345	1,345
9/27/15 18:24	B1	1,986		C2	1,986
9/27/15 18:32	B1	2,283		C2	2,283
9/27/15 18:34			B2	1,910	1,910
9/27/15 18:46	B1	1,697		C2	1,697
9/27/15 18:48			B2	1,844	1,844
9/27/15 18:53	B1	2,231		C2	2,231
9/27/15 18:55			B2	2,568	2,568
9/27/15 19:11			B2	1,804	1,804
9/27/15 19:13	B1	1,888		C2	1,888
9/27/15 19:24			B2	1,557	1,557
9/27/15 19:30	B1	1,774		C2	1,774
9/27/15 19:39			B2	1,994	1,994
9/27/15 19:42	B1	2,332		C2	2,332
9/27/15 19:47			B2	2,288	2,288
9/27/15 19:54	B1	2,207		C2	2,207
9/27/15 20:00			B2	2,242	2,242
9/27/15 20:06	B1	1,881		C2	1,881
9/27/15 20:08			B2	559	559
9/27/15 20:13			B2	2,348	2,348
9/27/15 20:18	B1	1,769		C2	1,769
9/27/15 20:21			B2	2,350	2,350
9/27/15 20:31	B1	2,038		C2	2,038
9/27/15 20:41	B1	683		C2	683
9/27/15 20:43	B1	1,740		C2	1,740
9/27/15 20:49			B2	2,057	2,057
9/27/15 20:57	B1	2,285		C2	2,285
9/27/15 21:05	B1	1,909		C2	1,909
9/27/15 21:11			B2	1,580	1,580
9/27/15 21:13	B1	2,571		C2	2,571
9/27/15 21:20			B2	2,103	2,103
9/27/15 21:33	B1	1,942		C2	1,942
9/27/15 21:35			B2	2,223	2,223
9/27/15 21:40	B1	900		C2	900
9/27/15 21:43			B2	1,820	1,820
9/27/15 21:52	B1	1,174		C2	1,174

Durham / York Waste Feed Quantity by Crane Weighing System

9/27/15 21:57	B1	1,147		C2	1,147	
9/27/15 22:00			B2	2,363	C2	2,363
9/27/15 22:04	B1	2,426		C2	2,426	
9/27/15 22:11			B2	2,105	C2	2,105
9/27/15 22:25	B1	1,390		C2	1,390	
9/27/15 22:27			B2	2,818	C2	2,818
9/27/15 22:30	B1	1,994		C2	1,994	
9/27/15 22:42	B1	2,979		C2	2,979	
9/27/15 22:50			B2	2,428	C2	2,428
9/27/15 22:54	B1	1,247		C2	1,247	
9/27/15 22:58			B2	1,697	C2	1,697
9/27/15 23:04	B1	1,613		C2	1,613	
9/27/15 23:14			B2	1,499	C2	1,499
9/27/15 23:16	B1	1,520		C2	1,520	
9/27/15 23:21			B2	1,744	C2	1,744
9/27/15 23:24			B2	1,129	C2	1,129
9/27/15 23:27	B1	1,086		C2	1,086	
9/27/15 23:30			B2	1,530	C2	1,530
9/27/15 23:37	B1	1,513		C2	1,513	
9/27/15 23:41			B2	1,377	C2	1,377
9/27/15 23:44	B1	1,444		C2	1,444	
9/27/15 23:47			B2	1,497	C2	1,497
9/27/15 23:53	B1	1,106		C2	1,106	
9/27/15 23:58			B2	1,534	C2	1,534