

Durham / York Waste Feed Quantity by Crane Weighing System

9/29/2015		Facility Total 438,651			Crane Total 438,651	
		B1 225,224	B2 213,427		C1 7,167	C2 431,484
Total						
HHV Test		69,802	67,746	137,548	0	138,275
9/29/15 0:03	B1	1,782			C2	1,782
9/29/15 0:06			B2	1,809	C2	1,809
9/29/15 0:09	B1	2,374			C2	2,374
9/29/15 0:18			B2	2,806	C2	2,806
9/29/15 0:23	B1	2,612			C2	2,612
9/29/15 0:32			B2	2,272	C2	2,272
9/29/15 0:43	B1	2,582			C2	2,582
9/29/15 0:47			B2	1,125	C2	1,125
9/29/15 0:57	B1	1,910			C2	1,910
9/29/15 0:59			B2	2,788	C2	2,788
9/29/15 1:08			B2	1,942	C2	1,942
9/29/15 1:12	B1	3,090			C2	3,090
9/29/15 1:24	B1	2,182			C2	2,182
9/29/15 1:31			B2	2,114	C2	2,114
9/29/15 1:39			B2	2,707	C2	2,707
9/29/15 1:41	B1	2,140			C2	2,140
9/29/15 1:55	B1	1,408			C2	1,408
9/29/15 1:59			B2	2,010	C2	2,010
9/29/15 2:04	B1	2,250			C2	2,250
9/29/15 2:12			B2	1,679	C2	1,679
9/29/15 2:19			B2	2,125	C2	2,125
9/29/15 2:22	B1	1,580			C2	1,580
9/29/15 2:24			B2	1,441	C2	1,441
9/29/15 2:26	B1	1,534			C2	1,534
9/29/15 2:29	B1	1,704			C2	1,704
9/29/15 2:35	B1	1,436			C2	1,436
9/29/15 2:37			B2	1,241	C2	1,241
9/29/15 2:40			B2	1,386	C2	1,386
9/29/15 2:48	B1	1,738			C2	1,738
9/29/15 2:50			B2	1,393	C2	1,393
9/29/15 2:59	B1	1,822		C1	1,822	
9/29/15 3:01			B2	1,845	C1	1,845
9/29/15 3:03			B2	1,426	C1	1,426
9/29/15 3:06	B1	2,074		C1	2,074	
9/29/15 3:12	B1	1,259			C2	1,259
9/29/15 3:14			B2	1,290	C2	1,290
9/29/15 3:17			B2	1,864	C2	1,864
9/29/15 3:20	B1	1,773			C2	1,773
9/29/15 3:34			B2	1,416	C2	1,416
9/29/15 3:37	B1	1,770			C2	1,770
9/29/15 3:43			B2	1,478	C2	1,478
9/29/15 3:45	B1	1,829			C2	1,829
9/29/15 3:50			B2	2,014	C2	2,014
9/29/15 3:54	B1	1,827			C2	1,827
9/29/15 3:57			B2	1,483	C2	1,483
9/29/15 4:05	B1	1,423			C2	1,423
9/29/15 4:07			B2	1,391	C2	1,391
9/29/15 4:12			B2	1,145	C2	1,145
9/29/15 4:20	B1	926			C2	926
9/29/15 4:21	B1	1,351			C2	1,351
9/29/15 4:24	B1	580			C2	580
9/29/15 4:26			B2	2,386	C2	2,386
9/29/15 4:38	B1	1,380			C2	1,380

Durham / York Waste Feed Quantity by Crane Weighing System

9/29/15 4:41	B1	2,913		C2	2,913
9/29/15 4:43			B2	1,178	1,178
9/29/15 4:49			B2	1,290	1,290
9/29/15 4:52			B2	942	942
9/29/15 4:54			B2	2,001	2,001
9/29/15 4:57	B1	1,629		C2	1,629
9/29/15 5:12	B1	2,006		C2	2,006
9/29/15 5:15			B2	1,157	1,157
9/29/15 5:29			B2	1,920	1,920
9/29/15 5:32	B1	1,652		C2	1,652
9/29/15 5:44	B1	2,229		C2	2,229
9/29/15 5:51			B2	1,899	1,899
9/29/15 5:57			B2	1,538	1,538
9/29/15 5:59	B1	2,924		C2	2,924
9/29/15 6:05			B2	2,502	2,502
9/29/15 6:14	B1	1,753		C2	1,753
9/29/15 6:21	B1	2,140		C2	2,140
9/29/15 6:23			B2	1,994	1,994
9/29/15 6:32			B2	2,176	2,176
9/29/15 6:37	B1	2,477		C2	2,477
9/29/15 6:45			B2	2,060	2,060
9/29/15 6:50			B2	1,361	1,361
9/29/15 6:56	B1	1,983		C2	1,983
9/29/15 7:00			B2	2,215	2,215
9/29/15 7:06	B1	1,490		C2	1,490
9/29/15 7:08			B2	2,184	2,184
9/29/15 7:10	B1	2,133		C2	2,133
9/29/15 7:20	B1	2,298		C2	2,298
9/29/15 7:23			B2	2,085	2,085
9/29/15 7:39	B1	1,894		C2	1,894
9/29/15 7:46			B2	1,932	1,932
9/29/15 7:48	B1	1,551		C2	1,551
9/29/15 8:04	B1	2,298		C2	2,298
9/29/15 8:07			B2	1,650	1,650
9/29/15 8:13	B1	2,558		C2	2,558
9/29/15 8:15			B2	2,316	2,316
9/29/15 8:24	B1	2,178		C2	2,178
9/29/15 8:27			B2	1,668	1,668
9/29/15 8:36			B2	2,540	2,540
9/29/15 8:40	B1	1,634		C2	1,634
9/29/15 8:53	B1	2,188		C2	2,188
9/29/15 8:58			B2	1,721	1,721
<hr/>					
9/29/15 9:05	B1	2,177		C2	2,177 HHV Test Start
9/29/15 9:12	B1	2,812		C2	2,812
9/29/15 9:17			B2	1,926	1,926
9/29/15 9:31			B2	1,840	1,840
9/29/15 9:35	B1	2,722		C2	2,722
9/29/15 9:45			B2	2,254	2,254
9/29/15 9:52	B1	1,292		C2	1,292
9/29/15 10:01			B2	1,883	1,883
9/29/15 10:09	B1	816		C2	816
9/29/15 10:15			B2	446	446
9/29/15 10:18			B2	842	842
9/29/15 10:24			B2	721	721
9/29/15 10:26	B1	899		C2	899
9/29/15 10:28	B1	453		C2	453
9/29/15 10:30	B1	915		C2	915
9/29/15 10:32			B2	725	725
9/29/15 10:36			B2	610	610

Durham / York Waste Feed Quantity by Crane Weighing System

9/29/15 10:39			B2	1,777	C2	1,777
9/29/15 10:41	B1	1,311			C2	1,311
9/29/15 10:49	B1	996			C2	996
9/29/15 10:51			B2	1,340	C2	1,340
9/29/15 10:56	B1	1,370			C2	1,370
9/29/15 11:02			B2	1,106	C2	1,106
9/29/15 11:04	B1	2,410			C2	2,410
9/29/15 11:11			B2	1,637	C2	1,637
9/29/15 11:12			B2	1,560	C2	1,560
9/29/15 11:14	B1	1,241			C2	1,241
9/29/15 11:16			B2	1,919	C2	1,919
9/29/15 11:22	B1	1,764			C2	1,764
9/29/15 11:27	B1	516			C2	516
9/29/15 11:30			B2	859	C2	859
9/29/15 11:33			B2	13	C2	13
9/29/15 11:38	B1	1,027			C2	1,027
9/29/15 11:40			B2	899	C2	899
9/29/15 11:44	B1	1,227			C2	1,227
9/29/15 11:50			B2	750	C2	750
9/29/15 11:52			B2	1,247	C2	1,247
9/29/15 11:54	B1	707			C2	707
9/29/15 11:56			B2	1,390	C2	1,390
9/29/15 11:59	B1	1,070			C2	1,070
9/29/15 12:02	B1	1,481			C2	1,481
9/29/15 12:05			B2	1,656	C2	1,656
9/29/15 12:07	B1	1,423			C2	1,423
9/29/15 12:15			B2	-28	C2	-28
9/29/15 12:17			B2	912	C2	912
9/29/15 12:19	B1	1,107			C2	1,107
9/29/15 12:27	B1	1,222			C2	1,222
9/29/15 12:31			B2	1,687	C2	1,687
9/29/15 12:43	B1	883			C2	883
9/29/15 12:46	B1	1,260			C2	1,260
9/29/15 12:49			B2	1,533	C2	1,533
9/29/15 12:51	B1	655			C2	655
9/29/15 12:54			B2	1,229	C2	1,229
9/29/15 12:58	B1	710			C2	710
9/29/15 13:00			B2	1,231	C2	1,231
9/29/15 13:01	B1	1,288			C2	1,288
9/29/15 13:16	B1	2,492			C2	2,492
9/29/15 13:18			B2	2,384	C2	2,384
9/29/15 13:22	B1	2,656			C2	2,656
9/29/15 13:29			B2	2,309	C2	2,309
9/29/15 13:36	B1	1,963			C2	1,963
9/29/15 13:42			B2	2,063	C2	2,063
9/29/15 13:49	B1	2,048			C2	2,048
9/29/15 13:57			B2	2,127	C2	2,127
9/29/15 14:04	B1	1,612			C2	1,612
9/29/15 14:13	B1	1,850			C2	1,850
9/29/15 14:19			B2	1,744	C2	1,744
9/29/15 14:28			B2	2,016	C2	2,016
9/29/15 14:39	B1	1,995			C2	1,995
9/29/15 14:45			B2	2,111	C2	2,111
9/29/15 14:55	B1	1,880			C2	1,880
9/29/15 14:56	B1	1,059			C2	1,059
9/29/15 15:01			B2	1,902	C2	1,902
9/29/15 15:11	B1	2,196			C2	2,196
9/29/15 15:14			B2	2,029	C2	2,029
9/29/15 15:21	B1	2,276			C2	2,276

Durham / York Waste Feed Quantity by Crane Weighing System

9/29/15 15:25			B2	2,020	C2	2,020
9/29/15 15:35			B2	2,129	C2	2,129
9/29/15 15:37	B1	1,808			C2	1,808
9/29/15 15:48	B1	2,542			C2	2,542
9/29/15 15:51			B2	2,013	C2	2,013
9/29/15 16:00	B1	2,036			C2	2,036
9/29/15 16:09			B2	2,704	C2	2,704
9/29/15 16:14	B1	2,094			C2	2,094
9/29/15 16:22			B2	1,596	C2	1,596
9/29/15 16:26	B1	2,131			C2	2,131
9/29/15 16:33			B2	2,320	C2	2,320
9/29/15 16:41	B1	1,639			C2	1,639
9/29/15 16:49			B2	1,816	C2	1,816
9/29/15 16:57			B2	484	C2	484
9/29/15 16:59	B1	498			C2	498
<hr/>						
9/29/15 17:11	B1	659			C2	659
9/29/15 17:13			B2	1,668	C2	1,668
9/29/15 17:14	B1	1,675			C2	1,675
9/29/15 17:16			B2	571	C2	571
9/29/15 17:24	B1	1,414			C2	1,414
9/29/15 17:27			B2	1,027	C2	1,027
9/29/15 17:42	B1	2,322			C2	2,322
9/29/15 17:43			B2	1,802	C2	1,802
9/29/15 17:48			B2	1,290	C2	1,290
9/29/15 17:51	B1	2,074			C2	2,074
9/29/15 17:57			B2	2,245	C2	2,245
9/29/15 18:00	B1	1,495			C2	1,495
9/29/15 18:09			B2	1,930	C2	1,930
9/29/15 18:18			B2	2,025	C2	2,025
9/29/15 18:21	B1	1,643			C2	1,643
9/29/15 18:30	B1	803			C2	803
9/29/15 18:34			B2	2,654	C2	2,654
9/29/15 18:38	B1	2,594			C2	2,594
9/29/15 18:45	B1	2,084			C2	2,084
9/29/15 18:47			B2	1,070	C2	1,070
9/29/15 18:57			B2	2,633	C2	2,633
9/29/15 19:01	B1	2,388			C2	2,388
9/29/15 19:04			B2	2,265	C2	2,265
9/29/15 19:12	B1	1,305			C2	1,305
9/29/15 19:14			B2	1,752	C2	1,752
9/29/15 19:22	B1	2,136			C2	2,136
9/29/15 19:24			B2	2,479	C2	2,479
9/29/15 19:28	B1	2,280			C2	2,280
9/29/15 19:34	B1	2,007			C2	2,007
9/29/15 19:41			B2	1,871	C2	1,871
9/29/15 19:52	B1	1,505			C2	1,505
9/29/15 19:54			B2	2,529	C2	2,529
9/29/15 20:12	B1	1,446			C2	1,446
9/29/15 20:14			B2	2,184	C2	2,184
9/29/15 20:23			B2	2,037	C2	2,037
9/29/15 20:25	B1	1,010			C2	1,010
9/29/15 20:32			B2	2,092	C2	2,092
9/29/15 20:34	B1	1,769			C2	1,769
9/29/15 20:43	B1	1,426			C2	1,426
9/29/15 20:45			B2	1,716	C2	1,716
9/29/15 20:49	B1	2,171			C2	2,171
9/29/15 20:58			B2	2,288	C2	2,288
9/29/15 21:08	B1	2,020			C2	2,020
9/29/15 21:17			B2	1,166	C2	1,166

U1 End 17:05, U2 End 17:00

Durham / York Waste Feed Quantity by Crane Weighing System

9/29/15 21:20	B1	2,309		C2	2,309
9/29/15 21:26			B2	1,731	1,731
9/29/15 21:37	B1	949		C2	949
9/29/15 21:42			B2	1,938	1,938
9/29/15 21:45	B1	1,945		C2	1,945
9/29/15 21:56	B1	1,906		C2	1,906
9/29/15 21:57			B2	0	0
9/29/15 22:08	B1	2,298		C2	2,298
9/29/15 22:15	B1	2,711		C2	2,711
9/29/15 22:18			B2	1,432	1,432
9/29/15 22:29			B2	2,103	2,103
9/29/15 22:33	B1	1,491		C2	1,491
9/29/15 22:43			B2	1,709	1,709
9/29/15 22:45	B1	1,919		C2	1,919
9/29/15 22:48			B2	2,314	2,314
9/29/15 23:00	B1	1,260		C2	1,260
9/29/15 23:09			B2	2,192	2,192
9/29/15 23:12	B1	1,930		C2	1,930
9/29/15 23:16			B2	1,711	1,711
9/29/15 23:32	B1	2,445		C2	2,445
9/29/15 23:51			B2	2,352	2,352
9/29/15 23:54	B1	2,608		C2	2,608
9/29/15 23:59	B1	2,434		C2	2,434