

Durham / York Waste Feed Quantity by Crane Weighing System

9/30/2015	Facility Total 463,760			Crane Total 463,760	
	B1	B2		C1	C2
Total	229,540	234,220		8,964	454,796
HHV Test	75,741	77,181	152,922	0	152,923
9/30/15 0:03		B2 2,599		C2	2,599
9/30/15 0:12	B1 2,046			C2	2,046
9/30/15 0:17		B2 2,513		C2	2,513
9/30/15 0:21	B1 2,336			C2	2,336
9/30/15 0:31		B2 1,558		C2	1,558
9/30/15 0:33	B1 1,224			C2	1,224
9/30/15 0:36	B1 1,544			C2	1,544
9/30/15 0:41		B2 1,585		C2	1,585
9/30/15 0:44	B1 1,183			C2	1,183
9/30/15 0:48		B2 1,812		C2	1,812
9/30/15 0:54	B1 1,478			C2	1,478
9/30/15 0:57		B2 1,522		C2	1,522
9/30/15 1:09	B1 1,489			C2	1,489
9/30/15 1:13		B2 1,540		C2	1,540
9/30/15 1:15	B1 1,603			C2	1,603
9/30/15 1:18		B2 1,706		C2	1,706
9/30/15 1:24	B1 1,547			C2	1,547
9/30/15 1:26		B2 1,360		C2	1,360
9/30/15 1:38	B1 1,557			C2	1,557
9/30/15 1:41		B2 1,016		C2	1,016
9/30/15 1:46		B2 1,496		C2	1,496
9/30/15 1:49	B1 1,612			C2	1,612
9/30/15 1:56	B1 1,673			C2	1,673
9/30/15 2:00		B2 1,389		C2	1,389
9/30/15 2:02	B1 1,093			C2	1,093
9/30/15 2:07		B2 1,545		C2	1,545
9/30/15 2:09	B1 1,277			C2	1,277
9/30/15 2:11		B2 1,102		C2	1,102
9/30/15 2:15	B1 1,584			C2	1,584
9/30/15 2:18		B2 1,470		C2	1,470
9/30/15 2:29		B2 1,942		C2	1,942
9/30/15 2:32	B1 1,303			C2	1,303
9/30/15 2:36		B2 1,447		C2	1,447
9/30/15 2:40	B1 1,399			C2	1,399
9/30/15 2:46	B1 1,659			C2	1,659
9/30/15 2:49		B2 1,215		C2	1,215
9/30/15 2:57	B1 1,644			C2	1,644
9/30/15 3:00		B2 1,583		C2	1,583
9/30/15 3:04	B1 1,847			C2	1,847
9/30/15 3:07		B2 1,382		C2	1,382
9/30/15 3:14	B1 1,786			C2	1,786
9/30/15 3:16		B2 1,577		C2	1,577
9/30/15 3:27		B2 1,317		C2	1,317
9/30/15 3:33		B2 1,415		C2	1,415
9/30/15 3:36	B1 1,262			C2	1,262
9/30/15 3:40	B1 1,237			C2	1,237
9/30/15 3:44		B2 1,808		C2	1,808
9/30/15 3:47	B1 1,681			C2	1,681
9/30/15 3:50	B1 1,646			C2	1,646
9/30/15 4:01		B2 2,226		C2	2,226
9/30/15 4:03	B1 1,769			C2	1,769
9/30/15 4:10	B1 1,829		C1	1,829	
9/30/15 4:13		B2 2,189	C1	2,189	

Durham / York Waste Feed Quantity by Crane Weighing System

9/30/15 4:19	B1	2,880		C1		2,880	
9/30/15 4:22			B2	2,066	C1		2,066
9/30/15 4:36	B1	2,241			C2		2,241
9/30/15 4:38			B2	2,195	C2		2,195
9/30/15 4:51	B1	2,073			C2		2,073
9/30/15 4:53			B2	1,626	C2		1,626
9/30/15 5:01			B2	2,187	C2		2,187
9/30/15 5:08	B1	1,731			C2		1,731
9/30/15 5:10			B2	2,477	C2		2,477
9/30/15 5:15	B1	2,205			C2		2,205
9/30/15 5:18			B2	2,400	C2		2,400
9/30/15 5:34	B1	2,459			C2		2,459
9/30/15 5:37			B2	2,779	C2		2,779
9/30/15 5:45			B2	2,082	C2		2,082
9/30/15 5:48	B1	2,531			C2		2,531
9/30/15 5:58			B2	2,112	C2		2,112
9/30/15 6:03	B1	2,155			C2		2,155
9/30/15 6:10			B2	1,498	C2		1,498
9/30/15 6:16	B1	2,144			C2		2,144
9/30/15 6:20			B2	1,308	C2		1,308
9/30/15 6:25	B1	1,725			C2		1,725
9/30/15 6:29	B1	1,725			C2		1,725
9/30/15 6:40			B2	2,473	C2		2,473
9/30/15 6:43	B1	2,777			C2		2,777
9/30/15 6:52			B2	751	C2		751
9/30/15 6:56	B1	966			C2		966
9/30/15 6:59			B2	802	C2		802
9/30/15 7:06			B2	1,293	C2		1,293
9/30/15 7:09	B1	1,150			C2		1,150
9/30/15 7:17			B2	999	C2		999
9/30/15 7:24	B1	2,489			C2		2,489
9/30/15 7:25			B2	1,482	C2		1,482
9/30/15 7:42			B2	2,808	C2		2,808
9/30/15 7:43	B1	1,698			C2		1,698
9/30/15 7:48			B2	2,243	C2		2,243
9/30/15 7:52	B1	1,220			C2		1,220
9/30/15 7:54			B2	1,577	C2		1,577
<hr/>							
9/30/15 8:10			B2	1,782	C2		1,782 HHV Test Start
9/30/15 8:12	B1	1,328			C2		1,328
9/30/15 8:18			B2	2,548	C2		2,548
9/30/15 8:21	B1	2,160			C2		2,160
9/30/15 8:35	B1	1,808			C2		1,808
9/30/15 8:38			B2	1,332	C2		1,332
9/30/15 8:44	B1	1,072			C2		1,072
9/30/15 8:46			B2	1,954	C2		1,954
9/30/15 8:51	B1	1,850			C2		1,850
9/30/15 8:55			B2	1,430	C2		1,430
9/30/15 9:00	B1	1,666			C2		1,666
9/30/15 9:02			B2	1,200	C2		1,200
9/30/15 9:05			B2	723	C2		723
9/30/15 9:10	B1	1,180			C2		1,180
9/30/15 9:13	B1	1,652			C2		1,652
9/30/15 9:21			B2	1,103	C2		1,103
9/30/15 9:22	B1	1,800			C2		1,800
9/30/15 9:27	B1	1,080			C2		1,080
9/30/15 9:29			B2	957	C2		957
9/30/15 9:34			B2	1,139	C2		1,139
9/30/15 9:38			B2	771	C2		771
9/30/15 9:41	B1	841			C2		841

Durham / York Waste Feed Quantity by Crane Weighing System

9/30/15 9:46			B2	692	C2	692
9/30/15 9:50	B1	796			C2	796
9/30/15 9:55			B2	1,232	C2	1,232
9/30/15 9:58			B2	1,799	C2	1,799
9/30/15 9:59	B1	2,526			C2	2,526
9/30/15 10:05			B2	2,225	C2	2,225
9/30/15 10:07	B1	560			C2	560
9/30/15 10:15	B1	1,874			C2	1,874
9/30/15 10:17			B2	1,876	C2	1,876
9/30/15 10:24	B1	1,414			C2	1,414
9/30/15 10:26			B2	2,350	C2	2,350
9/30/15 10:37	B1	1,954			C2	1,954
9/30/15 10:41	B1	897			C2	897
9/30/15 10:46			B2	1,321	C2	1,321
9/30/15 10:50	B1	967			C2	967
9/30/15 10:52			B2	1,111	C2	1,111
9/30/15 10:58			B2	1,139	C2	1,139
9/30/15 11:02	B1	2,048			C2	2,048
9/30/15 11:05			B2	1,813	C2	1,813
9/30/15 11:13	B1	928			C2	928
9/30/15 11:23	B1	1,973			C2	1,973
9/30/15 11:25			B2	967	C2	967
9/30/15 11:34			B2	1,682	C2	1,682
9/30/15 11:37	B1	1,694			C2	1,694
9/30/15 11:39			B2	1,426	C2	1,426
9/30/15 11:45	B1	906			C2	906
9/30/15 11:48			B2	1,886	C2	1,886
9/30/15 11:51	B1	480			C2	480
9/30/15 11:56			B2	2,189	C2	2,189
9/30/15 11:59	B1	1,591			C2	1,591
9/30/15 12:09			B2	2,203	C2	2,203
9/30/15 12:12	B1	2,661			C2	2,661
9/30/15 12:18			B2	1,736	C2	1,736
9/30/15 12:22	B1	1,698			C2	1,698
9/30/15 12:28			B2	1,775	C2	1,775
9/30/15 12:30	B1	1,590			C2	1,590
9/30/15 12:44			B2	2,713	C2	2,713
9/30/15 12:47	B1	1,075			C2	1,075
9/30/15 12:53	B1	2,431			C2	2,431
9/30/15 12:59			B2	2,284	C2	2,284
9/30/15 13:06	B1	1,249			C2	1,249
9/30/15 13:12	B1	1,411			C2	1,411
9/30/15 13:15			B2	2,447	C2	2,447
9/30/15 13:20	B1	2,250			C2	2,250
9/30/15 13:27	B1	1,100			C2	1,100
9/30/15 13:32			B2	1,743	C2	1,743
9/30/15 13:39			B2	1,587	C2	1,587
9/30/15 13:44	B1	1,544			C2	1,544
9/30/15 13:46			B2	1,368	C2	1,368
9/30/15 13:57			B2	1,513	C2	1,513
9/30/15 13:59	B1	2,076			C2	2,076
9/30/15 14:01	B1	2,141			C2	2,141
9/30/15 14:13			B2	1,053	C2	1,053
9/30/15 14:17			B2	1,332	C2	1,332
9/30/15 14:19	B1	1,550			C2	1,550
9/30/15 14:25			B2	1,337	C2	1,337
9/30/15 14:30	B1	1,810			C2	1,810
9/30/15 14:34			B2	1,661	C2	1,661
9/30/15 14:38	B1	1,907			C2	1,907

Durham / York Waste Feed Quantity by Crane Weighing System

9/30/15 14:43			B2	1,388	C2	1,388
9/30/15 14:52	B1	2,351			C2	2,351
9/30/15 14:54			B2	1,928	C2	1,928
9/30/15 15:02			B2	778	C2	778
9/30/15 15:04	B1	1,411			C2	1,411
9/30/15 15:09			B2	2,215	C2	2,215
9/30/15 15:12	B1	1,311			C2	1,311
9/30/15 15:21			B2	991	C2	991
9/30/15 15:23	B1	764			C2	764
9/30/15 15:25			B2	1,480	C2	1,480
9/30/15 15:29	B1	1,377			C2	1,377
9/30/15 15:32			B2	1,459	C2	1,459
9/30/15 15:36	B1	1,155			C2	1,155
9/30/15 15:40			B2	725	C2	725
9/30/15 15:43	B1	897			C2	897
9/30/15 15:49			B2	1,042	C2	1,042
9/30/15 15:52	B1	1,471			C2	1,471
9/30/15 15:56			B2	2,084	C2	2,084
9/30/15 15:59	B1	1,514			C2	1,514
9/30/15 16:03	B1	583			C2	583
9/30/15 16:05			B2	496	C2	496 U1 End 16:04, U2 End 16:05
9/30/15 16:13			B2	1,866	C2	1,866
9/30/15 16:14	B1	1,542			C2	1,542
9/30/15 16:20	B1	1,372			C2	1,372
9/30/15 16:23			B2	1,430	C2	1,430
9/30/15 16:33			B2	1,471	C2	1,471
9/30/15 16:38	B1	2,303			C2	2,303
9/30/15 16:40			B2	2,257	C2	2,257
9/30/15 16:46	B1	1,603			C2	1,603
9/30/15 16:57			B2	2,335	C2	2,335
9/30/15 17:03	B1	1,497			C2	1,497
9/30/15 17:06			B2	1,860	C2	1,860
9/30/15 17:16			B2	1,190	C2	1,190
9/30/15 17:18	B1	1,185			C2	1,185
9/30/15 17:21	B1	1,621			C2	1,621
9/30/15 17:22			B2	814	C2	814
9/30/15 17:37	B1	1,215			C2	1,215
9/30/15 17:39			B2	1,861	C2	1,861
9/30/15 17:41	B1	2,155			C2	2,155
9/30/15 17:47			B2	1,845	C2	1,845
9/30/15 17:49	B1	1,993			C2	1,993
9/30/15 17:51	B1	1,482			C2	1,482
9/30/15 17:56			B2	962	C2	962
9/30/15 17:59	B1	1,902			C2	1,902
9/30/15 18:01			B2	1,936	C2	1,936
9/30/15 18:08	B1	1,521			C2	1,521
9/30/15 18:12			B2	2,426	C2	2,426
9/30/15 18:15	B1	522			C2	522
9/30/15 18:21	B1	2,090			C2	2,090
9/30/15 18:27			B2	2,527	C2	2,527
9/30/15 18:39			B2	2,394	C2	2,394
9/30/15 18:41	B1	2,318			C2	2,318
9/30/15 18:54			B2	2,017	C2	2,017
9/30/15 18:56	B1	2,215			C2	2,215
9/30/15 19:05	B1	1,612			C2	1,612
9/30/15 19:11			B2	2,298	C2	2,298
9/30/15 19:17	B1	2,402			C2	2,402
9/30/15 19:22	B1	2,531			C2	2,531
9/30/15 19:30			B2	3,115	C2	3,115

Durham / York Waste Feed Quantity by Crane Weighing System

9/30/15 19:37			B2	2,711	C2	2,711
9/30/15 19:44	B1	2,591			C2	2,591
9/30/15 19:57			B2	2,775	C2	2,775
9/30/15 19:59	B1	2,093			C2	2,093
9/30/15 20:08			B2	2,671	C2	2,671
9/30/15 20:16	B1	3,033			C2	3,033
9/30/15 20:27			B2	1,537	C2	1,537
9/30/15 20:30	B1	2,953			C2	2,953
9/30/15 20:38			B2	2,948	C2	2,948
9/30/15 20:48	B1	1,948			C2	1,948
9/30/15 20:50			B2	2,102	C2	2,102
9/30/15 21:00			B2	2,545	C2	2,545
9/30/15 21:05	B1	2,046			C2	2,046
9/30/15 21:16	B1	2,390			C2	2,390
9/30/15 21:20			B2	1,982	C2	1,982
9/30/15 21:24	B1	2,354			C2	2,354
9/30/15 21:36			B2	2,505	C2	2,505
9/30/15 21:46	B1	529			C2	529
9/30/15 21:49	B1	1,010			C2	1,010
9/30/15 21:56			B2	915	C2	915
9/30/15 22:04	B1	1,241			C2	1,241
9/30/15 22:08			B2	1,119	C2	1,119
9/30/15 22:13	B1	853			C2	853
9/30/15 22:15			B2	877	C2	877
9/30/15 22:19	B1	1,808			C2	1,808
9/30/15 22:24			B2	1,656	C2	1,656
9/30/15 22:28			B2	1,304	C2	1,304
9/30/15 22:31	B1	1,831			C2	1,831
9/30/15 22:36			B2	1,228	C2	1,228
9/30/15 22:40	B1	1,115			C2	1,115
9/30/15 22:45			B2	1,886	C2	1,886
9/30/15 22:49	B1	1,885			C2	1,885
9/30/15 22:55			B2	1,098	C2	1,098
9/30/15 22:59	B1	1,535			C2	1,535
9/30/15 23:03	B1	1,010			C2	1,010
9/30/15 23:06			B2	1,221	C2	1,221
9/30/15 23:09	B1	1,408			C2	1,408
9/30/15 23:12			B2	1,691	C2	1,691
9/30/15 23:15	B1	1,768			C2	1,768
9/30/15 23:19			B2	1,435	C2	1,435
9/30/15 23:27			B2	1,860	C2	1,860
9/30/15 23:31	B1	1,120			C2	1,120
9/30/15 23:37			B2	1,418	C2	1,418
9/30/15 23:39	B1	1,563			C2	1,563
9/30/15 23:46			B2	1,010	C2	1,010
9/30/15 23:48	B1	1,910			C2	1,910
9/30/15 23:52			B2	1,665	C2	1,665
9/30/15 23:57	B1	1,616			C2	1,616