

Durham / York Waste Feed Quantity by Crane Weighing System

10/1/2015	Facility Total 451,651			Crane Total 451,651	
	B1	B2		C1	C2
Total	226,917	224,734		5,796	445,855
HHV Test	73,169	70,727	143,896	0	144,780
10/1/15 0:00		B2 1,389		C2	1,389
10/1/15 0:04	B1 1,265			C2	1,265
10/1/15 0:09		B2 1,791		C2	1,791
10/1/15 0:17	B1 983			C2	983
10/1/15 0:20		B2 1,667		C2	1,667
10/1/15 0:24	B1 1,991			C2	1,991
10/1/15 0:26		B2 1,700		C2	1,700
10/1/15 0:36	B1 1,031			C2	1,031
10/1/15 0:39		B2 1,503		C2	1,503
10/1/15 0:42	B1 2,166			C2	2,166
10/1/15 0:44		B2 1,410		C2	1,410
10/1/15 0:54	B1 1,104			C2	1,104
10/1/15 0:58		B2 1,083		C2	1,083
10/1/15 1:01	B1 1,559			C2	1,559
10/1/15 1:03		B2 1,939		C2	1,939
10/1/15 1:07	B1 1,046			C2	1,046
10/1/15 1:12	B1 2,379			C2	2,379
10/1/15 1:17		B2 2,493		C2	2,493
10/1/15 1:22	B1 2,757			C2	2,757
10/1/15 1:29		B2 2,625		C2	2,625
10/1/15 1:32	B1 2,708			C2	2,708
10/1/15 1:43		B2 2,015		C2	2,015
10/1/15 1:49	B1 2,037			C2	2,037
10/1/15 1:53		B2 1,412		C2	1,412
10/1/15 2:07		B2 1,990		C2	1,990
10/1/15 2:10	B1 2,611			C2	2,611
10/1/15 2:21	B1 2,367			C2	2,367
10/1/15 2:23		B2 2,237		C2	2,237
10/1/15 2:29		B2 2,000		C2	2,000
10/1/15 2:32	B1 2,093			C2	2,093
10/1/15 2:48		B2 2,455		C2	2,455
10/1/15 2:52	B1 2,569			C2	2,569
10/1/15 2:57		B2 1,868		C2	1,868
10/1/15 3:07	B1 480			C2	480
10/1/15 3:09		B2 1,439		C2	1,439
10/1/15 3:15	B1 1,852			C2	1,852
10/1/15 3:19		B2 2,237		C2	2,237
10/1/15 3:29	B1 2,044			C2	2,044
10/1/15 3:40		B2 2,471		C2	2,471
10/1/15 3:43	B1 2,251			C2	2,251
10/1/15 3:55	B1 2,736			C2	2,736
10/1/15 3:59		B2 1,701		C2	1,701
10/1/15 4:07		B2 2,357		C2	2,357
10/1/15 4:13	B1 1,566			C2	1,566
10/1/15 4:16		B2 1,837		C2	1,837
10/1/15 4:19	B1 1,748			C2	1,748
10/1/15 4:26	B1 1,336			C2	1,336
10/1/15 4:28		B2 2,194		C2	2,194
10/1/15 4:30	B1 1,792			C2	1,792
10/1/15 4:40	B1 1,891			C2	1,891
10/1/15 4:45		B2 1,868		C2	1,868
10/1/15 4:50		B2 1,974		C2	1,974
10/1/15 4:58	B1 1,952			C2	1,952

Durham / York Waste Feed Quantity by Crane Weighing System

10/1/15 5:03			B2	1,397	C2	1,397
10/1/15 5:07	B1	1,072			C2	1,072
10/1/15 5:10			B2	729	C2	729
10/1/15 5:13	B1	1,814			C2	1,814
10/1/15 5:15			B2	1,237	C2	1,237
10/1/15 5:20	B1	1,343			C2	1,343
10/1/15 5:22			B2	1,263	C2	1,263
10/1/15 5:26			B2	1,121	C2	1,121
10/1/15 5:32	B1	1,439			C2	1,439
10/1/15 5:35			B2	1,734	C2	1,734
10/1/15 5:41	B1	1,769			C2	1,769
10/1/15 5:44			B2	1,439	C2	1,439
10/1/15 5:57			B2	1,701	C2	1,701
10/1/15 6:02	B1	736			C2	736
10/1/15 6:05	B1	1,628			C2	1,628
10/1/15 6:09			B2	1,064	C2	1,064
10/1/15 6:11	B1	1,808			C2	1,808
10/1/15 6:16			B2	1,050	C2	1,050
10/1/15 6:19	B1	1,086			C2	1,086
10/1/15 6:24			B2	1,089	C2	1,089
10/1/15 6:31	B1	1,445			C2	1,445
10/1/15 6:35			B2	1,197	C2	1,197
10/1/15 6:38	B1	1,648			C2	1,648
10/1/15 6:41			B2	1,346	C2	1,346
10/1/15 6:50	B1	1,792			C2	1,792
10/1/15 6:55			B2	2,361	C2	2,361
10/1/15 7:08	B1	2,029			C2	2,029
10/1/15 7:11			B2	2,241	C2	2,241
10/1/15 7:15	B1	2,284			C2	2,284
10/1/15 7:20			B2	2,492	C2	2,492
10/1/15 7:25	B1	2,502			C2	2,502
10/1/15 7:28			B2	2,026	C2	2,026
10/1/15 7:44	B1	2,107			C2	2,107
10/1/15 7:47			B2	2,337	C2	2,337
10/1/15 7:59	B1	1,965			C2	1,965
10/1/15 8:05			B2	1,796	C2	1,796
10/1/15 8:12	B1	1,935			C2	1,935
10/1/15 8:17			B2	2,164	C2	2,164
10/1/15 8:26	B1	1,950			C2	1,950
10/1/15 8:30			B2	1,851	C2	1,851
10/1/15 8:38	B1	2,062			C2	2,062
10/1/15 8:42			B2	2,267	C2	2,267
10/1/15 8:47	B1	2,060			C2	2,060
10/1/15 8:50			B2	1,739	C2	1,739
10/1/15 8:57	B1	2,075			C2	2,075
10/1/15 8:59			B2	1,604	C2	1,604
<hr/>						
10/1/15 9:08			B2	2,042	C2	2,042 HHV Test Start
10/1/15 9:11	B1	1,879			C2	1,879
10/1/15 9:22			B2	2,017	C2	2,017
10/1/15 9:24	B1	2,132			C2	2,132
10/1/15 9:32			B2	2,005	C2	2,005
10/1/15 9:39			B2	2,445	C2	2,445
10/1/15 9:43	B1	2,378			C2	2,378
10/1/15 9:46	B1	1,918			C2	1,918
10/1/15 10:02			B2	1,241	C2	1,241
10/1/15 10:07	B1	1,804			C2	1,804
10/1/15 10:11			B2	1,129	C2	1,129
10/1/15 10:16	B1	1,129			C2	1,129
10/1/15 10:21			B2	1,376	C2	1,376

Durham / York Waste Feed Quantity by Crane Weighing System

10/1/15 10:24	B1	2,133		C2	2,133
10/1/15 10:32			B2	1,700	1,700
10/1/15 10:34	B1	780		C2	780
10/1/15 10:36			B2	2,036	2,036
10/1/15 10:42	B1	1,572		C2	1,572
10/1/15 10:46			B2	1,358	1,358
10/1/15 10:51	B1	2,093		C2	2,093
10/1/15 10:59			B2	1,680	1,680
10/1/15 11:07	B1	1,463		C2	1,463
10/1/15 11:12			B2	828	828
10/1/15 11:22			B2	2,101	2,101
10/1/15 11:25	B1	2,309		C2	2,309
10/1/15 11:31			B2	1,474	1,474
10/1/15 11:41	B1	2,454		C2	2,454
10/1/15 11:47			B2	1,821	1,821
10/1/15 11:53	B1	875		C2	875
10/1/15 12:04	B1	1,856		C2	1,856
10/1/15 12:06			B2	1,165	1,165
10/1/15 12:10			B2	2,037	2,037
10/1/15 12:12	B1	1,752		C2	1,752
10/1/15 12:19	B1	1,998		C2	1,998
10/1/15 12:20			B2	1,847	1,847
10/1/15 12:31	B1	2,099		C2	2,099
10/1/15 12:33			B2	1,830	1,830
10/1/15 12:42	B1	1,293		C2	1,293
10/1/15 12:49			B2	1,225	1,225
10/1/15 12:58			B2	2,170	2,170
10/1/15 13:03	B1	2,158		C2	2,158
10/1/15 13:09			B2	2,143	2,143
10/1/15 13:18	B1	2,132		C2	2,132
10/1/15 13:22			B2	2,239	2,239
10/1/15 13:36	B1	2,023		C2	2,023
10/1/15 13:42			B2	2,010	2,010
10/1/15 13:44	B1	2,060		C2	2,060
10/1/15 13:54	B1	2,216		C2	2,216
10/1/15 13:58			B2	1,716	1,716
10/1/15 14:09	B1	1,867		C2	1,867
10/1/15 14:17			B2	1,635	1,635
10/1/15 14:24	B1	1,861		C2	1,861
10/1/15 14:31			B2	1,980	1,980
10/1/15 14:35			B2	2,644	2,644
10/1/15 14:38	B1	2,248		C2	2,248
10/1/15 14:49			B2	1,918	1,918
10/1/15 14:54	B1	2,257		C2	2,257
10/1/15 15:04			B2	2,710	2,710
10/1/15 15:08	B1	2,274		C2	2,274
10/1/15 15:18			B2	2,108	2,108
10/1/15 15:21	B1	2,507		C2	2,507
10/1/15 15:34	B1	1,883		C2	1,883
10/1/15 15:37			B2	2,202	2,202
10/1/15 15:40			B2	2,080	2,080
10/1/15 15:46	B1	2,001		C2	2,001
10/1/15 15:57	B1	2,462		C2	2,462
10/1/15 16:07			B2	2,165	2,165
10/1/15 16:11	B1	1,609		C2	1,609
10/1/15 16:20			B2	1,163	1,163
10/1/15 16:22	B1	1,469		C2	1,469
10/1/15 16:27	B1	2,248		C2	2,248
10/1/15 16:32			B2	2,046	2,046

Durham / York Waste Feed Quantity by Crane Weighing System

10/1/15 16:42	B1	1,351			C2	1,351
10/1/15 16:46			B2	2,414	C2	2,414
10/1/15 16:51	B1	2,626			C2	2,626
10/1/15 16:53			B2	2,434	C2	2,434
10/1/15 17:06			B2	477	C2	477
<hr/>						
10/1/15 17:12	B1	2,821			C2	2,821
10/1/15 17:22			B2	1,937	C2	1,937
10/1/15 17:25			B2	1,638	C2	1,638
10/1/15 17:38			B2	1,810	C1	1,810
10/1/15 17:40	B1	1,972			C1	1,972
10/1/15 17:44	B1	1,996			C2	1,996
10/1/15 17:45			B2	2,937	C2	2,937
10/1/15 17:47	B1	1,989			C2	1,989
10/1/15 17:54			B2	1,385	C2	1,385
10/1/15 17:56	B1	2,673			C2	2,673
10/1/15 18:09			B2	2,396	C2	2,396
10/1/15 18:11	B1	2,342			C2	2,342
10/1/15 18:20			B2	1,651	C2	1,651
10/1/15 18:22	B1	1,248			C2	1,248
10/1/15 18:29	B1	1,416			C2	1,416
10/1/15 18:31			B2	2,590	C2	2,590
10/1/15 18:46	B1	970			C2	970
10/1/15 18:48			B2	2,268	C2	2,268
10/1/15 18:56	B1	2,488			C2	2,488
10/1/15 19:08			B2	2,340	C2	2,340
10/1/15 19:10	B1	2,273			C2	2,273
10/1/15 19:19			B2	1,898	C2	1,898
10/1/15 19:28	B1	2,458			C2	2,458
10/1/15 19:38			B2	1,503	C2	1,503
10/1/15 19:41	B1	2,005			C2	2,005
10/1/15 19:48	B1	1,975			C2	1,975
10/1/15 19:54			B2	2,378	C2	2,378
10/1/15 20:02	B1	2,104			C2	2,104
10/1/15 20:11			B2	2,129	C2	2,129
10/1/15 20:13	B1	1,433			C2	1,433
10/1/15 20:24			B2	1,991	C2	1,991
10/1/15 20:32	B1	2,034			C2	2,034
10/1/15 20:34			B2	2,218	C2	2,218
10/1/15 20:43	B1	2,050			C2	2,050
10/1/15 20:46			B2	1,638	C2	1,638
10/1/15 20:53	B1	1,737			C2	1,737
10/1/15 20:59			B2	1,971	C2	1,971
10/1/15 21:06	B1	2,063			C2	2,063
10/1/15 21:12			B2	1,178	C2	1,178
10/1/15 21:17	B1	1,188			C2	1,188
10/1/15 21:19			B2	2,232	C2	2,232
10/1/15 21:28	B1	2,650			C2	2,650
10/1/15 21:34			B2	2,374	C2	2,374
10/1/15 21:45			B2	2,157	C2	2,157
10/1/15 21:47	B1	2,682			C2	2,682
10/1/15 21:56	B1	2,217			C2	2,217
10/1/15 21:59			B2	2,397	C2	2,397
10/1/15 22:12	B1	946			C1	946
10/1/15 22:19			B2	1,068	C1	1,068
10/1/15 22:32	B1	1,244			C2	1,244
10/1/15 22:33			B2	1,644	C2	1,644
10/1/15 22:35	B1	1,783			C2	1,783
10/1/15 22:37			B2	1,183	C2	1,183
10/1/15 22:39	B1	913			C2	913

Durham / York Waste Feed Quantity by Crane Weighing System

10/1/15 22:44			B2	2,468	C2	2,468
10/1/15 22:49	B1	1,324			C2	1,324
10/1/15 22:55			B2	1,749	C2	1,749
10/1/15 23:01	B1	1,942			C2	1,942
10/1/15 23:06			B2	1,171	C2	1,171
10/1/15 23:08	B1	1,707			C2	1,707
10/1/15 23:17			B2	1,026	C2	1,026
10/1/15 23:21	B1	788			C2	788
10/1/15 23:24			B2	1,844	C2	1,844
10/1/15 23:27	B1	1,174			C2	1,174
10/1/15 23:33			B2	1,121	C2	1,121
10/1/15 23:35	B1	1,340			C2	1,340
10/1/15 23:39			B2	834	C2	834
10/1/15 23:42	B1	1,138			C2	1,138
10/1/15 23:48	B1	1,802			C2	1,802
10/1/15 23:51			B2	1,354	C2	1,354
10/1/15 23:58			B2	1,745	C2	1,745