

Durham / York Waste Feed Quantity by Crane Weighing System

10/8/2015		Facility Total		Crane Total	
		431,897		431,897	
Total		B1	B2	C1	C2
		213,067	218,830	14,471	417,426
HHV Test					
10/8/15 0:08	B1	2,377		C2	2,377
10/8/15 0:12			B2	2,563	2,563
10/8/15 0:21	B1	2,317		C2	2,317
10/8/15 0:29			B2	2,676	2,676
10/8/15 0:38	B1	2,656		C2	2,656
10/8/15 0:46			B2	1,390	1,390
10/8/15 0:57	B1	2,226		C2	2,226
10/8/15 0:59			B2	2,224	2,224
10/8/15 1:12	B1	2,338		C2	2,338
10/8/15 1:19			B2	1,221	1,221
10/8/15 1:24			B2	1,189	1,189
10/8/15 1:33			B2	717	717
10/8/15 1:35	B1	1,008		C2	1,008
10/8/15 1:39			B2	1,129	1,129
10/8/15 1:41	B1	1,101		C2	1,101
10/8/15 1:49			B2	881	881
10/8/15 1:52	B1	632		C2	632
10/8/15 1:54	B1	762		C2	762
10/8/15 1:57			B2	668	668
10/8/15 2:00			B2	1,174	1,174
10/8/15 2:02	B1	915		C2	915
10/8/15 2:08	B1	1,046		C2	1,046
10/8/15 2:10			B2	2,261	2,261
10/8/15 2:14	B1	1,541		C2	1,541
10/8/15 2:20			B2	1,844	1,844
10/8/15 2:22	B1	1,443		C2	1,443
10/8/15 2:25	B1	715		C2	715
10/8/15 2:27			B2	520	520
10/8/15 2:33	B1	1,226		C2	1,226
10/8/15 2:35			B2	1,280	1,280
10/8/15 2:40			B2	908	908
10/8/15 2:42	B1	1,147		C2	1,147
10/8/15 2:45			B2	1,219	1,219
10/8/15 2:47	B1	856		C2	856
10/8/15 2:54	B1	1,270		C2	1,270
10/8/15 2:56			B2	1,082	1,082
10/8/15 3:00	B1	1,125		C2	1,125
10/8/15 3:04			B2	1,101	1,101
10/8/15 3:06	B1	1,163		C2	1,163
10/8/15 3:10			B2	1,054	1,054

Durham / York Waste Feed Quantity by Crane Weighing System

10/8/15 3:15			B2	1,684	C2	1,684
10/8/15 3:17	B1	1,594			C2	1,594
10/8/15 3:26	B1	877			C2	877
10/8/15 3:29			B2	1,387	C2	1,387
10/8/15 3:34	B1	1,576			C2	1,576
10/8/15 3:38			B2	1,191	C2	1,191
10/8/15 3:40	B1	1,099			C2	1,099
10/8/15 3:42			B2	1,198	C2	1,198
10/8/15 3:46	B1	1,165			C2	1,165
10/8/15 3:50			B2	973	C2	973
10/8/15 3:52	B1	1,637			C2	1,637
10/8/15 3:57			B2	1,294	C2	1,294
10/8/15 3:59	B1	1,550			C2	1,550
10/8/15 4:09			B2	2,658	C2	2,658
10/8/15 4:12	B1	2,143			C2	2,143
10/8/15 4:20			B2	2,679	C2	2,679
10/8/15 4:23	B1	2,203			C2	2,203
10/8/15 4:34			B2	2,336	C2	2,336
10/8/15 4:39	B1	2,752			C2	2,752
10/8/15 4:52	B1	2,389			C2	2,389
10/8/15 4:55			B2	2,246	C2	2,246
10/8/15 5:09			B2	1,514	C2	1,514
10/8/15 5:12	B1	2,287			C2	2,287
10/8/15 5:20			B2	2,368	C2	2,368
10/8/15 5:29	B1	2,447			C2	2,447
10/8/15 5:36			B2	2,836	C2	2,836
10/8/15 5:38	B1	2,576			C2	2,576
10/8/15 5:47	B1	1,718			C2	1,718
10/8/15 5:50			B2	2,140	C2	2,140
10/8/15 6:02			B2	2,149	C2	2,149
10/8/15 6:14	B1	1,976			C2	1,976
10/8/15 6:19			B2	2,565	C2	2,565
10/8/15 6:23	B1	2,928			C2	2,928
10/8/15 6:34			B2	2,664	C2	2,664
10/8/15 6:41	B1	2,151			C2	2,151
10/8/15 6:55			B2	1,908	C2	1,908
10/8/15 7:10	B1	1,768			C2	1,768
10/8/15 7:12			B2	2,250	C2	2,250
10/8/15 7:22	B1	2,004			C2	2,004
10/8/15 7:25			B2	2,529	C2	2,529
10/8/15 7:32	B1	2,602			C2	2,602
10/8/15 7:50	B1	2,253			C2	2,253
10/8/15 7:52			B2	2,237	C2	2,237
10/8/15 7:56			B2	2,383	C2	2,383
10/8/15 8:03	B1	2,316			C2	2,316

Durham / York Waste Feed Quantity by Crane Weighing System

10/8/15 8:12			B2	2,006	C2	2,006
10/8/15 8:14	B1	2,354			C2	2,354
10/8/15 8:21	B1	2,249			C2	2,249
10/8/15 8:29			B2	1,852	C2	1,852
10/8/15 8:36	B1	1,650			C2	1,650
10/8/15 8:45			B2	1,965	C2	1,965
10/8/15 8:49	B1	1,604			C2	1,604
10/8/15 8:52			B2	2,383	C2	2,383
10/8/15 8:55	B1	1,449			C2	1,449
10/8/15 9:05			B2	2,104	C2	2,104
10/8/15 9:10	B1	1,796			C2	1,796
10/8/15 9:18			B2	1,973	C2	1,973
10/8/15 9:21	B1	2,074			C2	2,074
10/8/15 9:36			B2	1,653	C2	1,653
10/8/15 9:44	B1	984			C2	984
10/8/15 9:47			B2	1,858	C2	1,858
10/8/15 9:55			B2	1,657	C2	1,657
10/8/15 10:02	B1	1,670			C2	1,670
10/8/15 10:06			B2	938	C2	938
10/8/15 10:09	B1	1,515			C2	1,515
10/8/15 10:16			B2	1,754	C2	1,754
10/8/15 10:19	B1	1,886			C2	1,886
10/8/15 10:27			B2	1,483	C2	1,483
10/8/15 10:30	B1	1,630			C2	1,630
10/8/15 10:33			B2	1,198	C2	1,198
10/8/15 10:35	B1	786			C2	786
10/8/15 10:38			B2	1,487	C2	1,487
10/8/15 10:46	B1	1,431			C2	1,431
10/8/15 10:48			B2	1,305	C2	1,305
10/8/15 10:52	B1	1,184			C2	1,184
10/8/15 10:55	B1	1,379			C2	1,379
10/8/15 10:59	B1	1,556			C2	1,556
10/8/15 11:03			B2	1,262	C2	1,262
10/8/15 11:11			B2	1,193	C2	1,193
10/8/15 11:14	B1	1,860			C2	1,860
10/8/15 11:19			B2	2,216	C2	2,216
10/8/15 11:26	B1	1,916			C2	1,916
10/8/15 11:31			B2	2,204	C2	2,204
10/8/15 11:35	B1	2,283			C2	2,283
10/8/15 11:45			B2	1,629	C2	1,629
10/8/15 11:50	B1	1,553			C2	1,553
10/8/15 11:54			B2	1,610	C2	1,610
10/8/15 12:03	B1	1,632			C2	1,632
10/8/15 12:10			B2	1,413	C2	1,413
10/8/15 12:12	B1	1,569			C2	1,569

Durham / York Waste Feed Quantity by Crane Weighing System

10/8/15 12:18			B2	1,324		C2	1,324
10/8/15 12:25			B2	1,495		C2	1,495
10/8/15 12:29			B2	1,684		C2	1,684
10/8/15 12:33	B1	1,396				C2	1,396
10/8/15 12:41			B2	2,184		C2	2,184
10/8/15 12:50	B1	2,024				C2	2,024
10/8/15 13:00	B1	2,242				C2	2,242
10/8/15 13:02			B2	2,394		C2	2,394
10/8/15 13:14			B2	2,349		C2	2,349
10/8/15 13:20	B1	2,236				C2	2,236
10/8/15 13:29			B2	2,374		C2	2,374
10/8/15 13:32	B1	2,437				C2	2,437
10/8/15 13:47			B2	2,311		C2	2,311
10/8/15 13:49	B1	2,590				C2	2,590
10/8/15 13:55	B1	2,246				C2	2,246
10/8/15 14:01			B2	2,644		C2	2,644
10/8/15 14:14	B1	2,110				C2	2,110
10/8/15 14:24			B2	2,677		C2	2,677
10/8/15 14:27	B1	2,313				C2	2,313
10/8/15 14:33			B2	2,256		C2	2,256
10/8/15 14:45	B1	2,054				C2	2,054
10/8/15 14:54			B2	2,114	C1		2,114
10/8/15 15:05	B1	1,573			C1		1,573
10/8/15 15:12			B2	1,562	C1		1,562
10/8/15 15:20	B1	1,942			C1		1,942
10/8/15 15:23			B2	1,096		C2	1,096
10/8/15 15:32	B1	1,366				C2	1,366
10/8/15 15:35			B2	1,631		C2	1,631
10/8/15 15:46			B2	1,210		C2	1,210
10/8/15 15:48	B1	1,085				C2	1,085
10/8/15 15:54			B2	2,032		C2	2,032
10/8/15 15:56	B1	1,264				C2	1,264
10/8/15 16:00			B2	1,674		C2	1,674
10/8/15 16:03	B1	1,571				C2	1,571
10/8/15 16:11			B2	1,648		C2	1,648
10/8/15 16:15	B1	1,361				C2	1,361
10/8/15 16:19			B2	1,843		C2	1,843
10/8/15 16:21	B1	1,632				C2	1,632
10/8/15 16:25			B2	1,377		C2	1,377
10/8/15 16:30	B1	1,253				C2	1,253
10/8/15 16:37			B2	1,232		C2	1,232
10/8/15 16:39	B1	1,270				C2	1,270
10/8/15 16:44	B1	1,487				C2	1,487
10/8/15 16:49			B2	1,662		C2	1,662
10/8/15 16:55	B1	1,536				C2	1,536

Durham / York Waste Feed Quantity by Crane Weighing System

10/8/15 16:58			B2	1,151		C2	1,151
10/8/15 17:01	B1	1,291				C2	1,291
10/8/15 17:07	B1	1,397				C2	1,397
10/8/15 17:12			B2	1,451		C2	1,451
10/8/15 17:17			B2	1,062		C2	1,062
10/8/15 17:20	B1	919				C2	919
10/8/15 17:26			B2	1,165		C2	1,165
10/8/15 17:29	B1	1,438				C2	1,438
10/8/15 17:37	B1	1,747				C2	1,747
10/8/15 17:39			B2	1,327		C2	1,327
10/8/15 17:44			B2	1,084		C2	1,084
10/8/15 17:49	B1	1,198				C2	1,198
10/8/15 17:51			B2	1,388		C2	1,388
10/8/15 17:53	B1	1,316				C2	1,316
10/8/15 18:02			B2	1,128	C1		1,128
10/8/15 18:05	B1	1,348			C1		1,348
10/8/15 18:09	B1	1,489			C1		1,489
10/8/15 18:11			B2	2,164	C1		2,164
10/8/15 18:14			B2	1,151	C1		1,151
10/8/15 18:17	B1	1,536				C2	1,536
10/8/15 18:19			B2	1,737		C2	1,737
10/8/15 18:28			B2	1,972		C2	1,972
10/8/15 18:31	B1	1,796				C2	1,796
10/8/15 18:36			B2	1,379		C2	1,379
10/8/15 18:39	B1	1,439				C2	1,439
10/8/15 18:44			B2	1,438		C2	1,438
10/8/15 18:48	B1	1,630				C2	1,630
10/8/15 18:53			B2	1,612		C2	1,612
10/8/15 18:56	B1	1,044				C2	1,044
10/8/15 19:00	B1	1,551				C2	1,551
10/8/15 19:04			B2	899		C2	899
10/8/15 19:14	B1	1,669				C2	1,669
10/8/15 19:19			B2	690		C2	690
10/8/15 19:23	B1	974				C2	974
10/8/15 19:27			B2	1,117		C2	1,117
10/8/15 19:32	B1	2,230				C2	2,230
10/8/15 19:37			B2	1,458		C2	1,458
10/8/15 19:40	B1	2,228				C2	2,228
10/8/15 19:50	B1	1,630				C2	1,630
10/8/15 19:53			B2	1,333		C2	1,333
10/8/15 20:03			B2	1,722		C2	1,722
10/8/15 20:05	B1	1,406				C2	1,406
10/8/15 20:10			B2	929		C2	929
10/8/15 20:16			B2	1,251		C2	1,251
10/8/15 20:22	B1	1,921				C2	1,921

Durham / York Waste Feed Quantity by Crane Weighing System

10/8/15 20:28			B2	1,875	C2	1,875
10/8/15 20:33	B1	2,406			C2	2,406
10/8/15 20:37			B2	1,592	C2	1,592
10/8/15 20:46			B2	1,054	C2	1,054
10/8/15 20:49	B1	1,792			C2	1,792
10/8/15 20:51			B2	1,915	C2	1,915
10/8/15 20:54	B1	2,563			C2	2,563
10/8/15 21:00			B2	1,398	C2	1,398
10/8/15 21:04	B1	1,816			C2	1,816
10/8/15 21:08			B2	1,977	C2	1,977
10/8/15 21:18			B2	1,723	C2	1,723
10/8/15 21:24	B1	950			C2	950
10/8/15 21:28			B2	1,738	C2	1,738
10/8/15 21:29			B2	1,482	C2	1,482
10/8/15 21:35	B1	1,454			C2	1,454
10/8/15 21:43			B2	1,383	C2	1,383
10/8/15 21:49	B1	1,875			C2	1,875
10/8/15 21:54			B2	1,122	C2	1,122
10/8/15 22:01	B1	1,415			C2	1,415
10/8/15 22:07			B2	1,304	C2	1,304
10/8/15 22:13	B1	1,828			C2	1,828
10/8/15 22:20			B2	1,194	C2	1,194
10/8/15 22:24	B1	1,377			C2	1,377
10/8/15 22:32			B2	1,420	C2	1,420
10/8/15 22:36	B1	1,374			C2	1,374
10/8/15 22:41			B2	1,465	C2	1,465
10/8/15 22:48	B1	1,973			C2	1,973
10/8/15 22:53			B2	1,474	C2	1,474
10/8/15 23:00	B1	1,177			C2	1,177
10/8/15 23:05			B2	1,421	C2	1,421
10/8/15 23:08	B1	1,388			C2	1,388
10/8/15 23:12			B2	1,385	C2	1,385
10/8/15 23:18	B1	1,546			C2	1,546
10/8/15 23:20			B2	2,383	C2	2,383
10/8/15 23:29			B2	2,689	C2	2,689
10/8/15 23:32	B1	1,764			C2	1,764
10/8/15 23:44			B2	2,308	C2	2,308
10/8/15 23:47	B1	2,299			C2	2,299
10/8/15 23:54			B2	1,714	C2	1,714