

REPORT



DURHAM YORK ENERGY CENTRE

COURTICE, ONTARIO

2019 Q2 AMBIENT AIR QUALITY MONITORING REPORT
RWDI # 1803743
AUGUST 12, 2019

SUBMITTED TO

The Director, Legislative Services-
Regional Clerk or Designate,
The Regional Municipality of Durham
605 Rossland Road East, 1st Floor
Corporate Services-Legislative Services
Division
Whitby, ON L1N 6A3

CC TO

Lyndsay Waller
Lyndsay.Waller@durham.ca

SUBMITTED BY

John DeYoe, B.A.
Air Quality Specialist / Principal
john.deyoe@rwdi.com

RWDI AIR Inc.
Consulting Engineers & Scientists
600 Southgate Drive
Guelph Ontario Canada N1G 4P6
T: 519.823.1311
F: 519.823.1316



TABLE OF CONTENTS

1	INTRODUCTION	1
1.1	Sampling Locations	4
2	SAMPLING METHODOLOGY	5
2.1	Nitrogen Oxide Analyzers	5
2.2	Sulphur Dioxide Analyzers.....	6
2.3	SHARP 5030 PM _{2.5} Analyzers	6
2.4	TSP High Volume Air Samplers.....	7
2.5	Polyurethane Foam Samplers.....	7
2.6	Meteorological Towers.....	7
3	AIR QUALITY CRITERIA AND STANDARDS	8
4	MECP AUDITS.....	8
5	SUMMARY OF AMBIENT MEASUREMENTS	8
5.1	Meteorological Station Results	9
5.1.1	Courtice Station Results	9
5.1.2	Rundle Road Station Results	10
5.2	NO _x , SO ₂ and PM _{2.5} Summary Table Results.....	12
5.3	Oxides of Nitrogen Results	13
5.3.1	Courtice Station Results	13
5.3.2	Rundle Road Station Results	14
5.4	Sulphur Dioxide Results	15
5.4.1	Courtice Station Results	15
5.4.2	Rundle Road Station Results	15
5.5	Fine Particulate Matter (PM _{2.5}) Results	17
5.5.1	Courtice Station Results	17
5.5.2	Rundle Road Station Results	17

**2019 Q2 AMBIENT AIR QUALITY MONITORING REPORT
DURHAM YORK ENERGY CENTRE**

RWDI# 1803743
August 12, 2019



5.6	TSP and Metals Hi-Vol Results.....	18
5.6.1	Courtice Station Results	18
5.6.2	Rundle Road Station Results	20
5.7	PAH Results	21
5.7.1	Courtice Station Results	21
5.7.2	Rundle Road Station Results	22
5.8	Dioxin and Furan Results.....	23
5.8.1	Courtice Station Results	23
5.8.1	Rundle Road Station Results	24
6	DATA REQUESTS.....	25
6.1	Courtice Road Station.....	25
6.2	Rundle Road Station	25
7	CONCLUSIONS	25
8	REFERENCES.....	26

LIST OF TABLES

- | | |
|-----------|--|
| Table 1: | Hourly Statistics from the Courtice WPCP Meteorological Station |
| Table 2: | Hourly Statistics from the Rundle Road Meteorological Station |
| Table 3: | Summary of Percent Valid Data for Courtice Station |
| Table 4: | Summary of Percent Valid Data for Rundle Road Station |
| Table 5: | Summary of Exceedance Statistics |
| Table 6: | Summary of TSP Sampler Courtice Station |
| Table 7: | Summary of TSP Sampler Rundle Road Station |
| Table 8: | Statistics Summary of PAH Results for Courtice Station |
| Table 9: | Statistics Summary of PAH Results for Rundle Road Station |
| Table 10: | Courtice Station Q2 Monitoring Results for Dioxins and Furans |
| Table 11: | Rundle Road Station Q2 Monitoring Results for Dioxins and Furans |

**2019 Q2 AMBIENT AIR QUALITY MONITORING REPORT
DURHAM YORK ENERGY CENTRE**

RWDI# 1803743
August 12, 2019



LIST OF FIGURES

- Figure 1: DYEC Site and Ambient Monitoring Station Locations
- Figure 2: Rundle Road Station
- Figure 3: Courtice Station
- Figure 5: Wind Roses of Hourly Wind Speed and Wind Direction – April to June 2019
- Figure 6: Pollution Roses of Hourly Average NO₂ Concentrations – April to June 2019
- Figure 7: Pollution Roses of Hourly Average SO₂ Concentrations – April to June 2019
- Figure 8: Pollution Roses of Hourly Average PM_{2.5} Concentrations – April to June 2019

LIST OF APPENDICES

- Appendix A1: 2019 Summary Statistics for Q2
- A2: 2019 Q2 Station Courtice Monitoring Results for PM_{2.5}
- A3: 2019 Q2 Station Rundle Monitoring Results for PM_{2.5}
- A4: 2019 Q2 Station Courtice Monitoring Results for NO_x
- A5: 2019 Q2 Station Rundle Monitoring Results for NO_x
- A6: 2019 Q2 Station Courtice Monitoring Results for NO
- A7: 2019 Q2 Station Rundle Monitoring Results for NO
- A8: 2019 Q2 Station Courtice Monitoring Results for NO₂
- A9: 2019 Q2 Station Rundle Monitoring Results for NO₂
- A10: 2019 Q2 Station Courtice Monitoring Results for SO₂
- A11: 2019 Q2 Station Rundle Monitoring Results for SO₂
- A12: 2019 Q2 Courtice Meteorological Station Windspeed Data Summary
- A13: 2019 Q2 Rundle Meteorological Station Windspeed Data Summary
- A14: 2019 Q2 Courtice Meteorological Station Wind Direction Data Summary
- A15: 2019 Q2 Rundle Meteorological Station Wind Direction Data Summary
- A16: 2019 Q2 Courtice Meteorological Station Temperature Data Summary
- A17: 2019 Q2 Rundle Meteorological Station Temperature Data Summary
- A18: 2019 Q2 Courtice Meteorological Station Relative Humidity Summary
- A19: 2019 Q2 Rundle Meteorological Station Relative Humidity Summary
- A20: 2019 Q2 Courtice Meteorological Station Precipitation Data Summary
- A21: 2019 Q2 Rundle Meteorological Station Precipitation Data Summary
- A22: 2019 Q2 Courtice Meteorological Station Pressure Data Summary

**2019 Q2 AMBIENT AIR QUALITY MONITORING REPORT
DURHAM YORK ENERGY CENTRE**

RWDI# 1803743
August 12, 2019



- Appendix B1: Summary of Sample Flow Rate and Sample Duration for Dioxins & Furans
- B2: 2019 Courtice Station Q2 Monitoring Results for Dioxins & Furans
 - B3: 2019 Rundle Station Q2 Monitoring Results for Dioxins & Furans
 - B4: Summary of Sample Flow Rate and Sample Duration for Polycyclic Aromatic Hydrocarbons (PAH)
 - B5: Courtice Station Q2 Monitoring Results for PAH's
 - B6: Rundle Station Q2 Monitoring Results for PAH's
 - B7: Summary of Sample Flow Rate and Sample Duration for Total Suspended Particulate (TSP) and Metals
- Appendix C: 2019 Q2 Courtice and Rundle Road Station Zero Graphs
- Appendix D1: 2nd Quarter Edit Log for PM_{2.5} at Courtice Station
- D2: 2nd Quarter Edit Log for PM_{2.5} at Rundle Road Station
 - D3: 2nd Quarter Edit Log for NO_x at Courtice Station
 - D4: 2nd Quarter Edit Log for NO_x at Rundle Road Station
 - D5: 2nd Quarter Edit Log for SO₂ at Courtice Station
 - D6: 2nd Quarter Edit Log for SO₂ at Rundle Road Station
 - D7: 2nd Quarter Edit Log for Meteorological Parameters at Courtice Station
 - D8: 2nd Quarter Edit Log for Meteorological Parameters at Rundle Road Station

**Q2 AMBIENT AIR QUALITY MONITORING REPORT
THE REGIONAL MUNICIPALITY OF DURHAM**

RWDI#1803743
August 12, 2019



1 INTRODUCTION

RWDI AIR Inc. (RWDI) was retained by The Regional Municipality of Durham (Region of Durham) to conduct discrete and continuous air quality ambient monitoring at the Durham York Energy Centre (DYEC) monitoring stations. The facility address is 1835 Energy Drive, Clarington, Ontario. The DYEC is a facility that manages post diversion municipal solid waste from the Regions of Durham and York to create energy from waste combustion. Commercial operation of the DYEC commenced on February 1, 2016. The site location is shown below in **Figure 1**.

Condition 11 of the Environmental Assessment Notice of Approval and Condition 7(4) of the Environmental Compliance Approval (ECA) requires ambient air monitoring to be undertaken by the DYEC. An Ambient Air Monitoring and Reporting Plan was prepared and approved by the Ministry of Environment, Conservation and Parks (MECP) to satisfy these conditions. Three (3) monitoring stations were established to monitor ambient air quality around the DYEC and quantify the background ambient air quality levels and DYEC contributed emissions to ambient air quality levels.

This monitoring plan was developed based on the Regional Council mandate to provide ambient monitoring in the area of the DYEC. The purposes of the ambient monitoring program are to:

1. Quantify any measurable ground level concentrations resulting from emissions from the DYEC cumulative to local air quality, including validating the predicted concentrations from the dispersion modelling conducted in the Environmental Assessment (2009a);
2. Monitor concentration levels of EFW-related air contaminants in nearby residential areas; and,
3. Quantify background ambient levels of air contaminants in the area.

The facility has two (2) monitoring stations which collect continuous and discrete ambient measurements, known as the Courtice Station and Rundle Road Station. The station locations are shown in **Figure 1**. The Courtice and Rundle Road Stations were operational in May of 2013 and have been operated on behalf of the Region of Durham by Stantec Consulting Ltd. since that time up until July 31, 2018. RWDI has overseen the operation of the stations on behalf of the Region of Durham since August 1, 2018.

The Courtice and Rundle Road Stations continuously monitor the following air quality parameters: Particulate Matter less than 2.5 microns (PM_{2.5}), Nitrogen Oxides (NO_x) and Sulfur Dioxide (SO₂). In addition, both discretely monitor the following air quality parameters: Total Suspended Particulate (TSP), Metals, Dioxins and Furans (D&F) and Polycyclic Aromatic Hydrocarbons (PAHs).

**Q2 AMBIENT AIR QUALITY MONITORING REPORT
THE REGIONAL MUNICIPALITY OF DURHAM**

**RWDI#1803743
August 12, 2019**




Continuous meteorological data is collected at the Courtice and Rundle Road Stations. The Rundle Road Station collects the following meteorological parameters: wind speed, wind direction, ambient temperature, precipitation and relative humidity. The meteorological tower there, is approximately 10 meters tall. The Courtice Station collects the following meteorological parameters: ambient temperature, ambient pressure, precipitation and relative humidity. For purposes of this report, wind speed and wind direction data for the Courtice Station have been obtained from the adjacent Courtice Water Pollution Control Plant (WPCP) meteorological tower, which is approximately 20 meters tall.

Data recovery for all parameters measured was greater than 75% during the second quarter. This meets the quarter validity criteria. Particulate (TSP) was found in excess of the Ambient Air Quality Criteria on May 9, 2019 at the Courtice Station. No other measurement for any parameter was in excess of the Ambient Air Quality Criteria during the second quarter. According to the meteorological data at Courtice Station, the wind direction was from the east and northeast. As there was significant rainfall and low level readings regarding the other parameters, it is unlikely that DYEC operations caused the May 9, 2019 exceedance.

**Q2 AMBIENT AIR QUALITY MONITORING REPORT
THE REGIONAL MUNICIPALITY OF DURHAM**

RWDI#1803743
August 12, 2019



DYEC Site and Ambient Monitoring Station Locations

Map Projection: NAD 1983 UTM Zone 17N
DYEC - Region of Durham, Ontario



**Q2 AMBIENT AIR QUALITY MONITORING REPORT
THE REGIONAL MUNICIPALITY OF DURHAM**

RWDI#1803743
August 12, 2019



1.1 Sampling Locations

The Station sites were selected in consultation with MECP and Region of Durham representatives at the onset of the program and were chosen based on considerations of nearby receptors and agreeability with MECP siting criteria. The Courtice Station is predominantly upwind of the DYEC and is located on the Courtice WPCP property just southwest of the DYEC. The Rundle Road Station is predominantly downwind of the DYEC and is located just southeast of the intersection of Baseline Road and Rundle Road just northeast of the DYEC. Pictures of all two (2) Stations are presented as **Figure 2 and 3**.

Figure 2. Rundle Road Station



Figure 3. Courtice Station





2 SAMPLING METHODOLOGY

The Rundle Road and Courtice Stations are both equipped with the following continuous monitors: Thermo Scientific Model 5030 SHARP (Synchronized Hybrid Ambient Real-time Particulate) monitor (PM_{2.5} analyzer), Teledyne Nitrogen Oxides Analyzer Model T200 (NOx analyzer), and a Teledyne Sulfur Dioxide Analyzer Model T100 (SO₂ analyzer). Both Stations also have the following periodic monitors: High Volume (Hi-Vol) Air Sampler outfitted with a TSP inlet head as approved by the United States Environmental Protection Agency (U.S. EPA), and a Hi-Vol Air Sampler outfitted with a polyurethane foam plug and circular quartz filter for measuring PAH's and D&F's as approved by U.S. EPA.

2.1 Nitrogen Oxide Analyzers

The Teledyne T200 Nitrogen Oxide (NOx) analyzers use chemiluminescence detection, coupled with microprocessor technology to provide sensitivity and stability for ambient air quality applications. The instrument determines real-time concentration of nitric oxide (NO), total nitrogen oxides (NOx) (the sum of NO and NO₂), and nitrogen dioxide (NO₂). The amount of NO is measured by detecting the chemiluminescence reaction that occurs in the reaction cell when NO molecules are exposed to ozone (O₃). The NO and O₃ molecules collide in the reaction cell and enter a higher energy state. When these excited molecules return to a stable energy state, they emit a photon of light which is proportional to the amount of NO in the sample stream of gas entering the analyzer. To determine the total NOx (NO+NO₂) measurement, sample gas is periodically bypassed through a heated molybdenum converter cartridge that converts any NO₂ molecules in the sample stream into NO (any existing NO molecules in the stream remain as is). The instrument will switch the sample stream through the converter periodically and then through the reaction cell where the same chemiluminescence reaction occurs with ozone. The resultant response produced is now the sum of NO and converted NO₂ producing a NOx measurement. The resultant NO₂ determination is the NOx measurement subtracted from the NO measurement.

The NOx analyzers were zero and span checked daily using the internal zero and span (IZS) system and calibrated once a month using either EPA protocol span gases and a dilution system or an ESA permeation tube calibrator. Automatic IZS checks were performed on a daily basis commencing at approximately 1:45 on one day and ending at 02:10 the same day. The checks consisted of a 10-minute zero check, a 10-minute span check and a 5-minute purge. These checks provide a way to monitor daily performance of the analyzer using an external charcoal and purafil zeroing cartridge for the zero, and an internal permeation oven with a permeation tube for the span. These IZS checks are not for calibration purposes but are merely a diagnostic tool to identify instrument drift. Data was collected at 1-minute intervals by an external datalogger using analog output connections and was averaged using Envista processing software over a 1-hour and 24-hour period to compare to the applicable ambient air quality criteria. The instrument also collects data using its own data acquisition system (DAS) on a 5-minute resolution.



**Q2 AMBIENT AIR QUALITY MONITORING REPORT
THE REGIONAL MUNICIPALITY OF DURHAM**

RWDI#1803743
August 12, 2019

2.2 Sulphur Dioxide Analyzers

The Teledyne T100 Sulphur Dioxide (SO_2) Analyzer is a microprocessor-controlled analyzer that determines the concentration of SO_2 in a sample gas drawn through the instrument. In the sample chamber, sample gas is excited by ultraviolet light causing the SO_2 to absorb energy from the light and move to an active state (SO_2^*). These active SO_2^* molecules must decay into a stable state back to SO_2 , and when this happens a photon of light is released which is recognized by the instrument as fluorescence. The instrument measures the amount of fluorescence to determine the amount of SO_2 present in the sample gas.

The SO_2 analyzers were zero and span checked daily using the IZS system and calibrated once a month using either EPA protocol span gases and a dilution system or an ESA permeation tube calibrator. Automatic IZS checks were performed on a daily basis commencing at approximately 1:45 on one day and ending at 02:10 the same day. The checks consisted of a 10-minute zero check, a 10-minute span check and a 5-minute purge. These checks provide a way to monitor daily performance of the analyzer using an external charcoal and purafil zeroing cartridge for the zero, and an internal permeation oven with a permeation tube for the span. These IZS checks are not for calibration purposes but are merely a diagnostic tool to identify instrument drift. Data was collected at 1-minute intervals by an external datalogger using analog output connections and was averaged using Envista processing software over a 1-hour and 24-hour period to compare to the applicable ambient air quality criteria. The instrument also collects data using its own data acquisition system (DAS) on a 1-hour resolution.

2.3 SHARP 5030 PM_{2.5} Analyzers

The SHARP 5030 is a hybrid nephelometric/radiometric particulate mass monitor capable of providing precise, real-time measurements with a superior detection limit. The SHARP incorporates a high sensitivity light scattering photometer whose output signal is continuously referenced to the time-averaged measurement of an integral beta attenuating mass sensor. The SHARP also incorporates a dynamic inlet heating system designed to maintain the relative humidity of the air passing through the filter tape constant.

The SHARP is calibrated once a month to ensure accuracy and validity of its data. The PM_{2.5} inlet head and sharp cut cyclone is cleaned monthly as well to ensure proper performance. The monthly calibration process consists of the following: zeroing the nephelometer if necessary, calibration of ambient temperature, calibration of barometric pressure, and calibration of the flow.

2.4 TSP High Volume Air Samplers

The Tisch TE-5170 TSP (Total Suspended Particulate) high volumetric air samplers (Hi-Vols) were outfitted with a TSP inlet capable of collecting particulate of all aerodynamic diameters. Each Hi-Vol is equipped with a mass flow controller, which ensures a flow rate of 40 cubic feet per minute (CFM), a chart recorder for measuring cfm flow throughout the run time, an elapsed timer and a wheel timer for starting and stopping each sample. The Hi-Vols have Teflon coated glass fibre filters that are outfitted at the top of the sampler, and air is drawn through the filter, thereby collecting all TSP. All of the TSP Hi-Vols operate on a six-day cycle, each consisting of 24-hour (midnight to midnight) samples, concurrent with the National Air Pollution Surveillance (NAPS) schedule. Each Hi-Vol is calibrated monthly to ensure accuracy and validity of the volume of air drawn through the filter.

The Teflon coated glass fibre filter media was pre and post weighed by ALS Laboratories in Burlington, Ontario. The filters are then analyzed for total particulate weight, metals analysis and mercury.

2.5 Polyurethane Foam Samplers

The Dioxins, Furans, and PAH samples were collected using Tisch TE-1000 samplers which are listed as reference devices for U.S. EPA Methods TO-9 and TO-13. The samplers use a collection filter that is 'backed-up' by a polyurethane foam (PUF) plug. The airborne compounds present in the particulate phase are collected on the Teflon coated glass fibre filter and any compounds present in the vapour phase are absorbed in the PUF plug. At the start of August, the PUF media was changed to include two PUF plugs enclosing XAD material. This was a recommendation from ALS Laboratories to achieve lower detection limits due to the stability of the compounds being absorbed into the XAD material. Each PUF sampler is equipped with a mass flow controller, which can sustain 8 cubic feet per minute (CFM) of flow over the sampling period, an elapsed timer and a wheel timer for starting and stopping each sample. All PUF samplers operate on a twelve-day cycle, each consisting of 24-hour (midnight to midnight) samples, concurrent with the NAPS schedule. Every twelve days, the PUF plugs and filters are analyzed for PAH's, and every twenty-four days they are analyzed for both PAH's and D&F's. Each PUF sampler is calibrated monthly to ensure accuracy and validity of the volume of air drawn through the filters.

The filter and PUF media/glassware is proofed and analyzed by ALS Laboratories in Burlington, Ontario. The filters and PUF/XAD plugs are then analyzed for PAH's and D&F's.

2.6 Meteorological Towers

Meteorological data was collected from the Rundle and Courtice Stations. This is done so that a vector could be associated with the applicable contaminant concentrations. The Rundle and Courtice Stations are outfitted with a Campbell Scientific HMP60 Temperature / Relative Humidity probe, and a Texas Instruments TE525M rain gauge. Meteorological data was collected at 1-minute intervals and was averaged using Envista processing software over a 1-hour period.



**Q2 AMBIENT AIR QUALITY MONITORING REPORT
THE REGIONAL MUNICIPALITY OF DURHAM**

RWDI#1803743
August 12, 2019

3 AIR QUALITY CRITERIA AND STANDARDS

The monitored contaminant concentrations were compared to air quality criteria and standards set by the MECP and by Environment Canada. The MECP developed Ambient Air Quality Criteria (AAQCs) which are the maximum desirable concentrations in the outdoor air, based on effects to the environment and health (MECP, 2012). Not all contaminants have an applicable regulatory limit; therefore, other criteria were used for comparison. These included human health risk assessment (HHRA) criteria. For PM_{2.5}, Environment Canada has established a Canadian Ambient Air Quality Standard (CAAQS) (Environment Canada, 2013). CAAQS are health-based air quality objectives for the outdoor air. The current CAAQS' for PM_{2.5} are 28 µg/m³ for the 3-year average of annual 98th percentile 24-hour concentration, and 10 µg/m³ for the 3-year average of annual average concentrations (in effect as of 2015). Since the 24-hour and annual CAAQS are based on the average of three calendar years of data, it should be noted that these standards do not apply to the quarterly data presented in this report.

All applicable criteria and standards are shown in the 'Summary of Ambient Measurements' section of this report.

4 MECP AUDITS

An MECP audit was completed on all continuous analyzers on June 18, 2019. Results from the audit indicated that all equipment was working within MECP requirements.

5 SUMMARY OF AMBIENT MEASUREMENTS

Ambient air quality monitoring results for all contaminants sampled at the Courtice and Rundle Road Stations are discussed herein. Summary statistics from April 1, 2019 to June 30, 2019 are presented in a summary format below and in a more detailed matrix format in **Appendix A** for continuous measurements and **Appendix B** for discrete measurements.

**Q2 AMBIENT AIR QUALITY MONITORING REPORT
THE REGIONAL MUNICIPALITY OF DURHAM**

RWDI#1803743
August 12, 2019



5.1 Meteorological Station Results

5.1.1 Courtice Station Results

The Courtice Station collected the following meteorological parameters: relative humidity, ambient temperature, ambient pressure and precipitation. For purposes of this report, wind speed and wind direction data for the Courtice Station have been obtained from the adjacent Courtice Water Pollution Control Plant (WPCP) meteorological tower, which is approximately 20 meters tall. The Courtice Station maintained a minimum 99.9% of data collection for all of the parameters measured during Q2. Hourly statistics from the meteorological station are presented in Table 1. A wind rose showing trends in wind speed and wind direction during Q2 is provided in **Figure 4**.

Annual calibration of wind head check was performed on May 24, 2019 along with hi-vols, tipping bucket, temperature, RH and pressure sensor.

Table 1: Hourly Statistics from the Courtice WPCP Meteorological Station

Courtice Station MET Statistics	Maximum 1 hr Mean					Minimum 1 hr Mean					Monthly Mean					Total	% valid hours					
Parameter	WS	Temp	RH	Pres	Rain	WS	Temp	RH	Pres	Rain	WS	Temp	RH	Pres	Rain	Rain	WS	WD	Temp	RH	Pres	Rain
Units	(km/hr)	(°C)	(%)	"Hg	mm	(km/hr)	(°C)	(%)	"Hg	mm	(km/hr)	(°C)	(%)	"Hg	mm	mm	(%)					
April	38	16	96	30.2	5.0	0	-5	29	28.9	0.0	14	5	69	29.7	0.1	53.3	100.0	100.0	99.7	99.7	99.7	99.7
May	45	23	97	30.1	4.0	0	3	33	29.3	0.0	12	10	75	29.7	0.1	58.9	99.6	99.6	100.0	100.0	100.0	100.0
June	31	27	97	29.9	4.9	1	6	23	29.3	0.0	10	16	68	29.6	0.1	41.5	100.0	100.0	100.0	100.0	100.0	100.0
Q2 Arithmetic Mean											12	11	71	29.6	0.1	153.7	99.9	99.9	99.9	99.9	99.9	99.9

5.1.2 Rundle Road Station Results

The Rundle Road Station collected the following meteorological parameters: wind speed, wind direction, relative humidity, ambient temperature and precipitation. The meteorological tower at the station is at a height of approximately 10 meters tall. The Rundle Road Station maintained a minimum 99.9% data collection for all of the meteorological parameters measured during Q2. Hourly statistics from the meteorological station is presented in Table 2. A wind rose showing trends in wind speed and wind direction during Q2 is provided in **Figure 4**.

Annual calibration was performed on May 24, 2019 for tipping bucket, temperature, RH and hi-vols.

Table 2: Hourly Statistics from the Rundle Road Meteorological Station

Rundle Station MET Statistics	Maximum 1 hr Mean					Minimum 1 hr Mean					Monthly Mean					Total	% valid hours				
Parameter	WS	Temp	RH	Rain	WS	Temp	RH	Rain	WS	Temp	RH	Rain	Rain	WS	WD	Temp	RH	Rain			
Units	(km/hr)	(°C)	(%)	mm	(km/hr)	(°C)	(%)	mm	(km/hr)	(°C)	(%)	mm	mm	(%)							
April	33	16	99	5.5	0	-5	32	0.0	12	5	73	0.1	59.2	99.7	99.7	99.7	99.7	99.9	99.9	99.9	99.9
May	36	23	99	3.7	0	2	35	0.0	11	11	76	0.1	65.5	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
June	25	28	98	4.5	0	5	27	0.0	8	17	70	0.1	46.8	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Q2 Arithmetic Mean											10	11	73	0.1	171.5	99.9	99.9	99.9	99.9	99.9	100.0




Figure 4. Wind Roses of Hourly Wind Speed and Wind Direction – April to June 2019

5.2 NO_x, SO₂ and PM_{2.5} Summary Table Results

Table 3 provides a summary of Maximum 1-hour Means, Maximum 24-hour Means, Monthly Means, Quarterly Means and Percent valid data for Courtice Station. Table 4 provides a summary of Maximum 1-hour Means, Maximum 24-hour Means, Monthly Means, Quarterly Means and Percent valid data for Rundle Station. Table 5 provides a summary of Exceedance Statistics for both Courtice and Rundle Stations. There were no exceedances for any parameters at either station during this quarter.

Table 3: Summary of Percent Valid Data for Courtice Station

Courtice Monitoring Station Data Statistics	Maximum 1 hr Mean					Maximum 24 hr Mean					Monthly Mean					% valid hours				
Compound	PM _{2.5}	NO _x	NO	NO ₂	SO ₂	PM _{2.5}	NO _x	NO	NO ₂	SO ₂	PM _{2.5}	NO _x	NO	NO ₂	SO ₂	PM _{2.5}	NO _x	NO	NO ₂	SO ₂
Units	(µg/m ³)	ppb				(µg/m ³)	ppb				(µg/m ³)	ppb				(%)				
AAQC				200	250	28 ^A			100	100										
April	46	49	20	37	31	19	17	4	14	9	6	5	1	5	2	96.7	99.0	99.0	99.0	99.3
May	31	91	63	30	37	12	14	6	8	6	6	5	1	4	2	99.6	99.7	99.7	99.7	99.6
June	27	57	41	31	55	16	17	6	13	10	7	7	2	6	3	99.7	99.6	99.6	99.6	99.6
Q2 Arithmetic Mean											6	6	1	5	3	98.7	99.4	99.4	99.4	99.5

^A The 24-hour PM_{2.5} criterion applies to the 98th percentile over 3 consecutive years.

Table 4: Summary of Percent Valid Data for Rundle Road Station

Rundle Monitoring Station Data Statistics	Maximum 1 hr Mean					Maximum 24 hr Mean					Monthly Mean					% valid hours				
Compound	PM _{2.5}	NO _x	NO	NO ₂	SO ₂	PM _{2.5}	NO _x	NO	NO ₂	SO ₂	PM _{2.5}	NO _x	NO	NO ₂	SO ₂	PM _{2.5}	NO _x	NO	NO ₂	SO ₂
Units	(µg/m ³)	ppb				(µg/m ³)	ppb				(µg/m ³)	ppb				(%)				
AAQC				200	250	28 ^A			100	100										
April	31	33	18	24	32	16	10	2	9	4	5	4	1	4	1	99.6	99.0	99.0	99.0	99.3
May	16	44	26	26	14	9	13	4	10	2	4	5	1	4	1	99.7	99.7	99.7	99.7	99.7
June	29	44	32	20	14	12	16	7	10	2	6	5	1	4	1	99.7	99.6	99.6	99.6	99.6
Q2 Arithmetic Mean											5	5	1	4	1	99.7	99.4	99.4	99.4	99.7

^A The 24-hour PM_{2.5} criterion applies to the 98th percentile over 3 consecutive years

**Q2 AMBIENT AIR QUALITY MONITORING REPORT
THE REGIONAL MUNICIPALITY OF DURHAM**

RWDI#1803743
August 12, 2019



Table 5: Summary of Exceedance Statistics

Event Statistics	Mean > 1 hr AAQC for Courtice Monitoring Station			Mean > 1 hr AAQC for Rundle Monitoring Station			Rolling Mean > 24 hr AAQC for Courtice Monitoring Station			Rolling Mean > 24 hr AAQC for Rundle Monitoring Station		
Compound	PM _{2.5}	NO ₂	SO ₂	PM _{2.5}	NO ₂	SO ₂	PM _{2.5}	NO ₂	SO ₂	PM _{2.5}	NO ₂	SO ₂
Units	No.		No.		No.		No.		No.		No.	
April	0	0	0	0	0	0	N/A	0	0	N/A	0	0
May		0	0		0	0	N/A	0	0	N/A	0	0
June		0	0		0	0	N/A	0	0	N/A	0	0
Q2 Arithmetic Mean		0	0		0	0	N/A	0	0	N/A	0	0

5.3 Oxides of Nitrogen Results

5.3.1 Courtice Station Results

Data recovery levels were high for oxides of nitrogen (99.4% valid data). Monitoring results were compared to the AAQC for NO₂ only, as it is the only parameter that has AAQC values for 1-hour and 24-hour averaging periods (there are no AAQC's for NO or NO_x). There were no exceedances above the AAQC values for the entirety of the sampling period for 1-hour and 24-hour averaged data. The highest NO₂ value seen among the 1-hour averages was 37 ppb, which is 18.5% of the AAQC. The highest NO₂ value seen among the rolling 24-hour averages was 14 ppb, which is 14% of the AAQC. The measurements are summarized in Table 3 above. A pollution rose is presented in **Figure 5** for the Courtice Station during Q2 composed of hourly average NO₂ concentrations. A pollution rose indicates the percentage of time that the wind originates from a given direction coupled with the pollutant measurement for that time in either ppb or micrograms per meter cubed. In order to show where possible major sources of pollutants are coming from, levels below 5 ppb were omitted from the graphic wind rose representation.

The pollution rose from the Courtice Station shows some NO₂ impacts from the north which probably are related to roadway traffic as well as a lobe from the east and east-northeast which may be from the DYEC or from other activity in that direction.

Q2 AMBIENT AIR QUALITY MONITORING REPORT
THE REGIONAL MUNICIPALITY OF DURHAM

RWDI#1803743
August 12, 2019



5.3.2 Rundle Road Station Results

Data recovery levels were high for oxides of nitrogen (99.4% valid data). There were no exceedances above the AAQC values for the entirety of the sampling period for 1-hour and 24-hour averaged data. The highest NO₂ value seen among the 1-hour averages was 26 ppb, which is 13 % of the AAQC. The highest NO₂ value seen among the rolling 24-hour averages was 10 ppb, which is 10% of the AAQC. The measurements are summarized in Table 4 above. A pollution rose is presented in **Figure 5** for the Rundle Road Station during Q2 composed of hourly average NO₂ concentrations. In order to show where possible major sources of pollutants are coming from, levels below 5 ppb were omitted from the graphic wind rose representation.

The pollution wind rose below shows that the majority of elevated NO₂ events at the Rundle Station occurred when winds were from the east south-east on some days and west south-west to west on others. The pollution wind rose indicates that the DYEC was not a major contributor to NO₂ levels at the station.




Figure 5. Pollution Roses of Hourly Average NO₂ Concentrations – April to June 2019

**Q2 AMBIENT AIR QUALITY MONITORING REPORT
THE REGIONAL MUNICIPALITY OF DURHAM**

RWDI#1803743
August 12, 2019



5.4 Sulphur Dioxide Results

5.4.1 Courtice Station Results

Data recovery levels were high for sulphur dioxide (99.5% valid data). Monitoring results were compared to the AAQC for 1-hour and 24-hour averaging periods. There were no exceedances above these AAQC values for the entirety of the sampling period for 1-hour and 24-hour averaged data. The highest SO₂ value seen among the 1-hour averages was 55 ppb, which is 22% of the AAQC. The highest SO₂ value seen among the 24-hour averages was 10 ppb, which is 10% of the AAQC. The results are summarized in Table 3 above. A pollution rose is presented in **Figure 6** for the Courtice Station during Q2 composed of hourly average SO₂ concentrations. In order to show where possible major sources of pollutants are coming from, levels below 5 ppb were omitted from the graphic wind rose representation.

The pollution wind rose below shows that the majority of elevated SO₂ events at Courtice occurred from the north through east sector. These impacts were possibly related to emissions from the waste water treatment plant, roadway emission, the DYEC and other industrial sources in the area. These elevated levels are far below the AAQC criteria.

5.4.2 Rundle Road Station Results

Data recovery levels were high for sulphur dioxide (99.7% valid data). Monitoring results were compared to the AAQC for 1-hour and 24-hour averaging periods. There were no exceedances above these AAQC values for the entirety of the sampling period for 1-hour and 24-hour averaged data. The highest SO₂ value seen among the 1-hour averages was 32 ppb, which is 12.8% of the AAQC. The highest SO₂ value seen among the 24-hour averages was 4 ppb, which is 4% of the AAQC. The results are summarized in Table 4 above. A pollution rose is presented in **Figure 6** for the Rundle Road Station during Q2 composed of hourly average SO₂ concentrations. In order to show where possible major sources of pollutants are coming from, levels below 5 ppb were omitted from the graphic wind rose representation.

The pollution wind rose below shows that the majority of elevated SO₂ events at the Rundle Station occurred when winds were from the east south east and southeast. The pollution wind rose indicates that the DYEC was a not major contributor to SO₂ levels at the station.

Q2 AMBIENT AIR QUALITY MONITORING REPORT
THE REGIONAL MUNICIPALITY OF DURHAM

RWDI#1803743
August 12, 2019




Figure 6. Pollution Roses of Hourly Average SO₂ Concentrations April to June 2019

5.5 Fine Particulate Matter (PM_{2.5}) Results

5.5.1 Courtice Station Results

Data recovery levels were high for particulate matter less than 2.5 microns (98.7% valid data). There is no 1-hour AAQC or standard for PM_{2.5}, but there is a 24-hour CAAQS standard of 28 µg/m³ for the 3-year average of annual 98th percentile 24-hour concentrations, and 10 µg/m³ for the 3-year average of annual average concentrations (in effect as of 2015). Note that since the reported data has not surpassed the 3-year average, the CAAQS' for PM_{2.5} was not applicable to the data. The highest PM_{2.5} value seen among the 1-hour averages was 46 µg/m³ and the highest value seen among the rolling 24-hour averages was 19 µg/m³. The results are summarized in Table 3 above. A pollution rose is presented in **Figure 7** for the Courtice Station during Q2 composed of hourly average PM_{2.5} concentrations. In order to show where possible major sources of pollutants are coming from, levels below 5 µg/m³ were omitted from the graphic wind rose representation.

The pollution rose below shows that the majority of elevated PM_{2.5} events at Courtice occurred when the winds were southwesterly and north easterly directions. Elevated PM_{2.5} measurements were related to urban background, roadway emissions, possibly emissions from the DYEC and other nearby industrial sources. All the impacts are well below the criteria values.

5.5.2 Rundle Road Station Results

Data recovery levels were high for particulate matter less than 2.5 microns (99.7% valid data). The highest PM_{2.5} value seen among the 1-hour averages was 31 µg/m³ and the highest value seen among the rolling 24-hour averages was 16 µg/m³. The results are summarized in Table 4 above. A pollution rose is presented in **Figure 7** for the Rundle Road Station during Q2 composed of hourly average PM_{2.5} concentrations. In order to show where possible major sources of pollutants are coming from, levels below 5 µg/m³ were omitted from the graphic wind rose representation.

The pollution wind rose below shows that the majority of elevated PM_{2.5} events at the Rundle Station occurred when winds were from the east south-east and west south-west direction. It is unlikely elevated PM_{2.5} measurements were related to emissions from the DYEC and were more likely related to nearby roadway construction or other sources.

**Q2 AMBIENT AIR QUALITY MONITORING REPORT
THE REGIONAL MUNICIPALITY OF DURHAM**

RWDI#1803743
August 12, 2019




Figure 7. Pollution Roses of Hourly Average PM_{2.5} Concentrations – April to June 2019

5.6 TSP and Metals Hi-Vol Results

All of the TSP Hi-Vols operated on a discrete schedule every 6 days according to the NAPS schedule during Q2 with the sample days being: April 3, 9, 15, 21, 27, May 3, 9, 15, 21, 27 and June 2, 8, 14, 20, 26 2019.

5.6.1 Courtice Station Results

Data recovery levels were high for the TSP sampler at the Courtice Station (100% valid data). There was one exceedance of the AAQC's, and HHRA Criteria for Particulate (TSP) on May 9, 2019. The exceedance occurred at Courtice Station with predominant winds coming from the east. The exceedance was 146.4 µg/m³ (122% of the limit). There was significant rain on May 9 and other parameters showed very low levels during that period. It is therefore unlikely that DYEC was the contributor of the Particulate measure at Courtice Station. The reading was likely due to some very localized source. There were no other exceedances of any of the AAQC's or HHRA Criteria for any of the TSP, mercury or metals during Q2. Table 6 is a summary of the statistics for this station

Table 6: Summary of TSP Sampler Courtice Station

Contaminant	Units	MECP Criteria	HHRA Health Based Criteria	No. > Criteria	Geometric Mean	Arithmetic Mean	Q2 Minimum Concentration	Q2 Maximum Concentration	April Maximum Concentration	May Maximum Concentration	June Maximum Concentration	Number of Valid Samples	% Valid Data
Particulate (TSP)	$\mu\text{g}/\text{m}^3$	120	120	1	23.1	31.3	6.8	146.4	18.6	146.4	39.5	15	100
Total Mercury (Hg)	$\mu\text{g}/\text{m}^3$	2	2	0	1.04E-05	1.93E-05	1.60E-06	7.75E-05	7.75E-06	7.75E-05	3.12E-05	15	100
Aluminum (Al)	$\mu\text{g}/\text{m}^3$	4.8	-	0	1.45E-01	1.98E-01	5.19E-02	1.00E+00	1.26E-01	1.00E+00	2.63E-01	15	100
Antimony (Sb)	$\mu\text{g}/\text{m}^3$	25	25	0	6.77E-04	7.19E-04	3.40E-04	1.17E-03	8.85E-04	1.17E-03	1.13E-03	15	100
Arsenic (As)	$\mu\text{g}/\text{m}^3$	0.3	0.3	0	1.03E-03	1.07E-03	9.38E-04	2.55E-03	2.55E-03	9.93E-04	9.68E-04	15	100
Barium (Ba)	$\mu\text{g}/\text{m}^3$	10	10	0	6.51E-03	7.32E-03	3.53E-03	1.83E-02	7.31E-03	1.83E-02	1.29E-02	15	100
Beryllium (Be)	$\mu\text{g}/\text{m}^3$	0.01	0.01	0	3.39E-05	3.48E-05	3.13E-05	7.19E-05	3.36E-05	7.19E-05	3.23E-05	15	100
Bismuth (Bi)	$\mu\text{g}/\text{m}^3$	-	-	-	5.79E-04	5.79E-04	5.63E-04	6.04E-04	6.04E-04	5.96E-04	5.81E-04	15	100
Boron (B)	$\mu\text{g}/\text{m}^3$	120	-	0	1.29E-02	1.29E-02	1.25E-02	1.34E-02	1.34E-02	1.32E-02	1.29E-02	15	100
Cadmium (Cd)	$\mu\text{g}/\text{m}^3$	0.025	0.025	0	6.44E-04	6.44E-04	6.25E-04	6.71E-04	6.71E-04	6.62E-04	6.45E-04	15	100
Chromium (Cr)	$\mu\text{g}/\text{m}^3$	0.5	-	0	5.14E-03	6.81E-03	1.60E-03	2.25E-02	1.71E-02	2.25E-02	7.99E-03	15	100
Cobalt (Co)	$\mu\text{g}/\text{m}^3$	0.1	0.1	0	6.44E-04	6.44E-04	6.25E-04	6.71E-04	6.71E-04	6.62E-04	6.45E-04	15	100
Copper (Cu)	$\mu\text{g}/\text{m}^3$	50	-	0	2.17E-02	2.34E-02	1.26E-02	4.56E-02	4.56E-02	2.40E-02	3.44E-02	15	100
Iron (Fe)	$\mu\text{g}/\text{m}^3$	4	-	0	4.50E-01	7.23E-01	1.56E-01	3.31E+00	3.31E+00	2.88E+00	6.01E-01	15	100
Lead (Pb)	$\mu\text{g}/\text{m}^3$	0.5	0.5	0	1.84E-03	2.66E-03	9.49E-04	1.39E-02	4.97E-03	1.39E-02	2.45E-03	15	100
Magnesium (Mg)	$\mu\text{g}/\text{m}^3$	-	-	-	2.03E-01	2.61E-01	1.03E-01	1.25E+00	2.13E-01	1.25E+00	3.27E-01	15	100
Manganese (Mn)	$\mu\text{g}/\text{m}^3$	0.4	-	0	1.52E-02	2.13E-02	6.03E-03	1.20E-01	2.69E-02	1.20E-01	1.92E-02	15	100
Molybdenum (Mo)	$\mu\text{g}/\text{m}^3$	120	-	0	5.49E-04	6.36E-04	3.16E-04	1.46E-03	1.46E-03	7.95E-04	9.62E-04	15	100
Nickel (Ni)	$\mu\text{g}/\text{m}^3$	0.2	-	0	1.29E-03	1.52E-03	9.49E-04	5.35E-03	5.35E-03	2.55E-03	2.08E-03	15	100
Phosphorus (P)	$\mu\text{g}/\text{m}^3$	-	-	-	2.41E-01	2.41E-01	2.34E-01	2.52E-01	2.52E-01	2.48E-01	2.42E-01	15	100
Selenium (Se)	$\mu\text{g}/\text{m}^3$	10	10	0	3.22E-03	3.22E-03	3.13E-03	3.36E-03	3.36E-03	3.31E-03	3.23E-03	15	100
Silver (Ag)	$\mu\text{g}/\text{m}^3$	1	1	0	3.22E-04	3.22E-04	3.13E-04	3.36E-04	3.36E-04	3.31E-04	3.23E-04	15	100
Strontium (Sr)	$\mu\text{g}/\text{m}^3$	120	-	0	4.07E-03	6.54E-03	9.93E-04	4.35E-02	5.00E-03	4.35E-02	8.00E-03	15	100
Thallium (Tl)	$\mu\text{g}/\text{m}^3$	-	-	-	3.10E-05	3.24E-05	2.81E-05	8.10E-05	3.02E-05	8.10E-05	2.90E-05	15	100
Tin (Sn)	$\mu\text{g}/\text{m}^3$	10	10	0	7.41E-04	8.79E-04	3.16E-04	2.10E-03	2.10E-03	1.70E-03	1.51E-03	15	100
Titanium (Ti)	$\mu\text{g}/\text{m}^3$	120	-	0	6.21E-03	8.65E-03	3.44E-03	4.31E-02	3.69E-03	4.31E-02	1.42E-02	15	100
Uranium (Ur)	$\mu\text{g}/\text{m}^3$	1.5	-	0	3.49E-05	3.74E-05	3.13E-05	1.11E-04	3.36E-05	1.11E-04	3.23E-05	15	100
Vanadium (V)	$\mu\text{g}/\text{m}^3$	2	1	0	2.17E-03	3.21E-03	1.57E-03	2.02E-02	3.50E-03	5.16E-03	2.02E-02	15	100
Zinc (Zn)	$\mu\text{g}/\text{m}^3$	120	-	0	2.54E-02	2.78E-02	1.03E-02	6.11E-02	6.11E-02	5.29E-02	3.11E-02	15	100
Zirconium (Zr)	$\mu\text{g}/\text{m}^3$	20	-	0	7.01E-04	7.57E-04	6.25E-04	2.35E-03	6.71E-04	2.35E-03	6.45E-04	15	100

Note: All non-detectable results were reported as 1/2 of the detection limit

5.6.2 Rundle Road Station Results

Data recovery levels were high for the TSP sampler at the Rundle Road Station (100% valid data). There were no exceedances of any of the AAQC's or HHRA Criteria for TSP, mercury or metals during Q2. Table 7 is a summary of the statistics for this station.

Table 7: Summary of TSP Sampler Rundle Road Station

Contaminant	Units	MECP Criteria	HHRA Health Based Criteria	No. > Criteria	Geometric Mean	Arithmetic Mean	Q2 Minimum Concentration	Q2 Maximum Concentration	April Maximum Concentration	May Maximum Concentration	June Maximum Concentration	Number of Valid Samples	% Valid Data
Particulate (TSP)	$\mu\text{g}/\text{m}^3$	120	120	0	26.5	29.6	7.8	57.8	33.5	57.8	40.9	15	100
Total Mercury (Hg)	$\mu\text{g}/\text{m}^3$	2	2	0	6.87E-06	9.87E-06	1.51E-06	2.51E-05	7.36E-06	1.30E-05	2.51E-05	15	100
Aluminum (Al)	$\mu\text{g}/\text{m}^3$	4.8	-	0	1.85E-01	2.02E-01	7.69E-02	3.40E-01	2.94E-01	2.93E-01	3.40E-01	15	100
Antimony (Sb)	$\mu\text{g}/\text{m}^3$	25	25	0	4.98E-04	5.58E-04	2.24E-04	1.42E-03	6.23E-04	1.42E-03	7.45E-04	15	100
Arsenic (As)	$\mu\text{g}/\text{m}^3$	0.3	0.3	0	9.49E-04	9.49E-04	9.04E-04	9.80E-04	9.62E-04	9.80E-04	9.62E-04	15	100
Barium (Ba)	$\mu\text{g}/\text{m}^3$	10	10	0	6.66E-03	7.18E-03	3.96E-03	1.57E-02	6.41E-03	1.57E-02	9.81E-03	15	100
Beryllium (Be)	$\mu\text{g}/\text{m}^3$	0.01	0.01	0	3.16E-05	3.16E-05	3.01E-05	3.27E-05	3.21E-05	3.27E-05	3.21E-05	15	100
Bismuth (Bi)	$\mu\text{g}/\text{m}^3$	-	-	-	5.69E-04	5.70E-04	5.42E-04	5.88E-04	5.77E-04	5.88E-04	5.77E-04	15	100
Boron (B)	$\mu\text{g}/\text{m}^3$	120	-	0	1.27E-02	1.27E-02	1.20E-02	1.31E-02	1.28E-02	1.31E-02	1.28E-02	15	100
Cadmium (Cd)	$\mu\text{g}/\text{m}^3$	0.025	0.025	0	6.33E-04	6.33E-04	6.02E-04	6.54E-04	6.41E-04	6.54E-04	6.41E-04	15	100
Chromium (Cr)	$\mu\text{g}/\text{m}^3$	0.5	-	0	4.32E-03	4.93E-03	1.58E-03	8.44E-03	7.59E-03	8.44E-03	8.00E-03	15	100
Cobalt (Co)	$\mu\text{g}/\text{m}^3$	0.1	0.1	0	6.33E-04	6.33E-04	6.02E-04	6.54E-04	6.41E-04	6.54E-04	6.41E-04	15	100
Copper (Cu)	$\mu\text{g}/\text{m}^3$	50	-	0	2.52E-02	2.95E-02	5.28E-03	6.05E-02	4.27E-02	4.15E-02	6.05E-02	15	100
Iron (Fe)	$\mu\text{g}/\text{m}^3$	4	-	0	4.09E-01	4.34E-01	1.74E-01	6.86E-01	6.39E-01	6.86E-01	5.94E-01	15	100
Lead (Pb)	$\mu\text{g}/\text{m}^3$	0.5	0.5	0	1.64E-03	1.92E-03	9.04E-04	4.53E-03	4.53E-03	3.90E-03	2.25E-03	15	100
Magnesium (Mg)	$\mu\text{g}/\text{m}^3$	-	-	-	2.20E-01	2.37E-01	1.15E-01	3.71E-01	2.56E-01	3.71E-01	3.38E-01	15	100
Manganese (Mn)	$\mu\text{g}/\text{m}^3$	0.4	-	0	1.20E-02	1.29E-02	5.51E-03	2.40E-02	1.45E-02	2.40E-02	1.55E-02	15	100
Molybdenum (Mo)	$\mu\text{g}/\text{m}^3$	120	-	0	5.63E-04	6.56E-04	3.13E-04	1.34E-03	1.15E-03	7.59E-04	1.34E-03	15	100
Nickel (Ni)	$\mu\text{g}/\text{m}^3$	0.2	-	0	9.98E-04	1.02E-03	9.04E-04	2.05E-03	2.05E-03	9.80E-04	9.62E-04	15	100
Phosphorus (P)	$\mu\text{g}/\text{m}^3$	-	-	-	2.37E-01	2.37E-01	2.26E-01	2.45E-01	2.40E-01	2.45E-01	2.40E-01	15	100
Selenium (Se)	$\mu\text{g}/\text{m}^3$	10	10	0	3.16E-03	3.16E-03	3.01E-03	3.27E-03	3.21E-03	3.27E-03	3.21E-03	15	100
Silver (Ag)	$\mu\text{g}/\text{m}^3$	1	1	0	3.16E-04	3.16E-04	3.01E-04	3.27E-04	3.21E-04	3.27E-04	3.21E-04	15	100
Strontium (Sr)	$\mu\text{g}/\text{m}^3$	120	-	0	5.74E-03	6.25E-03	2.58E-03	9.87E-03	9.23E-03	9.87E-03	8.65E-03	15	100
Thallium (Tl)	$\mu\text{g}/\text{m}^3$	-	-	-	2.85E-05	2.85E-05	2.71E-05	2.94E-05	2.88E-05	2.94E-05	2.88E-05	15	100
Tin (Sn)	$\mu\text{g}/\text{m}^3$	10	10	0	7.65E-04	9.19E-04	3.14E-04	3.29E-03	8.81E-04	3.29E-03	9.38E-04	15	100
Titanium (Ti)	$\mu\text{g}/\text{m}^3$	120	-	0	6.49E-03	7.40E-03	3.44E-03	1.31E-02	8.97E-03	1.31E-02	1.15E-02	15	100
Uranium (Ur)	$\mu\text{g}/\text{m}^3$	1.5	-	0	3.16E-05	3.16E-05	3.01E-05	3.27E-05	3.21E-05	3.27E-05	3.21E-05	15	100
Vanadium (V)	$\mu\text{g}/\text{m}^3$	2	1	0	2.46E-03	5.28E-03	1.51E-03	3.84E-02	4.62E-03	1.63E-03	3.84E-02	15	100
Zinc (Zn)	$\mu\text{g}/\text{m}^3$	120	-	0	2.21E-02	2.51E-02	7.31E-03	5.49E-02	5.49E-02	4.84E-02	2.90E-02	15	100
Zirconium (Zr)	$\mu\text{g}/\text{m}^3$	20	-	0	6.33E-04	6.33E-04	6.02E-04	6.54E-04	6.41E-04	6.54E-04	6.41E-04	15	100

Note: All non-detectable results were reported as 1/2 of the detection limit

5.7 PAH Results

All of the PUF Hi-Vols operated on a discrete schedule every 12 days for PAH's according to the NAPS schedule during Q2 with the sample days being: April 3, 15, 27, May 9, 21, June 2, 14, 26 2019.

5.7.1 Courtice Station Results

Data recovery levels were high for the PAH results at the Courtice Station (100% valid data). There were no exceedances of any of the AAQC's or HHRA Criteria for any of the PAH's during Q2. Table 8 is a summary of the statistics for this station.

Table 8: Statistics Summary of PAH Results for Courtice Station

Contaminant	Units	MECP Criteria	HHRA Health Based Criteria	No. > Criteria	Arithmetic Mean	Minimum Q2 Concentration	Maximum Q2 Concentration	April Maximum Concentration	May Maximum Concentration	June Maximum Concentration	Number of Valid Samples	% Valid Data
1-Methylnaphthalene	ng/m ³	12000	-	0	2.21E+00	1.23E+00	5.00E+00	1.62E+00	2.45E+00	5.00E+00	8	100
2-Methylnaphthalene	ng/m ³	10000	-	0	3.23E+00	3.26E-01	9.05E+00	2.23E+00	3.09E+00	9.05E+00	8	100
Acenaphthene	ng/m ³	-	-	-	1.14E+00	3.49E-02	4.84E+00	4.85E-01	7.30E-01	4.84E+00	8	100
Acenaphthylene	ng/m ³	3500	-	0	4.28E-02	7.35E-03	1.27E-01	3.70E-02	1.86E-02	1.27E-01	8	100
Anthracene	ng/m ³	200	-	0	6.98E-02	1.77E-02	1.72E-01	3.05E-02	1.72E-01	1.17E-01	8	100
Benzo(a)Anthracene	ng/m ³	-	-	-	6.67E-03	2.54E-03	1.21E-02	1.21E-02	5.96E-03	1.02E-02	8	100
Benzo(a)fluorene	ng/m ³	-	-	-	1.16E-02	4.60E-03	2.26E-02	1.57E-02	9.19E-03	2.26E-02	8	100
Benzo(a)Pyrene	ng/m ³	0.05 ^[1] 5 ^[2] 1.1 ^[3]	1	0	9.69E-03	1.14E-03	3.81E-02	3.81E-02	5.99E-03	1.43E-02	8	100
Benzo(b)Fluoranthene	ng/m ³	-	-	-	1.11E-02	4.41E-03	2.01E-02	1.37E-02	1.02E-02	2.01E-02	8	100
Benzo(b)fluorene	ng/m ³	-	-	-	8.77E-03	2.43E-03	2.90E-02	2.90E-02	4.52E-03	1.11E-02	8	100
Benzo(e)Pyrene	ng/m ³	-	-	-	1.34E-02	4.33E-03	3.66E-02	3.66E-02	1.08E-02	1.51E-02	8	100
Benzo(g,h,i)Perylene	ng/m ³	-	-	-	1.35E-02	5.17E-03	3.95E-02	3.95E-02	8.83E-03	1.71E-02	8	100
Benzo(k)Fluoranthene	ng/m ³	-	-	-	9.15E-02	6.97E-03	6.51E-01	6.51E-01	7.05E-03	2.14E-02	8	100
Biphenyl	ng/m ³	-	-	-	7.91E-01	5.78E-02	2.09E+00	4.69E-01	1.00E+00	2.09E+00	8	100
Chrysene	ng/m ³	-	-	-	2.08E-02	5.32E-03	4.53E-02	1.60E-02	1.67E-02	4.53E-02	8	100
Dibenzo(a,h)Anthracene	ng/m ³	-	-	-	2.49E-02	2.96E-04	1.90E-01	1.90E-01	1.20E-03	2.63E-03	8	100
Fluoranthene	ng/m ³	-	-	-	2.80E-01	3.20E-02	7.03E-01	1.48E-01	3.42E-01	7.03E-01	8	100
Indeno(1,2,3-cd)Pyrene	ng/m ³	-	-	-	1.14E+00	3.06E-03	9.07E+00	9.07E+00	7.23E-03	1.32E-02	8	100
Naphthalene	ng/m ³	22500	22500	0	8.52E+00	4.56E-03	2.36E+01	7.16E+00	8.62E+00	2.36E+01	8	100
o-Terphenyl	ng/m ³	-	-	-	5.63E-03	2.87E-03	1.03E-02	5.47E-03	8.23E-03	1.03E-02	8	100
Perylene	ng/m ³	-	-	-	7.65E-02	3.07E-04	5.93E-01	5.93E-01	6.16E-03	2.84E-03	8	100
Phenanthrene	ng/m ³	-	-	-	1.47E+00	1.13E-01	4.21E+00	7.43E-01	1.92E+00	4.21E+00	8	100
Pyrene	ng/m ³	-	-	-	1.99E-01	7.04E-02	6.22E-01	6.22E-01	1.34E-01	2.68E-01	8	100
Tetralin	ng/m ³	-	-	-	1.10E+00	0.00E+00	1.78E+00	1.47E+00	1.14E+00	1.78E+00	8	100
Fluorene ^[4]	ng/m ³	-	-	-	2.82E-01	2.82E-01	2.82E-01	2.82E-01	0.00E+00	0.00E+00	1	100

Contaminant	Units	MECP Criteria	HHRA Health Based Criteria	No. > Criteria	Arithmetic Mean	Minimum Q2 Concentration	Maximum Q2 Concentration	April Maximum Concentration	May Maximum Concentration	June Maximum Concentration	Number of Valid Samples	% Valid Data
Total PAH ^[5]	ng/m ³	-	-	-	1.88E+01	0.00E+00	5.20E+01	1.35E+01	1.97E+01	5.20E+01	8	100

Note: All non-detectable results were reported as 1/2 of the detection limit

[1] AAQC

[2] O. Reg. 419/05 Schedule 6 Upper Risk Thresholds

[3] O. Reg. 419/05 24 Hour Guideline

[4] Fluorene reported only once on April 27 sampling event

[5] Total PAH sums all PAH contaminants

5.7.2 Rundle Road Station Results

Data recovery levels were high for the PAH results at the Rundle Road Station (100% valid data). There were no exceedances of any of the AAQC's or HHRA Criteria for any of the PAH's during Q2. Table 9 is a summary of the statistics for this station.

Table 9: Statistics Summary of PAH Results for Rundle Road Station

Contaminant	Units	MECP Criteria	HHRA Health Based Criteria	No. > Criteria	Arithmetic Mean	Minimum Q2 Concentration	Maximum Q2 Concentration	April Maximum Concentration	May Maximum Concentration	June Maximum Concentration	Number of Valid Samples	% Valid Data
1-Methylnaphthalene	ng/m ³	12000	-	0	2.64E+00	1.47E+00	5.00E+00	2.56E+00	5.00E+00	8.75E+00	8	100
2-Methylnaphthalene	ng/m ³	10000	-	0	3.95E+00	2.19E+00	7.50E+00	3.67E+00	7.50E+00	1.59E+01	8	100
Acenaphthene	ng/m ³	-	-	-	1.15E+00	3.62E-01	3.01E+00	6.33E-01	3.01E+00	9.02E+00	8	100
Acenaphthylene	ng/m ³	3500	-	0	5.97E-02	3.12E-02	9.88E-02	9.88E-02	4.28E-02	2.90E-01	8	100
Anthracene	ng/m ³	200	-	0	8.15E-02	2.38E-02	2.09E-01	4.76E-02	2.09E-01	5.29E-01	8	100
Benzo(a)Anthracene	ng/m ³	-	-	-	1.03E-02	3.17E-03	3.67E-02	3.67E-02	5.65E-03	2.75E-02	8	100
Benzo(a)fluorene	ng/m ³	-	-	-	1.51E-02	6.16E-03	3.36E-02	3.36E-02	1.11E-02	7.07E-02	8	100
Benzo(a)Pyrene	ng/m ³	0.05 ^[1] 5 ^[2] 1.1 ^[3]	1	0	9.69E-03	3.13E-04	4.01E-02	4.01E-02	4.35E-03	1.79E-02	8	100
Benzo(b)Fluoranthene	ng/m ³	-	-	-	1.93E-02	6.41E-03	4.74E-02	4.74E-02	2.00E-02	4.11E-02	8	100
Benzo(b)fluorene	ng/m ³	-	-	-	8.46E-03	3.46E-03	2.05E-02	2.05E-02	6.14E-03	4.75E-02	8	100
Benzo(e)Pyrene	ng/m ³	-	-	-	1.75E-02	6.18E-03	5.02E-02	5.02E-02	1.63E-02	3.00E-02	8	100
Benzo(g,h,i)Perylene	ng/m ³	-	-	-	1.68E-02	6.34E-03	6.27E-02	6.27E-02	8.34E-03	3.97E-02	8	100
Benzo(k)Fluoranthene	ng/m ³	-	-	-	2.24E-02	6.86E-03	9.33E-02	9.33E-02	8.64E-03	4.61E-02	8	100
Biphenyl	ng/m ³	-	-	-	8.53E-01	4.03E-01	1.35E+00	9.27E-01	1.35E+00	3.43E+00	8	100
Chrysene	ng/m ³	-	-	-	3.58E-02	1.82E-02	9.88E-02	9.88E-02	2.27E-02	1.00E-01	8	100
Dibenzo(a,h)Anthracene	ng/m ³	-	-	-	2.44E-03	3.13E-04	7.34E-03	7.34E-03	1.43E-03	5.77E-03	8	100
Fluoranthene	ng/m ³	-	-	-	3.68E-01	1.24E-01	7.34E-01	2.97E-01	7.34E-01	2.45E+00	8	100
Indeno(1,2,3-cd)Pyrene	ng/m ³	-	-	-	1.59E-02	3.90E-03	6.06E-02	6.06E-02	6.54E-03	4.61E-02	8	100
Naphthalene	ng/m ³	22500	22500	0	9.51E+00	5.27E+00	1.40E+01	1.40E+01	8.80E+00	2.93E+01	8	100
o-Terphenyl	ng/m ³	-	-	-	4.64E-03	2.51E-03	7.25E-03	4.53E-03	6.56E-03	9.83E-03	8	100
Perylene	ng/m ³	-	-	-	3.54E-03	3.27E-04	8.20E-03	8.20E-03	8.02E-03	4.58E-03	8	100

Contaminant	Units	MECP Criteria	HHRA Health Based Criteria	No. > Criteria	Arithmetic Mean	Minimum Q2 Concentration	Maximum Q2 Concentration	April Maximum Concentration	May Maximum Concentration	June Maximum Concentration	Number of Valid Samples	% Valid Data
Phenanthrene	ng/m ³	-	-	-	1.74E+00	5.27E-01	3.64E+00	1.19E+00	3.64E+00	1.18E+01	8	100
Pyrene	ng/m ³	-	-	-	1.62E-01	7.90E-02	2.10E-01	1.98E-01	2.10E-01	9.73E-01	8	100
Tetralin	ng/m ³	-	-	-	1.33E+00	9.80E-01	1.94E+00	1.94E+00	1.22E+00	1.91E+00	8	100
Fluorene ^[4]	ng/m ³	-	-	-	2.77E-01	2.77E-01	2.77E-01	2.77E-01	0.00E+00	0.00E+00	1	13
Total PAH ^[5]	ng/m ³	-	-	-	2.21E+01	1.31E+01	3.17E+01	2.57E+01	3.17E+01	8.49E+01	8	100

Note: All non-detectable results were reported as 1/2 of the detection limit

[1] AAQC

[2] O. Reg. 419/05 Schedule 6 Upper Risk Thresholds

[3] O. Reg. 419/05 24 Hour Guideline

[4] Fluorene reported only once on April 27 sampling event

[5] Total PAH sums all PAH contaminants

5.8 Dioxin and Furan Results

All of the PUF Hi-Vols operated on a discrete schedule every 24 days for D&F's according to the NAPS schedule during Q2 with the sample days being: April 3, April 27, May 21 and June 14, 2019.

5.8.1 Courtice Station Results

Data recovery levels were acceptable for the D&F results at the Courtice Station (100% valid data). There were no exceedances of any of the AAQC's or HHRA Criteria for any of the D&F's during Q2. Table 10 is a summary of the statistics for this station.

Table 10: Courtice Station Q2 Monitoring Results for Dioxins and Furans

Contaminant	Units	MECP Criteria	HHRA Health Based Criteria	MECP Criteria (µg/m ³)	No. > Criteria	Arithmetic Mean	Q2 Minimum Concentration	Q2 Maximum Concentration	April Maximum Concentration	May Maximum Concentration	June Maximum Concentration	Number of Valid Samples	% Valid Data
2,3,7,8-TCDD	pg/m ³	-	-	-	-	6.62E-04	4.78E-04	7.36E-04	7.12E-04	7.23E-04	7.36E-04	4	100
1,2,3,7,8-PeCDD	pg/m ³	-	-	-	-	1.28E-03	4.45E-04	1.90E-03	1.51E-03	1.90E-03	4.45E-04	4	100
1,2,3,4,7,8-HxCDD	pg/m ³	-	-	-	-	1.17E-03	7.27E-04	2.05E-03	1.07E-03	2.05E-03	8.13E-04	4	100
1,2,3,6,7,8-HxCDD	pg/m ³	-	-	-	-	1.68E-03	9.40E-04	2.62E-03	2.62E-03	2.17E-03	9.97E-04	4	100
1,2,3,7,8,9-HxCDD	pg/m ³	-	-	-	-	1.34E-03	8.28E-04	2.38E-03	2.38E-03	8.28E-04	1.15E-03	4	100
1,2,3,4,6,7,8-HpCDD	pg/m ³	-	-	-	-	2.30E-02	1.14E-02	4.30E-02	4.30E-02	1.14E-02	2.14E-02	4	100
OCDD	pg/m ³	-	-	-	-	7.69E-02	4.79E-02	1.25E-01	1.25E-01	4.79E-02	6.04E-02	4	100
2,3,7,8-TCDF	pg/m ³	-	-	-	-	7.18E-04	4.80E-04	1.19E-03	1.19E-03	7.08E-04	4.91E-04	4	100
1,2,3,7,8-PeCDF	pg/m ³	-	-	-	-	1.32E-03	5.52E-04	2.08E-03	1.58E-03	2.08E-03	1.06E-03	4	100
2,3,4,7,8-PeCDF	pg/m ³	-	-	-	-	1.23E-03	6.17E-04	1.81E-03	1.34E-03	6.17E-04	1.81E-03	4	100
1,2,3,4,7,8-HxCDF	pg/m ³	-	-	-	-	1.06E-03	6.29E-04	1.43E-03	1.43E-03	7.98E-04	6.29E-04	4	100
1,2,3,6,7,8-HxCDF	pg/m ³	-	-	-	-	7.61E-04	3.61E-04	1.34E-03	1.34E-03	3.61E-04	8.90E-04	4	100
2,3,4,6,7,8-HxCDF	pg/m ³	-	-	-	-	1.10E-03	4.82E-04	1.61E-03	1.61E-03	4.82E-04	1.26E-03	4	100
1,2,3,7,8,9-HxCDF	pg/m ³	-	-	-	-	1.59E-03	9.94E-04	2.27E-03	2.27E-03	9.94E-04	2.09E-03	4	100
1,2,3,4,6,7,8-HpCDF	pg/m ³	-	-	-	-	4.14E-03	1.09E-03	6.57E-03	6.57E-03	4.22E-03	1.09E-03	4	100

Contaminant	Units	MECP Criteria	HHRA Health Based Criteria	MECP Criteria ($\mu\text{g}/\text{m}^3$)	No. > Criteria	Arithmetic Mean	Q2 Minimum Concentration	Q2 Maximum Concentration	April Maximum Concentration	May Maximum Concentration	June Maximum Concentration	Number of Valid Samples	% Valid Data
1,2,3,4,7,8,9-HpCDF	pg/m^3	-	-	-	-	9.01E-04	3.68E-04	1.76E-03	1.76E-03	1.04E-03	3.68E-04	4	100
OCDF	pg/m^3	-	-	-	-	4.61E-03	3.34E-03	6.42E-03	6.42E-03	4.97E-03	3.71E-03	4	100
Total Toxic Equivalency	$\text{pg TEQ}/\text{m}^3$	0.1 [1]	-	0.1	0	3.59E-03	2.84E-03	4.11E-03	4.11E-03	3.89E-03	2.84E-03	4	100

Note: All non-detectable results were reported as 1/2 of the detection limit

[1] O. Reg. 419/05 Schedule Upper Risk Thresholds

5.8.2 Rundle Road Station Results

Data recovery levels were acceptable for the D&F results at the Courtice Station (100% valid data). There were no exceedances of any of the AAQC's or HHRA Criteria for any of the D&F's during Q2. Table 11 is a summary of the statistics for this station.

Table 11: Rundle Road Station Q2 Monitoring Results for Dioxins and Furans

Contaminant	Units	MECP Criteria	HHRA Health Based Criteria	MECP Criteria ($\mu\text{g}/\text{m}^3$)	No. > Criteria	Arithmetic Mean	Q2 Minimum Concentration	Q2 Maximum Concentration	April Maximum Concentration	May Maximum Concentration	June Maximum Concentration	Number of Valid Samples	% Valid Data
2,3,7,8-TCDD	pg/m^3	-	-	-	-	1.01E-03	6.19E-04	1.52E-03	9.17E-04	9.80E-04	1.52E-03	4	100
1,2,3,7,8-PeCDD	pg/m^3	-	-	-	-	8.41E-04	4.92E-04	1.13E-03	9.94E-04	7.52E-04	1.13E-03	4	100
1,2,3,4,7,8-HxCDD	pg/m^3	-	-	-	-	1.29E-03	3.33E-04	2.84E-03	2.84E-03	8.82E-04	1.09E-03	4	100
1,2,3,6,7,8-HxCDD	pg/m^3	-	-	-	-	1.71E-03	6.37E-04	3.55E-03	3.55E-03	6.37E-04	1.62E-03	4	100
1,2,3,7,8,9-HxCDD	pg/m^3	-	-	-	-	1.60E-03	5.56E-04	4.04E-03	4.04E-03	8.50E-04	9.48E-04	4	100
1,2,3,4,6,7,8-HpCDD	pg/m^3	-	-	-	-	3.00E-02	8.19E-03	5.50E-02	5.50E-02	1.53E-02	4.15E-02	4	100
OCDD	pg/m^3	-	-	-	-	6.66E-02	2.75E-02	1.42E-01	1.42E-01	5.29E-02	4.41E-02	4	100
2,3,7,8-TCDF	pg/m^3	-	-	-	-	6.56E-04	3.97E-04	1.08E-03	6.27E-04	5.23E-04	1.08E-03	4	100
1,2,3,7,8-PeCDF	pg/m^3	-	-	-	-	9.66E-04	7.30E-04	1.47E-03	1.47E-03	8.99E-04	7.68E-04	4	100
2,3,4,7,8-PeCDF	pg/m^3	-	-	-	-	1.22E-03	7.03E-04	1.93E-03	1.93E-03	8.17E-04	7.03E-04	4	100
1,2,3,4,7,8-HxCDF	pg/m^3	-	-	-	-	8.16E-04	4.44E-04	1.53E-03	1.53E-03	5.72E-04	7.19E-04	4	100
1,2,3,6,7,8-HxCDF	pg/m^3	-	-	-	-	6.46E-04	5.23E-04	8.57E-04	8.57E-04	5.23E-04	6.54E-04	4	100
2,3,4,6,7,8-HxCDF	pg/m^3	-	-	-	-	9.25E-04	6.42E-04	1.34E-03	1.02E-03	1.34E-03	7.03E-04	4	100
1,2,3,7,8,9-HxCDF	pg/m^3	-	-	-	-	1.37E-03	5.35E-04	2.16E-03	2.16E-03	1.99E-03	8.01E-04	4	100
1,2,3,4,6,7,8-HpCDF	pg/m^3	-	-	-	-	3.72E-03	2.60E-03	4.51E-03	3.71E-03	4.05E-03	4.51E-03	4	100
1,2,3,4,7,8,9-HpCDF	pg/m^3	-	-	-	-	7.94E-04	5.56E-04	1.16E-03	8.10E-04	1.16E-03	5.56E-04	4	100
OCDF	pg/m^3	-	-	-	-	5.08E-03	1.47E-03	9.25E-03	7.52E-03	9.25E-03	1.47E-03	4	100
Total Toxic Equivalency	$\text{pg TEQ}/\text{m}^3$	0.1 [1]	-	0.1	0	3.51E-03	2.38E-03	4.59E-03	4.59E-03	2.96E-03	4.12E-03	4	100

Note: All non-detectable results were reported as 1/2 of the detection limit

[1] O. Reg. 419/05 Schedule Upper Risk Thresholds

**Q2 AMBIENT AIR QUALITY MONITORING REPORT
THE REGIONAL MUNICIPALITY OF DURHAM**

**RWDI#1803743
August 12, 2019**

6 DATA REQUESTS

The following sections outline any instrumentation issues encountered that have caused data loss at any of the monitors at each of the stations.

Appendix C contains monthly IZS zero trends for the NO_x and SO₂ analyzers at the Courtice and Rundle Road Stations.

Edit logs identifying missing data, maintenance times, calibrations and any other missing data have been included in **Appendix D**.

6.1 Courtice Road Station

On April 04, 2019 the TSP unit had a tape break occur. The tape was replaced, and the unit was calibrated on same day at 19:00 at which point the unit resumed operating.

On April 17, 2019 between 14:00 and 16:00 there was a suspected power failure that affected all contaminant parameters.

On May 14, 2019 between 12:00 to 13:00, on May 15 between 10:00 to 11:00 and on May 16 between 08:00 to 09:00 there was a suspected power issue that took meteorological parameters offline for a brief period.

6.2 Rundle Road Station

On April 16, 2019 between 10:00 to 11:00 there were suspected power failures that affected all contaminant and meteorological parameters.

7 CONCLUSIONS

This Q2 report provides a summary of the ambient air quality data collected at the Courtice and Rundle Road Stations. Throughout this monitoring period, there was 1 exceedance of the AAQC, and HHRA Health Based Criteria. Data recovery rates were acceptable and valid for all measured Q2 parameters.

**Q2 AMBIENT AIR QUALITY MONITORING REPORT
THE REGIONAL MUNICIPALITY OF DURHAM**

**RWDI#1803743
August 12, 2019**

8 REFERENCES

1. Canadian Council of Ministers of the Environment, 2012. Guidance Document on Achievement Determination Canadian Ambient Air Quality Standards for Fine Particulate Matter and Ozone. PN 1483 978-1-896997-91-9 PDF
2. Environment Canada, 2013. [Canadian Ambient Air Quality Standards](#). [Online]
3. Ontario Ministry of the Environment and Climate Change, 2012. [Standards Development Branch] Ontario's Ambient Air Quality Criteria (Sorted by Contaminant Name). PIBS #6570e01

APPENDIX A



Table A1: 2019 Summary Statistics for Q2

Courtice Monitoring Station Data Statistics		Maximum 1 hr Mean					Maximum 24 hr Mean					Monthly Mean					% valid hours				
Compound		PM _{2.5}	NO _x	NO	NO ₂	SO ₂	PM _{2.5}	NO _x	NO	NO ₂	SO ₂	PM _{2.5}	NO _x	NO	NO ₂	SO ₂	PM _{2.5}	NO _x	NO	NO ₂	SO ₂
Units		(µg/m ³)	ppb				(µg/m ³)	ppb				(µg/m ³)	ppb				%				
AAQC					200	250	28 ^A			100	100										
April		46	49	20	37	31	19	17	4	14	9	6	5	1	5	2	96.7	99.0	99.0	99.0	99.3
May		31	91	63	30	37	12	14	6	8	6	6	5	1	4	2	99.6	99.7	99.7	99.7	99.6
June		27	57	41	31	55	16	17	6	13	10	7	7	2	6	3	99.7	99.6	99.6	99.6	99.6
Q2 Arithmetic Mean												6	6	1	5	3	98.7	99.4	99.4	99.4	99.5

Rundle Monitoring Station Data Statistics		Maximum 1 hr Mean					Maximum 24 hr Mean					Monthly Mean					% valid hours				
Compound		PM _{2.5}	NO _x	NO	NO ₂	SO ₂	PM _{2.5}	NO _x	NO	NO ₂	SO ₂	PM _{2.5}	NO _x	NO	NO ₂	SO ₂	PM _{2.5}	NO _x	NO	NO ₂	SO ₂
Units		(µg/m ³)	ppb				(µg/m ³)	ppb				(µg/m ³)	ppb				%				
AAQC					200	250	28 ^A			100	100										
April		31	33	18	24	32	16	10	2	9	4	5	4	1	4	1	99.6	99.0	99.0	99.0	99.3
May		16	44	26	26	14	9	13	4	10	2	4	5	1	4	1	99.7	99.7	99.7	99.7	99.7
June		29	44	32	20	14	12	16	7	10	2	6	5	1	4	1	99.7	99.6	99.6	99.6	99.6
Q2 Arithmetic Mean												5	5	1	4	1	99.7	99.4	99.4	99.4	99.7

Event Statistics		Mean > 1 hr AAQC for Courtice Monitoring Station			Mean > 1 hr AAQC for Rundle Monitoring Station			Rolling Mean > 24 hr AAQC for Courtice Monitoring Station			Rolling Mean > 24 hr AAQC for Rundle Monitoring Station			
Compound		PM _{2.5}	NO ₂	SO ₂	PM _{2.5}	NO ₂	SO ₂	PM _{2.5}	NO ₂	SO ₂	PM _{2.5}	NO ₂	SO ₂	
Units		No.			No.			No.			No.			
April		0	0		0	0		N/A	0	0	N/A	0	0	
May		0	0		0	0		N/A	0	0	N/A	0	0	
June		0	0		0	0		N/A	0	0	N/A	0	0	
Q2 Arithmetic Mean		0	0		0	0		N/A	0	0	N/A	0	0	

Courtice Station MET Statistics		Maximum 1 hr Mean					Minimum 1 hr Mean					Monthly Mean					Total	% valid hours					
Parameter		WS	Temp	RH	Pres	Rain	WS	Temp	RH	Pres	Rain	WS	Temp	RH	Pres	Rain	WS	WD	Temp	RH	Pres	Rain	
Units		(km/hr)	(°C)	(%)	mm	(km/hr)	(°C)	(%)	mm	(km/hr)	(°C)	(%)	mm	mm	"Hg	mm	mm	mm	(%)				
April		38	16	96	30.2	5.0	0	-5	29	28.9	0.0	14	5	69	29.7	0.1	53.3	100.0	100.0	99.7	99.7	99.7	
May		45	23	97	30.1	4.0	0	3	33	29.3	0.0	12	10	75	29.7	0.1	58.9	99.6	99.6	100.0	100.0	100.0	
June		31	27	97	29.9	4.9	1	6	23	29.3	0.0	10	16	68	29.6	0.1	41.5	100.0	100.0	100.0	100.0	100.0	
Q2 Arithmetic Mean												12	11	71	29.6	0.1	153.7	99.9	99.9	99.9	99.9	99.9	

Rundle Station MET Statistics		Maximum 1 hr Mean				Minimum 1 hr Mean				Monthly Mean				Total	% valid hours							
Parameter		WS	Temp	RH	Rain	WS	Temp	RH	Rain	WS	Temp	RH	Rain	Rain	WS	WD	Temp	RH	Rain			
Units		(km/hr)	(°C)	(%)	mm	(km/hr)	(°C)	(%)	mm	(km/hr)	(°C)	(%)	mm	mm	mm	mm	(%)					
April		33	16	99	5.5	0	-5	32	0.0	12	5	73	0.1	59.2	99.7	99.7	99.7	99.7	99.9			
May		36	23	99	3.7	0	2	35	0.0	11	11	76	0.1	65.5	100.0	100.0	100.0	100.0	100.0			
June		25	28	98	4.5	0	5	27	0.0	8	17	70	0.1	46.8	100.0	100.0	100.0	100.0	100.0			
Q2 Arithmetic Mean														10	11	73	0.1	171.5	99.9	99.9	99.9	100.0

Table A2: 2019 Q2 Station Courtice Monitoring Results for PM_{2.5}

Data Statistics	Rolling Mean > 24 hr AAQC	Arithmetic Mean	Maximum 1 hr Mean	Maximum 24 hr Rolling Mean	Number of valid Hours	% valid data
Month	PM _{2.5}	PM _{2.5}	PM _{2.5}	PM _{2.5}	PM _{2.5}	PM _{2.5}
	No.	(µg/m ³)	(µg/m ³)	(µg/m ³)	No.	%
April	N/A	6	46	19	696	96.7
May	N/A	6	31	12	741	99.6
June	N/A	7	27	16	718	99.7

Table A3: 2019 Q2 Station Rundle Monitoring Results for PM_{2.5}

Data Statistics	Rolling Mean > 24 hr AAQC	Arithmetic Mean	Maximum 1 hr Mean	Maximum 24 hr Rolling Mean	Number of valid Hours	% valid data
Month	PM _{2.5}	PM _{2.5}	PM _{2.5}	PM _{2.5}	PM _{2.5}	PM _{2.5}
	No.	(µg/m ³)	(µg/m ³)	(µg/m ³)	No.	%
April	N/A	5	31	16	717	99.6
May	N/A	4	16	9	742	99.7
June	N/A	6	29	12	718	99.7

Table A4: 2019 Q2 Station Courtice Monitoring Results for NOx

Data Statistics	Events > 1 hr AAQC	Events > 24 hr AAQC	Arithmetic Mean	Maximum 1 hr Mean	Maximum 24 hr Rolling Mean	Number of valid Hours	% valid data
Month	NO _x	NO _x	NO _x	NO _x	NO _x	NO _x	NO _x
	No.	No.	(ppb)	(ppb)	(ppb)	No.	%
April	N/A	N/A	5	49	17	713	99.0
May	N/A	N/A	5	91	14	742	99.7
June	N/A	N/A	7	57	17	717	99.6

Table A5: 2019 Q2 Station Rundle Monitoring Results for NO_x

Data Statistics	Events > 1 hr AAQC	Events > 24 hr AAQC	Arithmetic Mean	Maximum 1 hr Mean	Maximum 24 hr Rolling Mean	Number of valid Hours	% valid data
Month	NO _x	NO _x	NO _x	NO _x	NO _x	NO _x	NO _x
	No.	No.	(ppb)	(ppb)	(ppb)	No.	%
April	N/A	N/A	4	33	10	713	99.0
May	N/A	N/A	5	44	13	742	99.7
June	N/A	N/A	5	44	16	717	99.6

Table A6: 2019 Q2 Station Courtice Monitoring Results for NO

Data Statistics	Events > 1 hr AAQC	Events > 24 hr AAQC	Arithmetic Mean	Maximum 1 hr Mean	Maximum 24 hr Rolling Mean	Number of valid Hours	% valid data
Month	NO	NO	NO	NO	NO	NO	NO
	No.	No.	(ppb)	(ppb)	(ppb)	No.	%
April	N/A	N/A	1	20	4	713	99.0
May	N/A	N/A	1	63	6	742	99.7
June	N/A	N/A	2	41	6	717	99.6

Table A7: 2019 Q2 Station Rundle Monitoring Results for NO

Data Statistics	Events > 1 hr AAQC	Events > 24 hr AAQC	Arithmetic Mean	Maximum 1 hr Mean	Maximum 24 hr Rolling Mean	Number of valid Hours	% valid data
Month	NO	NO	NO	NO	NO	NO	NO
	No.	No.	(ppb)	(ppb)	(ppb)	No.	%
April	N/A	N/A	1	18	2	713	99.0
May	N/A	N/A	1	26	4	742	99.7
June	N/A	N/A	1	32	7	717	99.6

Table A8: 2019 Q2 Station Courtice Monitoring Results for NO₂

Data Statistics	Events > 1 hr AAQC	Rolling Mean > 24 hr AAQC	Arithmetic Mean	Maximum 1 hr Mean	Maximum 24 hr Rolling Mean	Number of valid Hours	% valid data
Month	NO ₂	NO ₂	NO ₂	NO ₂	NO ₂	NO ₂	NO ₂
	No.	No.	(ppb)	(ppb)	(ppb)	No.	%
April	0	0	5	37	14	713	99.0
May	0	0	4	30	8	742	99.7
June	0	0	6	31	13	717	99.6

Table A9: 2019 Q2 Station Rundle Monitoring Results for NO₂

Data Statistics	Events > 1 hr AAQC	Rolling Mean > 24 hr AAQC	Arithmetic Mean	Maximum 1 hr Mean	Maximum 24 hr Rolling Mean	Number of valid Hours	% valid data
Month	NO ₂	NO ₂	NO ₂	NO ₂	NO ₂	NO ₂	NO ₂
	No.	No.	(ppb)	(ppb)	(ppb)	No.	%
April	0	0	4	24	9	713	99.0
May	0	0	4	26	10	742	99.7
June	0	0	4	20	10	717	99.6

Table A10: 2019 Q2 Station Courtice Monitoring Results for SO₂

Data Statistics	Events > 1 hr AAQC	Rolling Mean > 24 hr AAQC	Arithmetic Mean	Maximum 1 hr Mean	Maximum 24 hr Rolling Mean	Number of valid Hours	% valid data
Month	SO ₂	SO ₂	SO ₂	SO ₂	SO ₂	SO ₂	SO ₂
	No.	No.	(ppb)	(ppb)	(ppb)	No.	%
April	0	0	2	31	9	715	99.3
May	0	0	2	37	6	741	99.6
June	0	0	3	55	10	717	99.6

Table A11: 2019 Q2 Station Rundle Monitoring Results for SO₂

Data Statistics	Events > 1 hr AAQC	Rolling Mean > 24 hr AAQC	Arithmetic Mean	Maximum 1 hr Mean	Maximum 24 hr Rolling Mean	Number of valid Hours	% valid data
Month	SO ₂	SO ₂	SO ₂	SO ₂	SO ₂	SO ₂	SO ₂
	No.	No.	(ppb)	(ppb)	(ppb)	No.	%
April	0	0	1	32	4	715	99.3
May	0	0	1	14	2	742	99.7
June	0	0	1	14	2	717	99.6

Table A12: 2019 Q2 Courtice Meterological Station Windspeed Data Summary

MET Statistics	Maximum 1 hr Mean	Minimum 1 hr	Quarterly Mean	% valid hours
Month	Wind Speed	Wind Speed	Wind Speed	Wind Speed
	(km/hr)	(km/hr)	(km/hr)	(%)
April	38	0	14	100.0
May	45	0	12	99.6
June	31	1	10	100.0

Table A13: 2019 Q2 Rundle Meterological Station Windspeed Data Summary

MET Statistics	Maximum 1 hr Mean	Minimum 1 hr	Quarterly Mean	% valid hours
Month	Wind Speed	Wind Speed	Wind Speed	Wind Speed
	(km/hr)	(km/hr)	(km/hr)	(%)
April	33	0	12	99.7
May	36	0	11	100.0
June	25	0	8	100.0

Table A14: 2019 Q2 Courtice Meteorological Station Wind Direction Data Summary

MET Statistics	% valid hours
Month	Wind Direction
	(%)
April	100.0
May	99.6
June	100.0

Table A15: 2019 Q2 Rundle Meteorological Station Wind Direction Data Summary

MET Statistics	% valid hours
Month	Wind Direction
	(%)
April	99.7
May	100.0
June	100.0

Table A16: 2019 Q2 Courtice Meteorological Station Temperature Data Summary

MET Statistics	Maximum 1 hr Mean	Minimum 1 hr	Quarterly Mean	% valid hours
Month	Temperature	Temperature	Temperature	Temperature
	(°C)	(°C)	(°C)	(%)
April	16	-5	5	99.7
May	23	3	10	100.0
June	27	6	16	100.0

Table A17: 2019 Q2 Rundle Meterological Station Temperature Data Summary

MET Statistics	Maximum 1 hr Mean	Minimum 1 hr	Quarterly Mean	% valid hours
Month	Temperature	Temperature	Temperature	Temperature
	(°C)	(°C)	(°C)	(%)
April	16	-5	5	99.7
May	23	2	11	100.0
June	28	5	17	100.0

Table A18: 2019 Q2 Courtice Meteorological Station Relative Humidity Data Summary

MET Statistics	Maximum 1 hr Mean	Minimum 1 hr	Monthly Mean	% valid hours
Month	Relative Humidity	Relative Humidity	Relative Humidity	Relative Humidity
	(%)	(%)	(%)	(%)
April	96	29	69	99.7
May	97	33	75	100.0
June	97	23	68	100.0

Table A19: 2019 Q2 Rundle Meterological Station Relative Humidity Data Summary

MET Statistics	Maximum 1 hr Mean	Minimum 1 hr	Monthly Mean	% valid hours
Month	Relative Humidity	Relative Humidity	Relative Humidity	Relative Humidity
	(%)	(%)	(%)	(%)
April	99	32	73	99.7
May	99	35	76	100.0
June	98	27	70	100.0

Table A20: 2019 Q2 Courtice Meteorological Station Precipitation Data Summary

MET Statistics	Maximum 1 hr Mean	Minimum 1 hr	Monthly Mean	Total	% valid hours
Month	Precipitation	Precipitation	Precipitation	Precipitation	Precipitation
	(mm)	(mm)	(mm)	(mm)	(mm)
April	5.0	0.0	0.1	53.3	99.7
May	4.0	0.0	0.1	58.9	100.0
June	4.9	0.0	0.1	41.5	100.0

Table A21: 2019 Q2 Rundle Meteorological Station Precipitation Data Summary

MET Statistics	Maximum 1 hr Mean	Minimum 1 hr	Monthly Mean	Total	% valid hours
Month	Precipitation	Precipitation	Precipitation	Precipitation	Precipitation
	(mm)	(mm)	(mm)	(mm)	(mm)
April	5.5	0.0	0.1	59.2	99.9
May	3.7	0.0	0.1	65.5	100.0
June	4.5	0.0	0.1	46.8	100.0

Table A22: 2019 Q2 Courtice Meteorological Station Pressure Data Summary

MET Statistics	Maximum 1 hr Mean	Minimum 1 hr	Quarterly Mean	% valid hours
Month	Pressure	Pressure	Pressure	Pressure
	(mmHg)	(mmHg)	(mmHg)	(%)
April	30.2	28.9	29.7	99.7
May	30.1	29.3	29.7	100.0
June	29.9	29.3	29.6	100.0

APPENDIX B



Table B1: Summary of Sample Flow Rate and Sample Duration for Dioxins & Furans

Sample Date	Courtice			Rundle		
	Filter ID	Sample Duration	Sample Volume	Filter ID	Sample Duration	Sample Volume
	No.	(min)	(m ³)	No.	(min)	(m ³)
April 3, 2019	L2248476-2	1430	344	L2248476-3	1433	327
April 27, 2019	L2258827-3	1430	335	L2258827-2	1430	315
May 21, 2019	L2268023-3	1453	332	L2264129-3	1432	306
June 14, 2019	L2295317-1	1450	326	L2295317-1	1432	306

Table B2: 2019 Courtice Station Q2 Monitoring Results for Dioxins & Furans

Contaminant	Units	MECP Criteria	HHRA Health Based Criteria	3-Apr-19	27-Apr-19	21-May-19	14-Jun-19
2,3,7,8-TCDD	pg/m ³	-	-	7.12E-04	4.78E-04	7.23E-04	7.36E-04
1,2,3,7,8-PeCDD	pg/m ³	-	-	1.51E-03	1.25E-03	1.90E-03	4.45E-04
1,2,3,4,7,8-HxCDD	pg/m ³	-	-	7.27E-04	1.07E-03	2.05E-03	8.13E-04
1,2,3,6,7,8-HxCDD	pg/m ³	-	-	2.62E-03	9.40E-04	2.17E-03	9.97E-04
1,2,3,7,8,9-HxCDD	pg/m ³	-	-	2.38E-03	9.85E-04	8.28E-04	1.15E-03
1,2,3,4,6,7,8-HpCDD	pg/m ³	-	-	4.30E-02	1.63E-02	1.14E-02	2.14E-02
OCDD	pg/m ³	-	-	1.25E-01	7.46E-02	4.79E-02	6.04E-02
2,3,7,8-TCDF	pg/m ³	-	-	4.80E-04	1.19E-03	7.08E-04	4.91E-04
1,2,3,7,8-PeCDF	pg/m ³	-	-	5.52E-04	1.58E-03	2.08E-03	1.06E-03
2,3,4,7,8-PeCDF	pg/m ³	-	-	1.13E-03	1.34E-03	6.17E-04	1.81E-03
1,2,3,4,7,8-HxCDF	pg/m ³	-	-	1.40E-03	1.43E-03	7.98E-04	6.29E-04
1,2,3,6,7,8-HxCDF	pg/m ³	-	-	4.51E-04	1.34E-03	3.61E-04	8.90E-04
2,3,4,6,7,8-HxCDF	pg/m ³	-	-	1.05E-03	1.61E-03	4.82E-04	1.26E-03
1,2,3,7,8,9-HxCDF	pg/m ³	-	-	1.02E-03	2.27E-03	9.94E-04	2.09E-03
1,2,3,4,6,7,8-HpCDF	pg/m ³	-	-	4.68E-03	6.57E-03	4.22E-03	1.09E-03
1,2,3,4,7,8,9-HpCDF	pg/m ³	-	-	4.36E-04	1.76E-03	1.04E-03	3.68E-04
OCDF	pg/m ³	-	-	3.34E-03	6.42E-03	4.97E-03	3.71E-03
Total Toxic Equivalency	pg TEQ/m ³	0.1 1 ^[1]	-	4.11E-03	3.54E-03	3.89E-03	2.84E-03

NOTE: All non-detectable results were reported as 1/2 of the detection limit

[1] O. Reg. 419/05 Schedule Upper Risk Thresholds

Table B2: 2019 Courtice Station Q2 Monitoring Results for Dioxins and Furans Continued

Contaminant	MECP Criteria ($\mu\text{g}/\text{m}^3$)	No. > Criteria	Arithmetic Mean	Q2 Minimum Concentration	Q2 Maximum Concentration	April Maximum Concentration	May Maximum Concentration	June Maximum Concentration	Number of Valid Samples	% Valid data
2,3,7,8-TCDD	-	-	6.62E-04	4.78E-04	7.36E-04	7.12E-04	7.23E-04	7.36E-04	4	100
1,2,3,7,8-PeCDD	-	-	1.28E-03	4.45E-04	1.90E-03	1.51E-03	1.90E-03	4.45E-04	4	100
1,2,3,4,7,8-HxCDD	-	-	1.17E-03	7.27E-04	2.05E-03	1.07E-03	2.05E-03	8.13E-04	4	100
1,2,3,6,7,8-HxCDD	-	-	1.68E-03	9.40E-04	2.62E-03	2.62E-03	2.17E-03	9.97E-04	4	100
1,2,3,7,8,9-HxCDD	-	-	1.34E-03	8.28E-04	2.38E-03	2.38E-03	8.28E-04	1.15E-03	4	100
1,2,3,4,6,7,8-HpCDD	-	-	2.30E-02	1.14E-02	4.30E-02	4.30E-02	1.14E-02	2.14E-02	4	100
OCDD	-	-	7.69E-02	4.79E-02	1.25E-01	1.25E-01	4.79E-02	6.04E-02	4	100
2,3,7,8-TCDF	-	-	7.18E-04	4.80E-04	1.19E-03	1.19E-03	7.08E-04	4.91E-04	4	100
1,2,3,7,8-PeCDF	-	-	1.32E-03	5.52E-04	2.08E-03	1.58E-03	2.08E-03	1.06E-03	4	100
2,3,4,7,8-PeCDF	-	-	1.23E-03	6.17E-04	1.81E-03	1.34E-03	6.17E-04	1.81E-03	4	100
1,2,3,4,7,8-HxCDF	-	-	1.06E-03	6.29E-04	1.43E-03	1.43E-03	7.98E-04	6.29E-04	4	100
1,2,3,6,7,8-HxCDF	-	-	7.61E-04	3.61E-04	1.34E-03	1.34E-03	3.61E-04	8.90E-04	4	100
2,3,4,6,7,8-HxCDF	-	-	1.10E-03	4.82E-04	1.61E-03	1.61E-03	4.82E-04	1.26E-03	4	100
1,2,3,7,8,9-HxCDF	-	-	1.59E-03	9.94E-04	2.27E-03	2.27E-03	9.94E-04	2.09E-03	4	100
1,2,3,4,6,7,8-HpCDF	-	-	4.14E-03	1.09E-03	6.57E-03	6.57E-03	4.22E-03	1.09E-03	4	100
1,2,3,4,7,8,9-HpCDF	-	-	9.01E-04	3.68E-04	1.76E-03	1.76E-03	1.04E-03	3.68E-04	4	100
OCDF	-	-	4.61E-03	3.34E-03	6.42E-03	6.42E-03	4.97E-03	3.71E-03	4	100
Total Toxic Equivalency	0.1	0	3.59E-03	2.84E-03	4.11E-03	4.11E-03	3.89E-03	2.84E-03	4	100

Table B3: 2019 Rundle Station Q2 Monitoring Results for Dioxins & Furans

Contaminant	Units	MECP Criteria	HHRA Health Based Criteria	3-Apr-19	27-Apr-19	21-May-19	14-Jun-19	MECP Criteria ($\mu\text{g}/\text{m}^3$)	No. > Criteria
2,3,7,8-TCDD	pg/m^3	-	-	9.17E-04	6.19E-04	9.80E-04	1.52E-03	-	-
1,2,3,7,8-PeCDD	pg/m^3	-	-	9.94E-04	4.92E-04	7.52E-04	1.13E-03	-	-
1,2,3,4,7,8-HxCDD	pg/m^3	-	-	2.84E-03	3.33E-04	8.82E-04	1.09E-03	-	-
1,2,3,6,7,8-HxCDD	pg/m^3	-	-	3.55E-03	1.05E-03	6.37E-04	1.62E-03	-	-
1,2,3,7,8,9-HxCDD	pg/m^3	-	-	4.04E-03	5.56E-04	8.50E-04	9.48E-04	-	-
1,2,3,4,6,7,8-HpCDD	pg/m^3	-	-	5.50E-02	8.19E-03	1.53E-02	4.15E-02	-	-
OCDD	pg/m^3	-	-	1.42E-01	2.75E-02	5.29E-02	4.41E-02	-	-
2,3,7,8-TCDF	pg/m^3	-	-	6.27E-04	3.97E-04	5.23E-04	1.08E-03	-	-
1,2,3,7,8-PeCDF	pg/m^3	-	-	1.47E-03	7.30E-04	8.99E-04	7.68E-04	-	-
2,3,4,7,8-PeCDF	pg/m^3	-	-	1.93E-03	1.43E-03	8.17E-04	7.03E-04	-	-
1,2,3,4,7,8-HxCDF	pg/m^3	-	-	1.53E-03	4.44E-04	5.72E-04	7.19E-04	-	-
1,2,3,6,7,8-HxCDF	pg/m^3	-	-	5.50E-04	8.57E-04	5.23E-04	6.54E-04	-	-
2,3,4,6,7,8-HxCDF	pg/m^3	-	-	6.42E-04	1.02E-03	1.34E-03	7.03E-04	-	-
1,2,3,7,8,9-HxCDF	pg/m^3	-	-	5.35E-04	2.16E-03	1.99E-03	8.01E-04	-	-
1,2,3,4,6,7,8-HpCDF	pg/m^3	-	-	2.60E-03	3.71E-03	4.05E-03	4.51E-03	-	-
1,2,3,4,7,8,9-HpCDF	pg/m^3	-	-	8.10E-04	6.51E-04	1.16E-03	5.56E-04	-	-
OCDF	pg/m^3	-	-	7.52E-03	2.06E-03	9.25E-03	1.47E-03	-	-
Total Toxic Equivalency	$\text{pg TEQ}/\text{m}^3$	0.1 1 [1]	-	4.59E-03	2.38E-03	2.96E-03	4.12E-03	0.1	0

NOTE: All non-detectable results were reported as 1/2 of the detection limit

[1] O. Reg. 419/05 Schedule Upper Risk Thresholds

Table B3: 2019 Rundle Station Q2 Monitoring Results for Dioxins and Furans Continued

Contaminant	Arithmetic Mean	Q2 Minimum Concentration	Q2 Maximum Concentration	April Maximum Concentration	May Maximum Concentration	June Maximum Concentration	Number of Valid Samples	% Valid data
2,3,7,8-TCDD	1.01E-03	6.19E-04	1.52E-03	9.17E-04	9.80E-04	1.52E-03	4	100
1,2,3,7,8-PeCDD	8.41E-04	4.92E-04	1.13E-03	9.94E-04	7.52E-04	1.13E-03	4	100
1,2,3,4,7,8-HxCDD	1.29E-03	3.33E-04	2.84E-03	2.84E-03	8.82E-04	1.09E-03	4	100
1,2,3,6,7,8-HxCDD	1.71E-03	6.37E-04	3.55E-03	3.55E-03	6.37E-04	1.62E-03	4	100
1,2,3,7,8,9-HxCDD	1.60E-03	5.56E-04	4.04E-03	4.04E-03	8.50E-04	9.48E-04	4	100
1,2,3,4,6,7,8-HpCDD	3.00E-02	8.19E-03	5.50E-02	5.50E-02	1.53E-02	4.15E-02	4	100
OCDD	6.66E-02	2.75E-02	1.42E-01	1.42E-01	5.29E-02	4.41E-02	4	100
2,3,7,8-TCDF	6.56E-04	3.97E-04	1.08E-03	6.27E-04	5.23E-04	1.08E-03	4	100
1,2,3,7,8-PeCDF	9.66E-04	7.30E-04	1.47E-03	1.47E-03	8.99E-04	7.68E-04	4	100
2,3,4,7,8-PeCDF	1.22E-03	7.03E-04	1.93E-03	1.93E-03	8.17E-04	7.03E-04	4	100
1,2,3,4,7,8-HxCDF	8.16E-04	4.44E-04	1.53E-03	1.53E-03	5.72E-04	7.19E-04	4	100
1,2,3,6,7,8-HxCDF	6.46E-04	5.23E-04	8.57E-04	8.57E-04	5.23E-04	6.54E-04	4	100
2,3,4,6,7,8-HxCDF	9.25E-04	6.42E-04	1.34E-03	1.02E-03	1.34E-03	7.03E-04	4	100
1,2,3,7,8,9-HxCDF	1.37E-03	5.35E-04	2.16E-03	2.16E-03	1.99E-03	8.01E-04	4	100
1,2,3,4,6,7,8-HpCDF	3.72E-03	2.60E-03	4.51E-03	3.71E-03	4.05E-03	4.51E-03	4	100
1,2,3,4,7,8,9-HpCDF	7.94E-04	5.56E-04	1.16E-03	8.10E-04	1.16E-03	5.56E-04	4	100
OCDF	5.08E-03	1.47E-03	9.25E-03	7.52E-03	9.25E-03	1.47E-03	4	100
Total Toxic Equivalency	3.51E-03	2.38E-03	4.59E-03	4.59E-03	2.96E-03	4.12E-03	4	100

Table B4: Summary of Sample Flow Rate and Sample Duration for PAHs

Sample Date	Courtice			Rundle		
	Filter ID	Sample Duration	Sample Volume	Filter ID	Sample Duration	Sample Volume
	No.	(min)	(m ³)	No.	(min)	(m ³)
April 3, 2019	L2254118-1	1430	344	L2254118-2	1433	327
April 15, 2019	L2259432-1	1429	338	L2259432-2	1431	319
April 27, 2019	L2258827-3	1430	335	L-2258827-2	1430	315
May 9, 2019	L2264129-3	1444	333	L-2264129-2	1432	308
May 21, 2019	L2268023-3	1453	332	L-2264129-3	1432	306
June 2, 2019	L2285797-1	1387	313	L2285797-2	1435	305
June 14, 2019	L2295317-1	1446	326	L2295317-2	1432	306
June 26, 2019	L2302497-1	1450	316	L2302497-2	1432	297

Table B5: 2019 Courtice Station Q2 Monitoring Results for PAHs

Contaminant	Units	MECP Criteria	HHRA Health Based Criteria	3-Apr-19	15-Apr-19	27-Apr-19	9-May-19	21-May-19	2-Jun-19	14-Jun-19	26-Jun-19
1-Methylnaphthalene	ng/m ³	12000	-	1.60E+00	1.62E+00	1.23E+00	2.45E+00	1.44E+00	2.57E+00	1.76E+00	5.00E+00
2-Methylnaphthalene	ng/m ³	10000	-	3.26E-01	2.23E+00	2.02E+00	3.09E+00	1.97E+00	4.35E+00	2.79E+00	9.05E+00
Acenaphthene	ng/m ³	-	-	3.49E-02	4.85E-01	3.91E-01	7.30E-01	4.58E-01	1.49E+00	7.06E-01	4.84E+00
Acenaphthylene	ng/m ³	3500	-	7.35E-03	2.16E-02	3.70E-02	1.86E-02	1.53E-02	5.53E-02	6.01E-02	1.27E-01
Anthracene	ng/m ³	200	-	1.77E-02	3.05E-02	2.81E-02	1.72E-01	4.82E-02	7.80E-02	6.72E-02	1.17E-01
Benzo(a)Anthracene	ng/m ³	-	-	1.21E-02	4.41E-03	2.54E-03	4.02E-03	5.96E-03	1.02E-02	4.36E-03	9.81E-03
Benzo(a)fluorene	ng/m ³	-	-	1.57E-02	5.30E-03	4.60E-03	9.19E-03	8.25E-03	1.39E-02	1.31E-02	2.26E-02
Benzo(a)Pyrene	ng/m ³	0.05 ^[1] 5 ^[2] 1.1 ^[3]	1	3.81E-02	1.60E-03	5.67E-03	1.14E-03	5.99E-03	1.43E-02	2.12E-03	8.61E-03
Benzo(b)Fluoranthene	ng/m ³	-	-	8.60E-03	4.41E-03	1.37E-02	6.82E-03	1.02E-02	1.99E-02	5.49E-03	2.01E-02
Benzo(b)fluorene	ng/m ³	-	-	2.90E-02	2.43E-03	2.54E-03	2.79E-03	4.52E-03	1.03E-02	7.45E-03	1.11E-02
Benzo(e)Pyrene	ng/m ³	-	-	3.66E-02	4.88E-03	1.14E-02	1.03E-02	1.08E-02	1.51E-02	4.33E-03	1.40E-02
Benzo(g,h,i)Perylene	ng/m ³	-	-	3.95E-02	9.88E-03	8.03E-03	5.17E-03	8.83E-03	1.41E-02	5.28E-03	1.71E-02
Benzo(k)Fluoranthene	ng/m ³	-	-	6.51E-01	1.14E-02	9.58E-03	6.97E-03	7.05E-03	1.63E-02	8.25E-03	2.14E-02
Biphenyl	ng/m ³	-	-	5.78E-02	4.64E-01	4.69E-01	1.00E+00	5.45E-01	9.78E-01	7.21E-01	2.09E+00
Chrysene	ng/m ³	-	-	5.32E-03	1.53E-02	1.60E-02	1.48E-02	1.67E-02	3.10E-02	2.24E-02	4.53E-02
Dibenzo(a,h)Anthracene	ng/m ³	-	-	1.90E-01	2.96E-04	1.10E-03	3.00E-04	1.20E-03	2.52E-03	8.90E-04	2.63E-03
Fluoranthene	ng/m ³	-	-	3.20E-02	1.48E-01	1.15E-01	3.42E-01	1.72E-01	4.06E-01	3.22E-01	7.03E-01
Indeno(1,2,3-cd)Pyrene	ng/m ³	-	-	9.07E+00	7.66E-03	6.03E-03	3.06E-03	7.23E-03	1.24E-02	6.96E-03	1.32E-02
Naphthalene	ng/m ³	22500	22500	4.56E-03	7.16E+00	4.06E+00	8.62E+00	4.82E+00	1.27E+01	7.21E+00	2.36E+01
o-Terphenyl	ng/m ³	-	-	5.47E-03	2.87E-03	3.13E-03	8.23E-03	3.46E-03	7.16E-03	4.42E-03	1.03E-02
Perylene	ng/m ³	-	-	5.93E-01	1.66E-03	1.52E-03	6.16E-03	4.40E-03	2.84E-03	3.07E-04	1.93E-03
Phenanthrene	ng/m ³	-	-	1.13E-01	7.43E-01	4.81E-01	1.92E+00	8.25E-01	1.99E+00	1.50E+00	4.21E+00
Pyrene	ng/m ³	-	-	6.22E-01	7.40E-02	7.04E-02	1.34E-01	8.92E-02	1.75E-01	1.59E-01	2.68E-01
Tetralin	ng/m ³	-	-	0.00E+00	1.07E+00	1.47E+00	1.14E+00	9.37E-01	1.42E+00	1.00E+00	1.78E+00
Fluorene	ng/m ³	-	-	N/A	N/A	2.82E-01	N/A	N/A	N/A	N/A	N/A
Total PAH ^[4]	ng/m ³	-	-	1.35E+01	0.00E+00	1.07E+01	1.97E+01	1.14E+01	2.64E+01	1.64E+01	5.20E+01

NOTE: All non-detectable results were reported as 1/2 of the detection limit

[1] AAQC

[2] O. Reg. 419/05 Schedule Upper Risk Thresholds

[3] O. Reg. 419/05 24 Hour Guideline

[4] Total PAH sums all PAH contaminants

Table B5: 2019 Courtice Station Q2 Monitoring Results for PAHs

Contaminant	MECP Criteria ($\mu\text{g}/\text{m}^3$)	No. > Criteria	Arithmetic Mean	Minimum Q2 Concentration	Maximum Q2 Concentration	April Maximum Concentration	May Maximum Concentration	June Maximum Concentration	Number of Valid Samples	% Valid data
1-Methylnaphthalene	12000	0	2.21E+00	1.23E+00	5.00E+00	1.62E+00	2.45E+00	5.00E+00	8	100
2-Methylnaphthalene	10000	0	3.23E+00	3.26E-01	9.05E+00	2.23E+00	3.09E+00	9.05E+00	8	100
Acenaphthene	-	-	1.14E+00	3.49E-02	4.84E+00	4.85E-01	7.30E-01	4.84E+00	8	100
Acenaphthylene	3500	0	4.28E-02	7.35E-03	1.27E-01	3.70E-02	1.86E-02	1.27E-01	8	100
Anthracene	200	0	6.98E-02	1.77E-02	1.72E-01	3.05E-02	1.72E-01	1.17E-01	8	100
Benzo(a)Anthracene	-	-	6.67E-03	2.54E-03	1.21E-02	1.21E-02	5.96E-03	1.02E-02	8	100
Benzo(a)fluorene	-	-	1.16E-02	4.60E-03	2.26E-02	1.57E-02	9.19E-03	2.26E-02	8	100
Benzo(a)Pyrene	0.05	0	9.69E-03	1.14E-03	3.81E-02	3.81E-02	5.99E-03	1.43E-02	8	100
Benzo(b)Fluoranthene	-	-	1.11E-02	4.41E-03	2.01E-02	1.37E-02	1.02E-02	2.01E-02	8	100
Benzo(b)fluorene	-	-	8.77E-03	2.43E-03	2.90E-02	2.90E-02	4.52E-03	1.11E-02	8	100
Benzo(e)Pyrene	-	-	1.34E-02	4.33E-03	3.66E-02	3.66E-02	1.08E-02	1.51E-02	8	100
Benzo(g,h,i)Perylene	-	-	1.35E-02	5.17E-03	3.95E-02	3.95E-02	8.83E-03	1.71E-02	8	100
Benzo(k)Fluoranthene	-	-	9.15E-02	6.97E-03	6.51E-01	6.51E-01	7.05E-03	2.14E-02	8	100
Biphenyl	-	-	7.91E-01	5.78E-02	2.09E+00	4.69E-01	1.00E+00	2.09E+00	8	100
Chrysene	-	-	2.08E-02	5.32E-03	4.53E-02	1.60E-02	1.67E-02	4.53E-02	8	100
Dibenzo(a,h)Anthracene	-	-	2.49E-02	2.96E-04	1.90E-01	1.90E-01	1.20E-03	2.63E-03	8	100
Fluoranthene	-	-	2.80E-01	3.20E-02	7.03E-01	1.48E-01	3.42E-01	7.03E-01	8	100
Indeno(1,2,3-cd)Pyrene	-	-	1.14E+00	3.06E-03	9.07E+00	9.07E+00	7.23E-03	1.32E-02	8	100
Naphthalene	22500	0	8.52E+00	4.56E-03	2.36E+01	7.16E+00	8.62E+00	2.36E+01	8	100
o-Terphenyl	-	-	5.63E-03	2.87E-03	1.03E-02	5.47E-03	8.23E-03	1.03E-02	8	100
Perylene	-	-	7.65E-02	3.07E-04	5.93E-01	5.93E-01	6.16E-03	2.84E-03	8	100
Phenanthrene	-	-	1.47E+00	1.13E-01	4.21E+00	7.43E-01	1.92E+00	4.21E+00	8	100
Pyrene	-	-	1.99E-01	7.04E-02	6.22E-01	6.22E-01	1.34E-01	2.68E-01	8	100
Tetralin	-	-	1.10E+00	0.00E+00	1.78E+00	1.47E+00	1.14E+00	1.78E+00	8	100
Fluorene	-	-	2.82E-01	2.82E-01	2.82E-01	2.82E-01	0.00E+00	0.00E+00	1	100
Total PAH ^[4]	-	-	1.88E+01	0.00E+00	5.20E+01	1.35E+01	1.97E+01	5.20E+01	8	100

Table B6: 2019 Rundle Station Q2 Monitoring Results for PAHs

Contaminant	Units	MECP Criteria	HHRA Health Based Criteria	3 Apr 19	15 Apr 19	27 Apr 19	9 May-19	21 May-19	2 Jun 19	14 Jun 19	26 Jun 19
1-Methylnaphthalene	ng/m ³	12000	-	2.56E+00	1.59E+00	1.47E+00	5.00E+00	2.69E+00	2.57E+00	2.56E+00	8.75E+00
2-Methylnaphthalene	ng/m ³	10000	-	3.67E+00	2.19E+00	2.42E+00	7.50E+00	3.33E+00	4.36E+00	4.15E+00	1.59E+01
Acenaphthene	ng/m ³	-	-	6.33E-01	3.82E-01	3.62E-01	3.01E+00	1.15E+00	1.02E+00	1.48E+00	9.02E+00
Acenaphthylene	ng/m ³	3500	-	9.88E-02	6.74E-02	6.92E-02	3.12E-02	4.28E-02	5.25E-02	5.59E-02	2.90E-01
Anthracene	ng/m ³	200	-	3.21E-02	4.76E-02	2.38E-02	2.09E-01	8.07E-02	9.48E-02	8.24E-02	5.29E-01
Benzo(a)Anthracene	ng/m ³	-	-	3.67E-02	7.43E-03	3.17E-03	5.32E-03	5.65E-03	1.07E-02	3.27E-03	2.75E-02
Benzo(a)fluorene	ng/m ³	-	-	3.36E-02	7.34E-03	6.16E-03	1.11E-02	1.11E-02	1.86E-02	1.78E-02	7.07E-02
Benzo(a)Pyrene	ng/m ³	0.05 ^[1] 5 ^[2] 1.1 ^[3]	1	4.01E-02	3.13E-04	6.06E-03	1.62E-03	4.35E-03	1.35E-02	1.96E-03	1.79E-02
Benzo(b)Fluoranthene	ng/m ³	-	-	4.74E-02	1.28E-02	1.48E-02	2.00E-02	9.51E-03	2.45E-02	6.41E-03	4.11E-02
Benzo(b)fluorene	ng/m ³	-	-	2.05E-02	3.82E-03	3.46E-03	3.47E-03	6.14E-03	1.29E-02	8.99E-03	4.75E-02
Benzo(e)Pyrene	ng/m ³	-	-	5.02E-02	6.43E-03	1.26E-02	1.63E-02	1.22E-02	1.84E-02	6.18E-03	3.00E-02
Benzo(g,h,i)Perylene	ng/m ³	-	-	6.27E-02	8.59E-03	9.90E-03	8.34E-03	7.03E-03	1.48E-02	6.34E-03	3.97E-02
Benzo(k)Fluoranthene	ng/m ³	-	-	9.33E-02	1.19E-02	9.71E-03	8.64E-03	6.86E-03	1.57E-02	1.07E-02	4.61E-02
Biphenyl	ng/m ³	-	-	9.27E-01	4.76E-01	4.03E-01	1.35E+00	1.03E+00	8.62E-01	9.25E-01	3.43E+00
Chrysene	ng/m ³	-	-	9.88E-02	2.27E-02	1.82E-02	2.27E-02	2.00E-02	4.03E-02	2.75E-02	1.00E-01
Dibenzo(a,h)Anthracene	ng/m ³	-	-	7.34E-03	3.13E-04	1.56E-03	1.43E-03	3.27E-04	5.77E-03	3.27E-04	4.85E-03
Fluoranthene	ng/m ³	-	-	2.97E-01	1.60E-01	1.24E-01	7.34E-01	3.86E-01	4.59E-01	4.18E-01	2.45E+00
Indeno(1,2,3-cd)Pyrene	ng/m ³	-	-	6.06E-02	8.21E-03	7.78E-03	3.90E-03	6.54E-03	1.81E-02	6.01E-03	4.61E-02
Naphthalene	ng/m ³	22500	22500	1.40E+01	7.74E+00	5.27E+00	8.80E+00	8.69E+00	1.28E+01	9.22E+00	2.93E+01
o-Terphenyl	ng/m ³	-	-	4.53E-03	2.51E-03	2.79E-03	6.56E-03	4.15E-03	7.25E-03	4.71E-03	9.83E-03
Perylene	ng/m ³	-	-	8.20E-03	1.07E-03	1.27E-03	8.02E-03	3.27E-03	2.66E-03	3.27E-04	4.58E-03
Phenanthrene	ng/m ³	-	-	1.19E+00	8.65E-01	5.27E-01	3.64E+00	1.72E+00	2.03E+00	2.25E+00	1.18E+01
Pyrene	ng/m ³	-	-	1.98E-01	7.90E-02	8.89E-02	2.10E-01	1.59E-01	1.99E-01	1.97E-01	9.73E-01
Tetralin	ng/m ³	-	-	1.53E+00	1.06E+00	1.94E+00	1.08E+00	1.22E+00	1.55E+00	9.80E-01	1.91E+00
Fluorene	ng/m ³	-	-	N/A	N/A	2.77E-01	N/A	N/A	N/A	N/A	N/A
Total PAH ^[4]	ng/m ³	-	-	2.57E+01	1.48E+01	1.31E+01	3.17E+01	2.06E+01	2.62E+01	2.24E+01	8.49E+01

NOTE: All non-detectable results were reported as 1/2 of the detection limit

[1] AAQC

[2] O. Reg. 419/05 Schedule Upper Risk Thresholds

[3] O. Reg. 419/05 24 Hour Guideline

[4] Total PAH sums all PAH contaminants

Table B6: 2019 Rundle Station Q2 Monitoring Results for PAHs

Contaminant	MECP Criteria ($\mu\text{g}/\text{m}^3$)	No. > Criteria	Arithmetic Mean	Minimum Q2 Concentration	Maximum Q2 Concentration	April Maximum Concentration	May Maximum Concentration	June Maximum Concentration	Number of Valid Samples	% Valid data
1-Methylnaphthalene	12000	0	3.40E+00	1.47E+00	8.75E+00	2.56E+00	5.00E+00	8.75E+00	8	100
2-Methylnaphthalene	10000	0	5.44E+00	2.19E+00	1.59E+01	3.67E+00	7.50E+00	1.59E+01	8	100
Acenaphthene	-	-	2.13E+00	3.62E-01	9.02E+00	6.33E-01	3.01E+00	9.02E+00	8	100
Acenaphthylene	3500	0	8.85E-02	3.12E-02	2.90E-01	9.88E-02	4.28E-02	2.90E-01	8	100
Anthracene	200	0	1.37E-01	2.38E-02	5.29E-01	4.76E-02	2.09E-01	5.29E-01	8	100
Benzo(a)Anthracene	-	-	1.25E-02	3.17E-03	3.67E-02	3.67E-02	5.65E-03	2.75E-02	8	100
Benzo(a)fluorene	-	-	2.21E-02	6.16E-03	7.07E-02	3.36E-02	1.11E-02	7.07E-02	8	100
Benzo(a)Pyrene	0.05	0	1.07E-02	3.13E-04	4.01E-02	4.01E-02	4.35E-03	1.79E-02	8	100
Benzo(b)Fluoranthene	-	-	2.21E-02	6.41E-03	4.74E-02	4.74E-02	2.00E-02	4.11E-02	8	100
Benzo(b)fluorene	-	-	1.33E-02	3.46E-03	4.75E-02	2.05E-02	6.14E-03	4.75E-02	8	100
Benzo(e)Pyrene	-	-	1.91E-02	6.18E-03	5.02E-02	5.02E-02	1.63E-02	3.00E-02	8	100
Benzo(g,h,i)Perylene	-	-	1.97E-02	6.34E-03	6.27E-02	6.27E-02	8.34E-03	3.97E-02	8	100
Benzo(k)Fluoranthene	-	-	2.54E-02	6.86E-03	9.33E-02	9.33E-02	8.64E-03	4.61E-02	8	100
Biphenyl	-	-	1.18E+00	4.03E-01	3.43E+00	9.27E-01	1.35E+00	3.43E+00	8	100
Chrysene	-	-	4.38E-02	1.82E-02	1.00E-01	9.88E-02	2.27E-02	1.00E-01	8	100
Dibeno(a,h)Anthracene	-	-	2.74E-03	3.13E-04	7.34E-03	7.34E-03	1.43E-03	5.77E-03	8	100
Fluoranthene	-	-	6.29E-01	1.24E-01	2.45E+00	2.97E-01	7.34E-01	2.45E+00	8	100
Indeno(1,2,3-cd)Pyrene	-	-	1.96E-02	3.90E-03	6.06E-02	6.06E-02	6.54E-03	4.61E-02	8	100
Naphthalene	22500	0	1.20E+01	5.27E+00	2.93E+01	1.40E+01	8.80E+00	2.93E+01	8	100
o-Terphenyl	-	-	5.29E-03	2.51E-03	9.83E-03	4.53E-03	6.56E-03	9.83E-03	8	100
Perylene	-	-	3.67E-03	3.27E-04	8.20E-03	8.20E-03	8.02E-03	4.58E-03	8	100
Phenanthrene	-	-	3.00E+00	5.27E-01	1.18E+01	1.19E+00	3.64E+00	1.18E+01	8	100
Pyrene	-	-	2.63E-01	7.90E-02	9.73E-01	1.98E-01	2.10E-01	9.73E-01	8	100
Tetralin	-	-	1.41E+00	9.80E-01	1.94E+00	1.94E+00	1.22E+00	1.91E+00	8	100
Fluorene	-	-	2.77E-01	2.77E-01	2.77E-01	2.77E-01	0.00E+00	0.00E+00	1	100
Total PAH ^[4]	-	-	2.99E+01	1.31E+01	8.49E+01	2.57E+01	3.17E+01	8.49E+01	8	100

Table B7: Summary of Sample Flow Rate and Sample Duration for TSP

Sample Date	Courtice			Rundle		
	Filter ID	Sample Duration	Sample Volume	Filter ID	Sample Duration	Sample Volume
	No.	(min)	(m ³)	No.	(min)	(m ³)
April 3, 2019	739248	1405	1600	739249	1412	1560
April 9, 2019	739251	1408	1560	734250	1412	1590
April 15, 2019	739253	1406	1490	739252	1414	1560
April 21, 2019	739255	1405	1510	739254	1433	1590
April 27, 2019	739256	1405	1570	739257	1415	1660
May 3, 2019	739259	1402	1560	739260	1414	1570
May 9, 2019	739262	1400	1530	739261	1453	1530
May 15, 2019	739265	1406	1510	739263	1413	1590
May 21, 2019	739269	1411	1570	729266	1412	1580
May 27, 2019	739269	1405	1570	739268	1414	1600
June 2, 2019	739699	1406	1590	739698	1412	1600
June 8, 2019	739701	1408	1560	729700	1414	1560
June 14, 2019	739703	1402	1580	729702	1419	1580
June 20, 2019	739704	1401	1550	739705	1419	1570
June 26, 2019	739707	1409	1560	739706	1419	1570

Table B8: 2019 Courtice Station Q2 Monitoring Results for TSP and Metals

Contaminant	Units	MECP Criteria	HHRA Health Based Criteria	3-Apr-19	9-Apr-19	15-Apr-19	21-Apr-19	27-Apr-19	3-May-19	9-May-19	15-May-19	21-May-19	27-May-19	2-Jun-19	8-Jun-19	14-Jun-19	20-Jun-19	26-Jun-19
Particulate (TSP)	µg/m³	120	120	18.63	14.42	6.85	10.86	14.78	10.38	146.41	25.17	28.28	47.13	24.91	29.81	20.63	3.95E+01	3.10E+01
Total Mercury (Hg)	µg/m³	2	2	7.31E-06	1.60E-06	1.68E-06	7.75E-06	3.44E-06	1.60E-06	5.12E-05	7.75E-05	9.17E-06	2.81E-05	9.06E-06	2.19E-05	2.39E-05	1.39E-05	3.12E-05
Aluminum (Al)	µg/m³	4.8	-	1.26E-01	1.15E-01	5.84E-02	7.15E-02	1.01E-01	5.19E-02	1.00E+00	1.13E-01	1.58E-01	1.99E-01	2.28E-01	2.63E-01	1.22E-01	2.12E-01	1.53E-01
Antimony (Sb)	µg/m³	25	25	7.19E-04	3.40E-04	4.30E-04	6.75E-04	8.85E-04	5.51E-04	1.01E-03	1.17E-03	4.78E-04	8.22E-04	7.92E-04	4.74E-04	5.82E-04	7.29E-04	1.13E-03
Arsenic (As)	µg/m³	0.3	0.3	9.38E-04	9.62E-04	1.01E-03	9.93E-04	2.55E-03	9.62E-04	9.80E-04	9.93E-04	9.55E-04	9.55E-04	9.43E-04	9.62E-04	9.49E-04	9.68E-04	9.62E-04
Barium (Ba)	µg/m³	10	10	7.31E-03	3.53E-03	4.56E-03	4.24E-03	5.35E-03	4.55E-03	1.83E-02	1.00E-02	6.18E-03	9.55E-03	6.60E-03	3.72E-03	4.56E-03	8.45E-03	1.29E-02
Beryllium (Be)	µg/m³	0.01	0.01	3.13E-05	3.21E-05	3.36E-05	3.31E-05	3.18E-05	3.21E-05	7.19E-05	3.31E-05	3.18E-05	3.18E-05	3.14E-05	3.21E-05	3.16E-05	3.23E-05	3.21E-05
Bismuth (Bi)	µg/m³	-	-	5.63E-04	5.77E-04	6.04E-04	5.96E-04	5.73E-04	5.77E-04	5.88E-04	5.96E-04	5.73E-04	5.73E-04	5.66E-04	5.77E-04	5.70E-04	5.81E-04	5.77E-04
Boron (B)	µg/m³	120	-	1.25E-02	1.28E-02	1.34E-02	1.32E-02	1.27E-02	1.28E-02	1.31E-02	1.32E-02	1.27E-02	1.27E-02	1.26E-02	1.28E-02	1.27E-02	1.29E-02	1.28E-02
Cadmium (Cd)	µg/m³	0.025	0.025	6.25E-04	6.41E-04	6.71E-04	6.62E-04	6.37E-04	6.41E-04	6.54E-04	6.62E-04	6.37E-04	6.37E-04	6.29E-04	6.41E-04	6.33E-04	6.45E-04	6.41E-04
Chromium (Cr)	µg/m³	0.5	-	5.50E-03	3.78E-03	4.30E-03	7.35E-03	1.71E-02	5.13E-03	2.25E-02	1.66E-03	7.96E-03	7.20E-03	7.99E-03	4.23E-03	4.24E-03	1.61E-03	1.60E-03
Cobalt (Co)	µg/m³	0.1	0.1	6.25E-04	6.41E-04	6.71E-04	6.62E-04	6.37E-04	6.41E-04	6.54E-04	6.62E-04	6.37E-04	6.37E-04	6.29E-04	6.41E-04	6.33E-04	6.45E-04	6.41E-04
Copper (Cu)	µg/m³	50	-	1.93E-02	1.26E-02	1.77E-02	4.56E-02	3.93E-02	1.97E-02	2.40E-02	2.15E-02	1.61E-02	1.96E-02	2.97E-02	1.38E-02	1.34E-02	2.44E-02	3.44E-02
Iron (Fe)	µg/m³	4	-	3.97E-01	2.43E-01	1.97E-01	2.83E-01	3.31E+00	1.56E-01	2.88E+00	4.47E-01	3.98E-01	4.22E-01	3.99E-01	3.87E-01	2.22E-01	6.01E-01	5.02E-01
Lead (Pb)	µg/m³	0.5	0.5	2.69E-03	9.62E-04	1.01E-03	4.97E-03	9.55E-04	9.62E-04	1.39E-02	2.85E-03	9.55E-04	2.23E-03	2.45E-03	9.62E-04	9.49E-04	2.06E-03	1.99E-03
Magnesium (Mg)	µg/m³	-	-	2.13E-01	1.28E-01	1.07E-01	1.06E-01	1.27E-01	1.03E-01	1.25E+00	2.38E-01	1.72E-01	2.48E-01	2.26E-01	2.18E-01	1.96E-01	2.52E-01	3.27E-01
Manganese (Mn)	µg/m³	0.4	-	1.38E-02	6.03E-03	6.31E-03	8.74E-03	2.69E-02	1.07E-02	1.20E-01	1.33E-02	1.29E-02	2.04E-02	1.84E-02	1.06E-02	1.92E-02	1.59E-02	1.62E-02
Molybdenum (Mo)	µg/m³	120	-	6.88E-04	3.21E-04	3.36E-04	1.13E-03	1.46E-03	3.21E-04	7.19E-04	7.95E-04	3.18E-04	3.18E-04	6.29E-04	3.21E-04	3.16E-04	9.03E-04	9.62E-04
Nickel (Ni)	µg/m³	0.2	-	2.19E-03	9.62E-04	1.01E-03	9.93E-04	5.35E-03	9.62E-04	2.55E-03	9.93E-04	9.55E-04	9.55E-04	2.08E-03	9.62E-04	9.49E-04	9.68E-04	9.62E-04
Phosphorus (P)	µg/m³	-	-	2.34E-01	2.40E-01	2.52E-01	2.48E-01	2.39E-01	2.40E-01	2.45E-01	2.48E-01	2.39E-01	2.39E-01	2.36E-01	2.40E-01	2.37E-01	2.42E-01	2.40E-01
Selenium (Se)	µg/m³	10	10	3.13E-03	3.21E-03	3.36E-03	3.31E-03	3.18E-03	3.21E-03	3.27E-03	3.31E-03	3.18E-03	3.18E-03	3.14E-03	3.21E-03	3.16E-03	3.23E-03	3.21E-03
Silver (Ag)	µg/m³	1	1	3.13E-04	3.21E-04	3.36E-04	3.31E-04	3.18E-04	3.21E-04	3.27E-04	3.31E-04	3.18E-04	3.18E-04	3.14E-04	3.21E-04	3.16E-04	3.23E-04	3.21E-04
Strontium (Sr)	µg/m³	120	-	5.00E-03	4.23E-03	2.15E-03	9.93E-04	2.17E-03	1.99E-03	4.35E-02	3.44E-03	5.16E-03	4.71E-03	2.70E-03	5.38E-03	2.85E-03	8.00E-03	5.83E-03
Thallium (Tl)	µg/m³	-	-	2.81E-05	2.88E-05	3.02E-05	2.98E-05	2.87E-05	2.88E-05	8.10E-05	2.98E-05	2.87E-05	2.87E-05	2.83E-05	2.88E-05	2.85E-05	2.90E-05	2.88E-05
Tin (Sn)	µg/m³	10	10	8.13E-04	3.21E-04	3.36E-04	9.27E-04	2.10E-03	6.41E-04	1.70E-03	9.93E-04	7.01E-04	7.64E-04	1.51E-03	3.21E-04	3.16E-04	7.74E-04	9.62E-04
Titanium (Ti)	µg/m³	120	-	3.44E-03	3.53E-03	3.69E-03	3.64E-03	3.50E-03	3.53E-03	4.31E-02	3.64E-03	8.28E-03	8.28E-03	7.55E-03	1.03E-02	3.48E-03	1.42E-02	9.62E-03
Uranium (Ur)	µg/m³	1.5	-	3.13E-05	3.21E-05	3.36E-05	3.31E-05	3.18E-05	3.21E-05	1.11E-04	3.31E-05	3.18E-05	3.18E-05	3.14E-05	3.21E-05	3.16E-05	3.23E-05	3.21E-05
Vanadium (V)	µg/m³	2	1	3.50E-03	1.60E-03	1.68E-03	1.66E-03	1.59E-03	1.60E-03	5.16E-03	1.66E-03	1.59E-03	1.59E-03	1.57E-03	1.60E-03	2.02E-02	1.61E-03	1.60E-03
Zinc (Zn)	µg/m³	120	-	2.54E-02	1.03E-02	1.81E-02	6.11E-02	2.07E-02	2.35E-02	5.29E-02	2.98E-02	2.05E-02	3.53E-02	3.11E-02	1.90E-02	2.05E-02	2.12E-02	2.80E-02
Zirconium (Zr)	µg/m³	20	-	6.25E-04	6.41E-04	6.71E-04	6.62E-04	6.37E-04	6.41E-04	2.35E-03	6.62E-04	6.37E-04	6.37E-04	6.29E-04	6.41E-04	6.33E-04	6.45E-04	6.41E-04

NOTE: All non-detectable results were reported as 1/2 of the detection limit

Table B8: 2019 Courtice Station Q2 Monitoring Results for TSP and Metals

Contaminant	MECP Criteria ($\mu\text{g}/\text{m}^3$)	No. > Criteria	Geometric Mean	Arithmetic Mean	Q2 Minimum Concentration	Q2 Maximum Concentration	April Maximum Concentration	May Maximum Concentration	June Maximum Concentration	Number of Valid Samples	% Valid data
Particulate (TSP)	120	1	23.1	31.3	6.8	146.4	18.6	146.4	39.5	15	100
Total Mercury (Hg)	2	0	1.04E-05	1.93E-05	1.60E-06	7.75E-05	7.75E-06	7.75E-05	3.12E-05	15	100
Aluminum (Al)	4.8	0	1.45E-01	1.98E-01	5.19E-02	1.00E+00	1.26E-01	1.00E+00	2.63E-01	15	100
Antimony (Sb)	25	0	6.77E-04	7.19E-04	3.40E-04	1.17E-03	8.85E-04	1.17E-03	1.13E-03	15	100
Arsenic (As)	0.3	0	1.03E-03	1.07E-03	9.38E-04	2.55E-03	2.55E-03	9.93E-04	9.68E-04	15	100
Barium (Ba)	10	0	6.51E-03	7.32E-03	3.53E-03	1.83E-02	7.31E-03	1.83E-02	1.29E-02	15	100
Beryllium (Be)	0.01	0	3.39E-05	3.48E-05	3.13E-05	7.19E-05	3.36E-05	7.19E-05	3.23E-05	15	100
Bismuth (Bi)	-	-	5.79E-04	5.79E-04	5.63E-04	6.04E-04	6.04E-04	5.96E-04	5.81E-04	15	100
Boron (B)	120	0	1.29E-02	1.29E-02	1.25E-02	1.34E-02	1.34E-02	1.32E-02	1.29E-02	15	100
Cadmium (Cd)	0.025	0	6.44E-04	6.44E-04	6.25E-04	6.71E-04	6.71E-04	6.62E-04	6.45E-04	15	100
Chromium (Cr)	0.5	0	5.14E-03	6.81E-03	1.60E-03	2.25E-02	1.71E-02	2.25E-02	7.99E-03	15	100
Cobalt (Co)	0.1	0	6.44E-04	6.44E-04	6.25E-04	6.71E-04	6.71E-04	6.62E-04	6.45E-04	15	100
Copper (Cu)	50	0	2.17E-02	2.34E-02	1.26E-02	4.56E-02	4.56E-02	2.40E-02	3.44E-02	15	100
Iron (Fe)	4	0	4.50E-01	7.23E-01	1.56E-01	3.31E+00	3.31E+00	2.88E+00	6.01E-01	15	100
Lead (Pb)	2	0	1.84E-03	2.66E-03	9.49E-04	1.39E-02	4.97E-03	1.39E-02	2.45E-03	15	100
Magnesium (Mg)	-	-	2.03E-01	2.61E-01	1.03E-01	1.25E+00	2.13E-01	1.25E+00	3.27E-01	15	100
Manganese (Mn)	0.4	0	1.52E-02	2.13E-02	6.03E-03	1.20E-01	2.69E-02	1.20E-01	1.92E-02	15	100
Molybdenum (Mo)	120	0	5.49E-04	6.36E-04	3.16E-04	1.46E-03	1.46E-03	7.95E-04	9.62E-04	15	100
Nickel (Ni)	0.2	0	1.29E-03	1.52E-03	9.49E-04	5.35E-03	5.35E-03	2.55E-03	2.08E-03	15	100
Phosphorus (P)	-	-	2.41E-01	2.41E-01	2.34E-01	2.52E-01	2.52E-01	2.48E-01	2.42E-01	15	100
Selenium (Se)	10	0	3.22E-03	3.22E-03	3.13E-03	3.36E-03	3.36E-03	3.31E-03	3.23E-03	15	100
Silver (Ag)	1	0	3.22E-04	3.22E-04	3.13E-04	3.36E-04	3.36E-04	3.31E-04	3.23E-04	15	100
Strontium (Sr)	120	0	4.07E-03	6.54E-03	9.93E-04	4.35E-02	5.00E-03	4.35E-02	8.00E-03	15	100
Thallium (Tl)	-	-	3.10E-05	3.24E-05	2.81E-05	8.10E-05	3.02E-05	8.10E-05	2.90E-05	15	100
Tin (Sn)	10	0	7.41E-04	8.79E-04	3.16E-04	2.10E-03	2.10E-03	1.70E-03	1.51E-03	15	100
Titanium (Ti)	120	0	6.21E-03	8.65E-03	3.44E-03	4.31E-02	3.69E-03	4.31E-02	1.42E-02	15	100
Uranium (Ur)	1.5	0	3.49E-05	3.74E-05	3.13E-05	1.11E-04	3.36E-05	1.11E-04	3.23E-05	15	100
Vanadium (V)	2	0	2.17E-03	3.21E-03	1.57E-03	2.02E-02	3.50E-03	5.16E-03	2.02E-02	15	100
Zinc (Zn)	120	0	2.54E-02	2.78E-02	1.03E-02	6.11E-02	6.11E-02	5.29E-02	3.11E-02	15	100
Zirconium (Zr)	20	0	7.01E-04	7.57E-04	6.25E-04	2.35E-03	6.71E-04	2.35E-03	6.45E-04	15	100

Table B9: 2019 Rundle Station Q2 Monitoring Results for TSP and Metals

Contaminant	Units	MECP Criteria	HHRA Health Based Criteria	3-Apr-19	9-Apr-19	15-Apr-19	21-Apr-19	27-Apr-19	3-May-19	9-May-19	15-May-19	21-May-19	27-May-19	2-Jun-19	8-Jun-19	14-Jun-19	20-Jun-19	26-Jun-19
Particulate (TSP)	µg/m³	120	120	33.5	20.3	7.8	15.7	14.1	17.64	43.99	34.15	32.47	57.75	27.06	37.18	30.06	3.08E+01	4.09E+01
Total Mercury (Hg)	µg/m³	2	2	4.04E-06	1.57E-06	1.60E-06	7.36E-06	1.51E-06	2.87E-06	9.41E-06	1.30E-05	5.70E-06	1.24E-05	1.07E-05	1.96E-05	2.51E-05	1.09E-05	2.24E-05
Aluminum (Al)	µg/m³	4.8	-	2.94E-01	1.61E-01	7.69E-02	1.12E-01	1.90E-01	9.49E-02	2.65E-01	2.78E-01	2.22E-01	2.93E-01	2.07E-01	3.40E-01	1.91E-01	1.15E-01	1.92E-01
Antimony (Sb)	µg/m³	25	25	5.13E-04	3.08E-04	2.24E-04	6.23E-04	3.43E-04	9.11E-04	5.16E-04	1.42E-03	2.34E-04	6.00E-04	5.19E-04	4.36E-04	4.56E-04	5.29E-04	7.45E-04
Arsenic (As)	µg/m³	0.3	0.3	9.62E-04	9.43E-04	9.62E-04	9.43E-04	9.04E-04	9.55E-04	9.80E-04	9.43E-04	9.49E-04	9.38E-04	9.38E-04	9.62E-04	9.49E-04	9.55E-04	9.55E-04
Barium (Ba)	µg/m³	10	10	6.41E-03	3.96E-03	4.55E-03	5.35E-03	4.70E-03	1.06E-02	7.58E-03	1.57E-02	4.75E-03	1.04E-02	6.19E-03	6.41E-03	5.38E-03	5.92E-03	9.81E-03
Beryllium (Be)	µg/m³	0.01	0.01	3.21E-05	3.14E-05	3.21E-05	3.14E-05	3.01E-05	3.18E-05	3.27E-05	3.14E-05	3.16E-05	3.13E-05	3.13E-05	3.21E-05	3.16E-05	3.18E-05	3.18E-05
Bismuth (Bi)	µg/m³	-	-	5.77E-04	5.66E-04	5.77E-04	5.66E-04	5.42E-04	5.73E-04	5.88E-04	5.66E-04	5.70E-04	5.63E-04	5.63E-04	5.77E-04	5.70E-04	5.73E-04	5.73E-04
Boron (B)	µg/m³	120	-	1.28E-02	1.26E-02	1.28E-02	1.26E-02	1.20E-02	1.27E-02	1.31E-02	1.26E-02	1.27E-02	1.25E-02	1.25E-02	1.28E-02	1.27E-02	1.27E-02	1.27E-02
Cadmium (Cd)	µg/m³	0.025	0.025	6.41E-04	6.29E-04	6.41E-04	6.29E-04	6.02E-04	6.37E-04	6.54E-04	6.29E-04	6.33E-04	6.25E-04	6.25E-04	6.41E-04	6.33E-04	6.37E-04	6.37E-04
Chromium (Cr)	µg/m³	0.5	-	5.58E-03	4.28E-03	4.17E-03	6.42E-03	7.59E-03	6.43E-03	6.14E-03	3.27E-03	1.58E-03	8.44E-03	8.00E-03	4.49E-03	4.43E-03	1.59E-03	1.59E-03
Cobalt (Co)	µg/m³	0.1	0.1	6.41E-04	6.29E-04	6.41E-04	6.29E-04	6.02E-04	6.37E-04	6.54E-04	6.29E-04	6.33E-04	6.25E-04	6.25E-04	6.41E-04	6.33E-04	6.37E-04	6.37E-04
Copper (Cu)	µg/m³	50	-	4.27E-02	5.28E-03	2.92E-02	2.30E-02	3.55E-02	1.54E-02	4.15E-02	2.28E-02	2.96E-02	1.56E-02	6.05E-02	1.19E-02	4.50E-02	2.10E-02	4.41E-02
Iron (Fe)	µg/m³	4	-	4.67E-01	3.34E-01	1.74E-01	3.11E-01	6.39E-01	3.47E-01	5.47E-01	6.86E-01	3.54E-01	5.94E-01	3.43E-01	5.94E-01	3.22E-01	3.13E-01	4.87E-01
Lead (Pb)	µg/m³	0.5	0.5	2.37E-03	9.43E-04	9.62E-04	4.53E-03	9.04E-04	2.10E-03	2.81E-03	3.90E-03	9.49E-04	2.13E-03	2.25E-03	9.62E-04	9.49E-04	9.55E-04	2.04E-03
Magnesium (Mg)	µg/m³	-	-	2.56E-01	1.70E-01	1.15E-01	1.26E-01	1.63E-01	1.53E-01	3.40E-01	3.71E-01	1.90E-01	3.44E-01	1.88E-01	3.21E-01	3.10E-01	1.66E-01	3.38E-01
Manganese (Mn)	µg/m³	0.4	-	1.45E-02	8.11E-03	5.51E-03	8.30E-03	9.46E-03	1.08E-02	1.84E-02	2.40E-02	1.08E-02	2.35E-02	1.23E-02	1.23E-02	1.09E-02	9.75E-03	1.55E-02
Molybdenum (Mo)	µg/m³	120	-	1.15E-03	3.14E-04	7.05E-04	3.14E-04	1.02E-03	3.18E-04	3.27E-04	7.55E-04	7.59E-04	3.13E-04	1.06E-03	3.21E-04	8.23E-04	3.18E-04	1.34E-03
Nickel (Ni)	µg/m³	0.2	-	2.05E-03	9.43E-04	9.62E-04	9.43E-04	9.04E-04	9.55E-04	9.80E-04	9.43E-04	9.49E-04	9.38E-04	9.38E-04	9.62E-04	9.49E-04	9.55E-04	9.55E-04
Phosphorus (P)	µg/m³	-	-	2.40E-01	2.36E-01	2.40E-01	2.36E-01	2.26E-01	2.39E-01	2.45E-01	2.36E-01	2.37E-01	2.34E-01	2.34E-01	2.40E-01	2.37E-01	2.39E-01	2.39E-01
Selenium (Se)	µg/m³	10	10	3.21E-03	3.14E-03	3.21E-03	3.14E-03	3.01E-03	3.18E-03	3.27E-03	3.14E-03	3.16E-03	3.13E-03	3.13E-03	3.21E-03	3.16E-03	3.18E-03	3.18E-03
Silver (Ag)	µg/m³	1	1	3.21E-04	3.14E-04	3.21E-04	3.14E-04	3.01E-04	3.18E-04	3.27E-04	3.14E-04	3.16E-04	3.13E-04	3.13E-04	3.21E-04	3.16E-04	3.18E-04	3.18E-04
Strontium (Sr)	µg/m³	120	-	9.23E-03	7.36E-03	3.21E-03	2.58E-03	3.73E-03	4.59E-03	9.87E-03	8.18E-03	6.52E-03	8.38E-03	3.25E-03	8.65E-03	5.89E-03	4.33E-03	7.96E-03
Thallium (Tl)	µg/m³	-	-	2.88E-05	2.83E-05	2.88E-05	2.83E-05	2.71E-05	2.87E-05	2.94E-05	2.83E-05	2.85E-05	2.81E-05	2.81E-05	2.88E-05	2.85E-05	2.87E-05	2.87E-05
Tin (Sn)	µg/m³	10	10	7.69E-04	3.14E-04	3.21E-04	8.81E-04	6.63E-04	9.55E-04	7.84E-04	1.38E-03	3.29E-03	7.50E-04	9.38E-04	8.33E-04	3.16E-04	7.64E-04	8.28E-04
Titanium (Ti)	µg/m³	120	-	8.97E-03	3.46E-03	3.53E-03	3.46E-03	7.83E-03	3.50E-03	1.31E-02	1.26E-02	8.86E-03	9.38E-03	3.44E-03	1.15E-02	3.48E-03	7.64E-03	1.02E-02
Uranium (Ur)	µg/m³	1.5	-	3.21E-05	3.14E-05	3.21E-05	3.14E-05	3.01E-05	3.18E-05	3.27E-05	3.14E-05	3.16E-05	3.13E-05	3.16E-05	3.21E-05	3.16E-05	3.18E-05	3.18E-05
Vanadium (V)	µg/m³	2	1	4.62E-03	1.57E-03	1.60E-03	1.57E-03	1.51E-03	1.59E-03	1.63E-03	1.57E-03	1.58E-03	1.56E-03	1.56E-03	3.84E-02	1.73E-02	1.59E-03	1.59E-03
Zinc (Zn)	µg/m³	120	-	2.86E-02	1.10E-02	7.31E-03	5.49E-02	2.46E-02	2.41E-02	3.39E-02	4.84E-02	1.51E-02	2.79E-02	2.90E-02	1.61E-02	1.42E-02	1.77E-02	2.38E-02
Zirconium (Zr)	µg/m³	20	-	6.41E-04	6.29E-04	6.41E-04	6.29E-04	6.02E-04	6.37E-04	6.54E-04	6.29E-04	6.33E-04	6.25E-04	6.41E-04	6.33E-04	6.37E-04	6.37E-04	


NOTE: All non-detectable results were reported as 1/2 of the detection limit

Table B9: 2019 Rundle Station Q2 Monitoring Results for TSP and Metals


Contaminant	MECP Criteria ($\mu\text{g}/\text{m}^3$)	No. > Criteria	Geometric Mean	Arithmetic Mean	Q2 Minimum Concentration	Q2 Maximum Concentration	April Maximum Concentration	May Maximum Concentration	June Maximum Concentration	Number of Valid Samples	% Valid data
Particulate (TSP)	120	0	26.5	29.6	7.8	57.8	33.5	57.8	40.9	15	100
Total Mercury (Hg)	2	0	6.87E-06	9.87E-06	1.51E-06	2.51E-05	7.36E-06	1.30E-05	2.51E-05	15	100
Aluminum (Al)	4.8	0	1.85E-01	2.02E-01	7.69E-02	3.40E-01	2.94E-01	2.93E-01	3.40E-01	15	100
Antimony (Sb)	25	0	4.98E-04	5.58E-04	2.24E-04	1.42E-03	6.23E-04	1.42E-03	7.45E-04	15	100
Arsenic (As)	0.3	0	9.49E-04	9.49E-04	9.04E-04	9.80E-04	9.62E-04	9.80E-04	9.62E-04	15	100
Barium (Ba)	10	0	6.66E-03	7.18E-03	3.96E-03	1.57E-02	6.41E-03	1.57E-02	9.81E-03	15	100
Beryllium (Be)	0.01	0	3.16E-05	3.16E-05	3.01E-05	3.27E-05	3.21E-05	3.27E-05	3.21E-05	15	100
Bismuth (Bi)	-	-	5.69E-04	5.70E-04	5.42E-04	5.88E-04	5.77E-04	5.88E-04	5.77E-04	15	100
Boron (B)	120	0	1.27E-02	1.27E-02	1.20E-02	1.31E-02	1.28E-02	1.31E-02	1.28E-02	15	100
Cadmium (Cd)	0.025	0	6.33E-04	6.33E-04	6.02E-04	6.54E-04	6.41E-04	6.54E-04	6.41E-04	15	100
Chromium (Cr)	0.5	0	4.32E-03	4.93E-03	1.58E-03	8.44E-03	7.59E-03	8.44E-03	8.00E-03	15	100
Cobalt (Co)	0.1	0	6.33E-04	6.33E-04	6.02E-04	6.54E-04	6.41E-04	6.54E-04	6.41E-04	15	100
Copper (Cu)	50	0	2.52E-02	2.95E-02	5.28E-03	6.05E-02	4.27E-02	4.15E-02	6.05E-02	15	100
Iron (Fe)	4	0	4.09E-01	4.34E-01	1.74E-01	6.86E-01	6.39E-01	6.86E-01	5.94E-01	15	100
Lead (Pb)	2	0	1.64E-03	1.92E-03	9.04E-04	4.53E-03	4.53E-03	3.90E-03	2.25E-03	15	100
Magnesium (Mg)	-	-	2.20E-01	2.37E-01	1.15E-01	3.71E-01	2.56E-01	3.71E-01	3.38E-01	15	100
Manganese (Mn)	0.4	0	1.20E-02	1.29E-02	5.51E-03	2.40E-02	1.45E-02	2.40E-02	1.55E-02	15	100
Molybdenum (Mo)	120	0	5.63E-04	6.56E-04	3.13E-04	1.34E-03	1.15E-03	7.59E-04	1.34E-03	15	100
Nickel (Ni)	0.2	0	9.98E-04	1.02E-03	9.04E-04	2.05E-03	2.05E-03	9.80E-04	9.62E-04	15	100
Phosphorus (P)	-	-	2.37E-01	2.37E-01	2.26E-01	2.45E-01	2.40E-01	2.45E-01	2.40E-01	15	100
Selenium (Se)	10	0	3.16E-03	3.16E-03	3.01E-03	3.27E-03	3.21E-03	3.27E-03	3.21E-03	15	100
Silver (Ag)	1	0	3.16E-04	3.16E-04	3.01E-04	3.27E-04	3.21E-04	3.27E-04	3.21E-04	15	100
Strontium (Sr)	120	0	5.74E-03	6.25E-03	2.58E-03	9.87E-03	9.23E-03	9.87E-03	8.65E-03	15	100
Thallium (Tl)	-	-	2.85E-05	2.85E-05	2.71E-05	2.94E-05	2.88E-05	2.94E-05	2.88E-05	15	100
Tin (Sn)	10	0	7.65E-04	9.19E-04	3.14E-04	3.29E-03	8.81E-04	3.29E-03	9.38E-04	15	100
Titanium (Ti)	120	0	6.49E-03	7.40E-03	3.44E-03	1.31E-02	8.97E-03	1.31E-02	1.15E-02	15	100
Uranium (Ur)	1.5	0	3.16E-05	3.16E-05	3.01E-05	3.27E-05	3.21E-05	3.27E-05	3.21E-05	15	100
Vanadium (V)	2	0	2.46E-03	5.28E-03	1.51E-03	3.84E-02	4.62E-03	1.63E-03	3.84E-02	15	100
Zinc (Zn)	120	0	2.21E-02	2.51E-02	7.31E-03	5.49E-02	5.49E-02	4.84E-02	2.90E-02	15	100
Zirconium (Zr)	20	0	6.33E-04	6.33E-04	6.02E-04	6.54E-04	6.41E-04	6.54E-04	6.41E-04	15	100

APPENDIX C







NO Zeros (Courtice Monitoring Station)




NO₂ Zeros (Courtice Monitoring Station)




SO₂ Zeros (Courtice Monitoring Station)




NO_x Zeros (Rundle Monitoring Station)




NO Zeros (Rundle Monitoring Station)





SO₂ Zeros (Rundle Monitoring Station)



APPENDIX D



Table D1: 2nd Quarter Edit Log for PM_{2.5} at Courtice Station

Emitter's Name: Durham York Energy Centre										
Contact	Name: Ms. Lyndsay Waller		Phone: (905) 404-0888 ext 4107		Email: Lyndsay.Waller@Durham.ca					
Station Number: 45201			Station Name: Courtice Station							
Station Address: 100 Osbourne Road			Emitter Address: The Region of Durham, 605 Rossland Road, Whitby, ON							
Pollutants or Parameter: PM _{2.5}			Instrument Make & Model: Thermo Scientific Model 5030 SHARP Monitor				s/n: E-1563			
Data Edit Period		Start Date: April 1, 2019		End Date: June 30, 2019			All testing done in EST			
Edit #	Edit date (dd/mm/yyyy)	Editor's Name	Edit Action	Starting		Ending		Reason		
				Date (dd/mm/yyyy)	Hour (xx:xx)	Date (dd/mm/yyyy)	Hour (xx:xx)			
1	04/04/2019	TFL	Deleted Hours	04/04/2019	00:00	04/04/2019	18:00	PM unit tape break.		
2	04/04/2019	SRS	Deleted Hours	04/04/2019	18:00	04/04/2019	19:00	Calibration after tape break.		
3	03/05/2019	QMI	Deleted Hours	04/17/2019	14:00	04/17/2019	16:00	Suspected power failure.		
4	25/04/2019	SRS	Deleted Hours	25/04/2019	09:00	25/04/2019	12:00	Monthly Calibration		
5	20/03/2019	QMI	Zero Correction	01/04/2019	00:00	30/04/2019	23:00	Correcting values <0 to 0		
6	10/05/2019	SRS	Deleted Hours	10/05/2019	14:00	10/05/2019	16:00	Monthly Calibration		
7	06/06/2019	QMI	Zero Correction	01/05/2019	00:00	31/05/2019	23:00	Correcting values <0 to 0		
8	17/06/2019	SRS	Deleted Hours	17/06/2019	14:00	17/06/2019	15:00	Monthly Calibration		
9	18/06/2019	SRS	Deleted Hours	18/06/2019	09:00	18/06/2019	10:00	Audit		
10	02/07/2019	QMI	Zero Correction	01/06/2019	00:00	30/06/2019	23:00	Correcting values <0 to 0		

Table D2: 2nd Quarter Edit Log for PM_{2.5} at Rundle Road Station

Emitter's Name: Durham York Energy Centre														
Contact	Name: Ms. Lyndsay Waller		Phone: (905) 404 0888 ext 4107		Email: Lyndsay.Waller@Durham.ca									
Station Number: 45200			Station Name: Rundle Road Station											
Station Address: Rundle Road			Emitter Address: The Region of Durham, 605 Rossland Road, Whitby, ON											
Pollutants or Parameter: PM _{2.5}			Instrument Make & Model: Thermo Scientific Model 5030 SHARP Monitor				s/n: E 1569							
Data Edit Period		Start Date: April 1, 2019		End Date: June 30, 2019			All testing done in EST							
Edit #	Edit date (dd/mm/yyyy)	Editor's Name	Edit Action	Starting		Ending		Reason						
				Date (dd/mm/yyyy)	Hour (xx:xx)	Date (dd/mm/yyyy)	Hour (xx:xx)							
1	03/05/2019	QMI	Deleted Hours	16/04/2019	10:00	16/04/2019	11:00	Suspected power failure.						
2	24/04/2019	SRS	Deleted Hours	24/04/2019	15:00	24/04/2019	16:00	Monthly Calibration						
3	16/05/2019	QMI	Zero Correction	01/04/2019	0:00	31/04/2019	23:00	Correcting values <0 to 0						
4	10/05/2019	SRS	Deleted Hours	10/05/2019	17:00	10/05/2019	18:00	Monthly Calibration						
5	06/06/2019	QMI	Zero Correction	01/05/2019	00:00	31/05/2019	23:00	Correcting values <0 to 0						
6	17/06/2019	SRS	Deleted Hours	17/06/2019	17:00	17/06/2019	19:00	Monthly Calibration						
7	18/06/2019	SRS	Deleted Hours	18/06/2019	10:00	18/06/2019	11:00	Audit						
8	02/07/2019	QMI	Zero Correction	01/06/2019	00:00	30/06/2019	23:00	Correcting values <0 to 0						

Table D3: 2nd Quarter Edit Log for NO_x at Courtice Station

Emitter's Name: Durham York Energy Centre										
Contact	Name: Ms. Lyndsay Waller		Phone: (905) 404 0888 ext 4107		Email: Lyndsay.Waller@Durham.ca					
Station Number: 45201			Station Name: Courtice Station							
Station Address: 100 Osbourne Road			Emitter Address: The Region of Durham, 605 Rossland Road, Whitby, ON							
Pollutants or Parameter: NOx		Instrument Make & Model: Teledyne Nitrogen Oxide Analyzer Model T200				s/n: 675				
Data Edit Period		Start Date: April 1, 2019		End Date: June 30, 2019				All testing done in EST		
Edit #	Edit date (dd/mm/yyyy)	Editor's Name	Edit Action	Starting		Ending		Reason		
				Date (dd/mm/yyyy)	Hour (xx:xx)	Date (dd/mm/yyyy)	Hour (xx:xx)			
1	25/04/2019	SRS	Deleted Hours	25/04/2019	08:00	25/04/2019	13:00	Monthly Calibration		
2	03/05/2019	QMI	Zero Drift Correction	01/04/2019	02:00	05/04/2019	02:00	Zero Drift Correction		
3	03/05/2019	QMI	Zero Drift Correction	09/04/2019	02:00	14/04/2019	02:00	Zero Drift Correction		
4	03/05/2019	QMI	Zero Drift Correction	15/04/2019	02:00	18/04/2019	02:00	Zero Drift Correction		
5	03/05/2019	QMI	Zero Drift Correction	20/04/2019	02:00	22/04/2019	02:00	Zero Drift Correction		
6	03/05/2019	QMI	Zero Drift Correction	23/04/2019	02:00	25/04/2019	02:00	Zero Drift Correction		
7	03/05/2019	QMI	Deleted Hours	04/17/2019	14:00	04/17/2019	16:00	Suspected power failure.		
8	16/05/2019	QMI	Zero Correction	01/04/2019	0:00	30/04/2019	23:00	Correcting values <0 to 0		
9	09/05/2019	SRS	Deleted Hours	09/05/2019	13:00	09/05/2019	14:00	Monthly Calibration		
10	06/06/2019	QMI	Zero Correction	01/05/2019	00:00	31/05/2019	23:00	Correcting values <0 to 0		
11	17/06/2019	SRS	Deleted Hours	17/06/2019	15:00	17/06/2019	17:00	Monthly Calibration		
12	18/06/2019	SRS	Deleted Hours	18/06/2019	09:00	18/06/2019	10:00	Audit		
13	02/07/2019	QMI	Zero Correction	01/06/2019	00:00	30/06/2019	23:00	Correcting values <0 to 0		

Table D4: 2nd Quarter Edit Log for NO_x at Rundle Road Station

Emitter's Name: Durham York Energy Centre														
Contact	Name: Ms. Lyndsay Waller		Phone: (905) 404 0888 ext 4107		Email: Lyndsay.Waller@Durham.ca									
Station Number: 45200			Station Name: Rundle Road Station											
Station Address: Rundle Road			Emitter Address: The Region of Durham, 605 Rossland Road, Whitby, ON											
Pollutants or Parameter: NOx		Instrument Make & Model: Teledyne Nitrogen Oxide Analyzer Model T200				s/n: 676								
Data Edit Period		Start Date: April 1, 2019		End Date: June 30, 2019			All testing done in EST							
Edit #	Edit date (dd/mm/yyyy)	Editor's Name	Edit Action	Starting		Ending		Reason						
				Date (dd/mm/yyyy)	Hour (xx:xx)	Date (dd/mm/yyyy)	Hour (xx:xx)							
1	03/05/2019	QMI	Deleted Hours	16/04/2019	10:00	16/04/2019	11:00	Suspected power failure.						
2	24/04/2019	SRS	Deleted Hours	24/04/2019	13:00	24/04/2019	16:00	Monthly Calibration						
3	16/05/2019	QMI	Zero Drift Correction	03/04/2019	02:00	05/04/2019	02:00	Zero Drift Correction						
4	16/05/2019	QMI	Zero Drift Correction	10/04/2019	02:00	12/04/2019	02:00	Zero Drift Correction						
5	16/05/2019	QMI	Zero Drift Correction	14/04/2019	02:00	16/04/2019	02:00	Zero Drift Correction						
6	16/05/2019	QMI	Zero Drift Correction	23/04/2019	02:00	24/04/2019	02:00	Zero Drift Correction						
7	16/05/2019	QMI	Zero Correction	01/04/2019	0:00	31/04/2019	23:00	Correcting values <0 to 0						
8	09/05/2019	SRS	Deleted Hours	09/05/2019	17:00	09/05/2019	18:00	Monthly Calibration						
9	06/06/2019	QMI	Zero Correction	01/05/2019	00:00	31/05/2019	23:00	Correcting values <0 to 0						
10	17/06/2019	SRS	Deleted Hours	17/06/2019	18:00	17/06/2019	20:00	Monthly Calibration						
11	18/06/2019	SRS	Deleted Hours	18/06/2019	10:00	18/06/2019	11:00	Audit						
12	02/07/2019	QMI	Zero Correction	01/06/2019	00:00	30/06/2019	23:00	Correcting values <0 to 0						

Table D5: 2nd Quarter Edit Log for SO₂ at Courtice Station

Emitter's Name: Durham York Energy Centre														
Contact	Name: Ms. Lyndsay Waller		Phone: (905) 404 0888 ext 4107		Email: Lyndsay.Waller@Durham.ca									
Station Number: 45201			Station Name: Courtice Station											
Station Address: 100 Osbourne Road			Emitter Address: The Region of Durham, 605 Rossland Road, Whitby, ON											
Pollutants or Parameter: SO ₂			Instrument Make & Model: Teledyne Sulfur Dioxide Analyzer Model T100				s/n: 565							
Data Edit Period		Start Date: April 1, 2019		End Date: June 30, 2019			All testing done in EST							
Edit #	Edit Date (dd/mm/yyyy)	Editor's Name	Edit Action	Starting		Ending		Reason						
				Date (dd/mm/yyyy)	Hour (xx:xx)	Date (dd/mm/yyyy)	Hour (xx:xx)							
1	03/05/2019	QMI	Deleted Hours	04/17/2019	14:00	04/17/2019	16:00	Suspected power failure.						
2	25/04/2019	SRS	Deleted Hours	25/04/2019	08:00	25/04/2019	11:00	Monthly Calibration						
3	09/05/2019	QMI	Zero Correction	01/04/2019	0:00	30/04/2019	23:00	Correcting values <0 to 0						
4	09/05/2019	SRS	Deleted Hours	09/05/2019	11:00	09/05/2019	13:00	Monthly Calibration						
5	06/06/2019	QMI	Zero Correction	01/05/2019	00:00	31/05/2019	23:00	Correcting values <0 to 0						
6	17/06/2019	SRS	Deleted Hours	17/06/2019	13:00	17/06/2019	15:00	Monthly Calibration						
7	18/06/2019	SRS	Deleted Hours	18/06/2019	09:00	18/06/2019	10:00	Audit						
8	02/07/2019	QMI	Zero Correction	01/06/2019	00:00	30/06/2019	23:00	Correcting values <0 to 0						

Table D6: 2nd Quarter Edit Log for SO₂ at Rundle Road Station

Emitter's Name: Durham York Energy Centre										
Contact	Name: Ms. Lyndsay Waller		Phone: (905) 404 0888 ext 4107		Email: Lyndsay.Waller@Durham.ca					
Station Number: 45200			Station Name: Rundle Road Station							
Station Address: Rundle Road			Emitter Address: The Region of Durham, 605 Rossland Road, Whitby, ON							
Pollutants or Parameter: SO ₂		Instrument Make & Model: Teledyne Sulfur Dioxide Analyzer Model T100				s/n: 566				
Data Edit Period		Start Date: April 1, 2019		End Date: June 30, 2019			All testing done in EST			
Edit #	Edit date (dd/mm/yyyy)	Editor's Name	Edit Action	Starting		Ending		Reason		
				Date (dd/mm/yyyy)	Hour (xx:xx)	Date (dd/mm/yyyy)	Hour (xx:xx)			
1	09/05/2019	TFL	Zero Drift Correction	14/04/2019	02:00	15/04/2019	02:00	Zero Drift Correction		
2	03/05/2019	QMI	Deleted Hours	16/04/2019	10:00	16/04/2019	11:00	Suspected power failure.		
3	09/05/2019	TFL	Zero Drift Correction	19/04/2019	02:00	21/04/2019	02:00	Zero Drift Correction		
4	09/05/2019	TFL	Zero Drift Correction	23/04/2019	02:00	24/04/2019	02:00	Zero Drift Correction		
5	24/04/2019	SRS	Deleted Hours	24/04/2019	11:00	24/04/2019	14:00	Monthly Calibration		
6	16/05/2019	QMI	Zero Correction	01/04/2019	0:00	31/04/2019	23:00	Correcting values <0 to 0		
7	09/05/2019	SRS	Deleted Hours	09/05/2019	16:00	09/05/2019	17:00	Monthly Calibration		
8	06/06/2019	QMI	Zero Correction	01/05/2019	00:00	31/05/2019	23:00	Correcting values <0 to 0		
9	17/06/2019	SRS	Deleted Hours	17/06/2019	17:00	17/06/2019	19:00	Monthly Calibration		
10	18/06/2019	SRS	Deleted Hours	18/06/2019	10:00	18/06/2019	11:00	Audit		
11	02/07/2019	QMI	Zero Correction	01/06/2019	00:00	30/06/2019	23:00	Correcting values <0 to 0		

Table D7: 2nd Quarter Edit Log for Meteorological Parameters at Courtice Station

Emitter's Name: Durham York Energy Centre												
Contact	Name: Ms. Lyndsay Waller		Phone: (905) 404 0888 ext 4107		Email: Lyndsay.Waller@Durham.ca							
Station Number: 45201				Station Name: Courtice Station								
Station Address: 100 Osbourne Road				Emitter Address: The Region of Durham, 605 Rossland Road, Whitby, ON								
Pollutants or Parameter: Ambient T, P, RH and Rain		Instrument Make & Model: Miscellaneous Meterological Instrumentation				s/n: N/A						
Data Edit Period		Start Date: April 1, 2019		End Date: June 30, 2019		All testing done in EST						
Edit #	Edit date (dd/mm/yyyy)	Editor's Name	Edit Action	Starting		Ending		Reason				
				Date (dd/mm/yyyy)	Hour (xx:xx)	Date (dd/mm/yyyy)	Hour (xx:xx)					
1	24/06/2019	QMI	Deleted Hours	14/05/2019	12:00	14/05/2019	13:00	Suspected power failure.				
2	24/06/2019	QMI	Deleted Hours	15/05/2019	10:00	15/05/2019	11:00	Suspected power failure.				
3	24/06/2019	QMI	Deleted Hours	16/05/2019	08:00	16/05/2019	09:00	Suspected power failure.				

Table D8: 2nd Quarter Edit Log for Meteorological Parameters at Rundle Road Station

Emitter's Name: Durham York Energy Centre														
Contact	Name: Ms. Lyndsay Waller		Phone: (905) 404 0888 ext 4107		Email: Lyndsay.Waller@Durham.ca									
Station Number: 45201			Station Name: Courtice Station											
Station Address: 100 Osbourne Road			Emitter Address: The Region of Durham, 605 Rossland Road, Whitby, ON											
Pollutants or Parameter: WS, WD, Ambient T, P, RH and Rain			Instrument Make & Model: Miscellaneous Meterological Instrumentation			s/n: N/A								
Data Edit Period		Start Date: April 1, 2019		End Date: June 30, 2019			All testing done in EST							
Edit #	Edit date (dd/mm/yyyy)	Editor's Name	Edit Action	Starting		Ending		Reason						
				Date (dd/mm/yyyy)	Hour (xx:xx)	Date (dd/mm/yyyy)	Hour (xx:xx)							
1	03/05/2019	QMI	Deleted Hours	16/04/2019	10:00	16/04/2019	11:00	Suspected power failure.						

Table D9: 2nd Quarter Edit Log for Non-Continuous at Courtice Station

Emitter's Name: Durham York Energy Center													
Contact	Name: Ms. Lyndsay Waller		Phone: (905) 404 0888 ext 4107	Email: Lyndsay.Waller@Durham.ca									
Station Number: 45201			Station Name: Courtice Station										
Station Address: 100 Osbourne Road			Emitter Address: 2391 Lakeshore Road West, Mississauga, ON L5J 1K1										
Pollutants or Parameter: N/A		Instrument Make & Model: N/A				s/n:							
Data Edit Period		Start Date: April 1, 2019		End Date: June 30, 2019			All testing done in EST						
Edit #	Edit date (dd/mm/yyyy)	Editor's Name	Edit Action	Starting		Ending		Reason					
				Date (dd/mm/yyyy)	Hour (xx:xx)	Date (dd/mm/yyyy)	Hour (xx:xx)						
1	02/04/19	MT	Maintenance and Repair	02/04/19	13:50	02/04/19	14:45	TSP/PAH Changeover					
2	04/04/19	MT	Maintenance and Repair	04/04/19	10:20	04/04/19	11:00	TSP/PAH Pickup					
3	04/04/19	SRS	Maintenance and Repair	04/04/19	18:00	04/04/19	19:00	Replaced Sharp Tape Roll					
4	08/04/19	MT	Maintenance and Repair	08/04/19	13:00	08/04/19	13:30	TSP Setup					
5	12/04/19	MT	Maintenance and Repair	12/04/19	12:15	12/04/19	14:00	TSP/PAH Changeover					
6	16/4/2019	MT	Maintenance and Repair	16/04/2019	11:15	16/04/2019	12:30	TSP/PAH Pickup					
7	19/4/2019	MT	Maintenance and Repair	19/04/2019	9:35	19/04/2019	10:00	TSP Setup					
8	26/4/2019	MT	Maintenance and Repair	26/04/2019	13:00	26/04/2019	15:00	PAH Setup					
9	30/4/2019	MT	Maintenance and Repair	30/04/2019	12:45	30/04/2019	14:00	TSP/PAH Changeover					
10	08/05/19	MT	Maintenance and Repair	08/05/19	12:10	08/05/19	14:00	TSP/PAH Changeover					
11	09/05/19	SRS/TFL	Maintenance and Repair	09/05/19	13:00	09/05/2019	14:00	Adjusted PUF clock to start run. Noted Gaseous odour, likely from WWTP					
12	10/05/19	SRS	Maintenance and Repair	10/05/19	13:00	10/05/2019	16:00	Installed Motor and MFC					
13	11/05/19	MT	Changeover	11/05/19	10:10	11/05/2019	13:00	PAH/TSP Changeover					
14	14/5/2019	MT	Maintenance and Repair	14/05/2019	14:20	14/05/2019	16:00	TSP Hi-Vol Sampler Setup, Nox, SO2 system reset					
15	17/5/2019	SRS	Maintenance and Repair	17/05/2019	16:40	17/05/2019	18:00	Replaced Wheel timer on PUF					
16	22/5/2019	MT	Maintenance and Repair	22/05/2019	12:30	22/05/2019	13:00	TSP/PAH Pickup					

Table D9: 2nd Quarter Edit Log for Non-Continuous at Courtice Station

Emitter's Name: Durham York Energy Center													
Contact	Name: Ms. Lyndsay Waller		Phone: (905) 404 0888 ext 4107	Email: Lyndsay.Waller@Durham.ca									
Station Number: 45201			Station Name: Courtice Station										
Station Address: 100 Osbourne Road			Emitter Address: 2391 Lakeshore Road West, Mississauga, ON L5J 1K1										
Pollutants or Parameter: N/A		Instrument Make & Model: N/A				s/n:							
Data Edit Period		Start Date: April 1, 2019		End Date: June 30, 2019			All testing done in EST						
Edit #	Edit date (dd/mm/yyyy)	Editor's Name	Edit Action	Starting		Ending		Reason					
				Date (dd/mm/yyyy)	Hour (xx:xx)	Date (dd/mm/yyyy)	Hour (xx:xx)						
17	26/5/2019	MT	Maintenance and Repair	26/5/2019	10:30	26/5/2019	11:00	TSP Setup					
18	31/5/2019	MT	Maintenance and Repair	31/5/2019	14:05	31/5/2019	14:45	TSP/PAH Changeover					
19	03/06/19	MT	Maintenance and Repair	03/06/19	12:00	03/06/19	12:25	TSP/PAH Pickup					
20	07/06/19	MT	Maintenance and Repair	07/06/19	10:30	07/06/19	11:00	TSP Setup					
21	19/06/2019	MT	Maintenance and Repair	19/06/2019	13:00	19/06/2019	16:00	TSP Setup					
22	25/06/2019	MT	Maintenance and Repair	25/06/2019	14:20	25/06/2019	16:00	TSP/PAH Changeover					
23	27/06/2019	MT	Maintenance and Repair	27/06/2019	13:25	27/06/2019	16:30	TSP Hi-Vol Sampler Setup, NOx, SO2 system reset					

Table D10: 2nd Quarter Edit Log for Non-Continuous at Rundle Station

Emitter's Name: Durham York Energy Center								
Contact	Name: Ms. Lyndsay Waller	Phone: (905) 404 0888 ext 4107	Email: Lyndsay.Waller@Durham.ca					
Station Number: 45200			Station Name: Rundle Station					
Station Address: 100 Osbourne Road			Emitter Address: 2391 Lakeshore Road West, Mississauga, ON L5J 1K1					
Pollutants or Parameter: N/A		Instrument Make & Model: N/A					s/n:	
Data Edit Period		Start Date: April 1, 2019		End Date: June 30, 2019			All testing done in EST	
Edit #	Edit date (dd/mm/yyyy)	Editor's Name	Edit Action	Starting		Ending		Reason
				Date (dd/mm/yyyy)	Hour (xxxx)	Date (dd/mm/yyyy)	Hour (xxxx)	
1	02/04/19	MT	Maintenance and Repair	02/04/19	14:45	02/04/19	15:45	TSP/PAH Changeover
2	04/04/19	MT	Maintenance and Repair	04/04/19	09:45	04/04/19	10:20	TSP/PAH Pickup
3	08/04/19	MT	Maintenance and Repair	08/04/19	13:30	08/04/19	14:10	TSP Setup
4	12/04/19	MT	Maintenance and Repair	12/04/19	11:30	12/04/19	12:10	TSP/PAH Changeover
5	16/04/2019	MT	Maintenance and Repair	16/04/2019	10:45	16/4/2019	11:30	TSP/PAH Pickup
6	19/04/2019	MT	Maintenance and Repair	19/04/2019	09:10	19/4/2019	09:30	TSP Setup
7	25/04/2019	MT	Maintenance and Repair	25/04/2019	12:05	25/4/2019	14:00	TSP Setup and Pickup
8	26/04/2019	MT	Maintenance and Repair	26/04/2019	13:20	26/4/2019	14:00	PAH Setup
9	30/04/2019	MT	Maintenance and Repair	30/04/2019	13:25	30/4/2019	14:10	TSP/PAH Changeover
10	08/05/19	MT	Maintenance and Repair	08/05/19	11:30	08/05/19	12:00	TSP/PAH Changeover
11	08/05/19	SRS	Maintenance and Repair	08/05/19	15:30	08/05/19	18:00	Installed New Hi-vol MFC, swapped motors for S/N 3746 with fresh brushes; calibrated hi-vol setpoint = 3.7
12	10/05/19	SRS	Calibration and Repair	10/05/19	17:00	10/05/19	18:30	Installed new Hi-vol motor core, calibrated Hi-vol, and Sharp
13	11/05/19	MT	Maintenance and Repair	11/05/19	09:50	11/05/19	10:20	TSP/PAH Changeover
14	14/05/2019	MT	Maintenance and Repair	14/05/2019	10:00	14/5/2019	10:45	TSP Setup

Table D10: 2nd Quarter Edit Log for Non-Continuous at Rundle Station

Emitter's Name: Durham York Energy Center									
Contact	Name: Ms. Lyndsay Waller		Phone: (905) 404 0888 ext 4107	Email: Lyndsay.Waller@Durham.ca					
Station Number: 45200			Station Name: Rundle Station						
Station Address: 100 Osbourne Road			Emitter Address: 2391 Lakeshore Road West, Mississauga, ON L5J 1K1						
Pollutants or Parameter: N/A		Instrument Make & Model: N/A				s/n:			
Data Edit Period		Start Date: April 1, 2019		End Date: June 30, 2019		All testing done in EST			
Edit #	Edit date (dd/mm/yyyy)	Editor's Name	Edit Action	Starting		Ending		Reason	
				Date (dd/mm/yyyy)	Hour (xxxx)	Date (dd/mm/yyyy)	Hour (xxxx)		
15	17/05/2019	MT	Maintenance and Repair	17/05/2019	13:45	17/5/2019	14:45	TSP/PAH Setup	
16	22/05/2019	MT	Maintenance and Repair	22/05/2019	12:00	22/5/2019	12:25	TSP Setup and Pickup	
17	26/05/2019	MT	Maintenance and Repair	26/05/2019	9:50	26/5/2019	10:30	TSP Setup	
18	31/05/2019	MT	Maintenance and Repair	31/05/2019	13:30	31/5/2019	14:10	TSP/PAH Changeover	
19	03/06/19	MT	Maintenance and Repair	03/06/19	11:05	03/06/19	11:35	TSP/PAH Pickup	
20	07/06/19	MT	Maintenance and Repair	07/06/19	10:00	07/06/19	10:40	TSP Setup	
21	13/06/2019	MT	Maintenance and Repair	13/06/2019	12:20	13/6/2019	13:00	TSP/PAH Changeover	
22	17/06/2019	MT	Maintenance and Repair	17/06/2019	12:40	17/6/2019	14:00	TSP/PAH Pickup; SO2 and NOx system reset	
23	19/06/2019	MT	Maintenance and Repair	19/06/2019	13:00	19/6/2019	13:30	TSP Setup	
24	25/06/2019	MT	Maintenance and Repair	25/06/2019	14:20	25/6/2019	14:50	TSP/PAH Changeover	
25	27/06/2019	MT	Maintenance and Repair	27/06/2019	13:25	27/6/2019	14:00	TSP/PAH NOx, and SO2 system reset	