



**Stantec Consulting Ltd.**  
401 Wellington Street West, Suite 100  
Toronto ON M5V 1E7  
Tel: (416) 596-6686  
Fax: (416) 596-6680

February 17, 2016  
File: 160950528

**Attention:** **Mr. Greg Borchuk, P.Eng.**  
**Project Manager, EFW**  
**Waste Management Services**

The Region of Durham  
605 Rossland Rd.,  
Whitby, ON L1N 6A3

Dear Mr. Borchuk,

**Reference: Q3 2015 Ambient Air Quality Monitoring Report for the Durham York Energy Centre – Crago Road Station**

Please find attached with this letter the Q3 2015 quarterly report for the Durham York Energy Centre (DYEC) Crago Road Station.

This quarterly report provides a summary of the measurements collected at this station during July to September 2015 (calendar Quarter 3 of 2015). All equipment operated well during this measurement period with the exception of the continuous SO<sub>2</sub> monitor which malfunctioned and required a replacement part to be ordered and installed under manufacturer warranty. The instrument was not operational for a period of about 2-weeks while these repairs were being made.

Regional Council has requested that 98<sup>th</sup> percentile PM<sub>2.5</sub> data also be provided along with the quarterly reports, which is provided in Table 1 below. A comparison to the Canadian Ambient Air Quality Standard (CAAQS) for PM<sub>2.5</sub> requires averaging the 98<sup>th</sup> percentile daily average levels in each of three consecutive years. The value presented in Table 1 corresponds to the 98<sup>th</sup> percentile over the 11 month monitoring period to date. Two years and 1-month of additional data will be required in order to provide an explicit comparison to the current CAAQS criteria of 28 µg/m<sup>3</sup>.



February 17, 2016  
Mr. Greg Borchuk, P.Eng.  
Project Manager, EFW  
Waste Management Services

Page 2 of 2

**Reference:** Q3 2015 Ambient Air Quality Monitoring Report for the Durham York Energy Centre – Crago Road Station

**Table 1      Summary of the 98<sup>th</sup> Percentile Daily Average PM<sub>2.5</sub> Concentrations  
Measured to Date (µg/m<sup>3</sup>)**

Period	Crago Road Monitoring Station
November 2014 – September 2015	20.5

Regards,

**STANTEC CONSULTING LTD.**

A handwritten signature in black ink, appearing to read "Gregory Crooks".

Gregory Crooks, M.Eng., P.Eng.  
Principal, Environmental Services  
Phone: (416) 598-7687  
Fax: (416) 596-6680  
gregory.crooks@stantec.com

c. Gio Anello, Region of Durham  
Lindsay Waller, Region of Durham  
Luis Carvalho, Region of York  
Seth Dittman, Region of York  
C. Lim, T. Hung, Stantec

mcs v:\01609\active\160950528\planning\report\final\2015\2015 q3 crago report\q3\_2015\_crago\_rd\_cover\_final.docx

**Quarterly Ambient Air Quality  
Monitoring Report for the Durham  
York Energy Centre (Crago Road  
Station) – July to September 2015**

Durham York Energy Centre



Prepared for:  
The Regional Municipality of  
Durham  
605 Rossland Rd  
Whitby, ON L1N 6A3

Prepared by:  
Stantec Consulting Ltd.  
300W-675 Cochrane Dr.,  
Markham, ON L3R 0B8


Project No.: 160950528

February 17, 2016



## Sign-off Sheet

This document entitled Quarterly Ambient Air Quality Monitoring Report for the Durham York Energy Centre (Crago Road Station) – July to September 2015 was prepared by Stantec Consulting Ltd. for the account of The Regional Municipality of Durham. The material in it reflects Stantec's best judgment in light of the information available to it at the time of preparation. Any use which a third party makes of this report, or any reliance on or decisions made based on it, are the responsibilities of such third parties. Stantec Consulting Ltd. accepts no responsibility for damages, if any, suffered by any third party as a result of decisions made or actions based on this report.

Prepared by   
(signature)

**Timothy Hung, B.A.Sc.**

Reviewed by   
(signature)

**For: Gregory Crooks M.Eng., P.Eng.**

V:\01609\Active\160950528\planning\report\final\2015\2015 Q3 Crago Report\160950528\_rpt\_2015\_Q3\_Crago\_Rd\_FINAL.docx



Project No.: 160950528



**QUARTERLY AMBIENT AIR QUALITY MONITORING REPORT FOR THE DURHAM YORK ENERGY CENTRE  
(CRAGO ROAD STATION) – JULY TO SEPTEMBER 2015**

**Table of Contents**

<b>EXECUTIVE SUMMARY .....</b>	<b>I</b>
<b>ABBREVIATIONS .....</b>	<b>III</b>
<b>1.0 INTRODUCTION .....</b>	<b>1.1</b>
1.1 BACKGROUND AND OBJECTIVES .....	1.1
1.2 LOCATION OF AMBIENT AIR QUALITY MONITORING STATION .....	1.2
<b>2.0 KEY COMPONENTS ASSESSED .....</b>	<b>2.1</b>
2.1 METEOROLOGY .....	2.1
2.2 AIR QUALITY CONTAMINANTS OF CONCERN .....	2.1
2.3 AIR QUALITY CRITERIA .....	2.1
<b>3.0 INSTRUMENTATION SUMMARY .....</b>	<b>3.1</b>
3.1 INSTRUMENTATION .....	3.1
3.2 INSTRUMENTATION ISSUES .....	3.2
3.3 INSTRUMENTATION RECOVERY RATES .....	3.3
<b>4.0 SUMMARY OF AMBIENT MEASUREMENTS.....</b>	<b>4.1</b>
4.1 METEOROLOGICAL DATA .....	4.1
4.2 CAC AMBIENT AIR QUALITY MEASUREMENTS .....	4.3
4.2.1    Sulphur Dioxide (SO <sub>2</sub> ) .....	4.8
4.2.2    Nitrogen Dioxide (NO <sub>2</sub> ) .....	4.9
4.2.3    Nitrogen Oxides (NO <sub>x</sub> ) .....	4.11
4.2.4    Particulate Matter Smaller than 2.5 Microns (PM <sub>2.5</sub> ) .....	4.12
<b>5.0 CONCLUSIONS.....</b>	<b>5.1</b>
<b>6.0 REFERENCES.....</b>	<b>6.1</b>

**QUARTERLY AMBIENT AIR QUALITY MONITORING REPORT FOR THE DURHAM YORK ENERGY CENTRE  
(CRAGO ROAD STATION) – JULY TO SEPTEMBER 2015**

**LIST OF TABLES**

Table 2-1	Summary of Air Quality Criteria for CACs .....	2.2
Table 3-1	Summary of Continuous Ambient Air Quality Monitors .....	3.1
Table 3-2	Summary of Meteorological Equipment .....	3.2
Table 3-3	Summary of Instrument Issues at the Crago Road Station (Predominately Downwind) .....	3.2
Table 3-4	Summary of Data Recovery Rates for the Crago Road Station (Predominately Downwind) – July to September 2015 .....	3.3
Table 4-1	Summary of Hourly Meteorological Measurements – July to September 2015 .....	4.1
Table 4-2	Summary of Ambient CAC Monitoring Data – July to September 2015 .....	4.4

**LIST OF FIGURES**

Figure 1-1	Durham York Energy Centre Site Location Plan .....	1.3
Figure 1-2	Location of Ambient Air Quality Monitoring Station .....	1.5
Figure 1-3	View of Crago Road Ambient Air Quality Monitoring Station .....	1.7
Figure 4-1	Wind Rose for July to September 2015.....	4.2
Figure 4-2	Comparison of NO <sub>2</sub> / NO <sub>x</sub> and SO <sub>2</sub> Ambient Air Quality Monitoring Data to Applicable Criteria and Existing Stations.....	4.8
Figure 4-3	Pollution Rose of Measured Hourly Average SO <sub>2</sub> Concentrations – July to September 2015 .....	4.9
Figure 4-4	Pollution Roses of Measured Hourly Average NO <sub>2</sub> – July to September 2015 .....	4.10
Figure 4-5	Pollution Roses of Measured Hourly Average NO <sub>x</sub> Concentrations – July to September 2015 .....	4.12
Figure 4-6	Pollution Roses of Measured 24-Hour Average PM <sub>2.5</sub> Concentrations – July to September 2015 .....	4.13

**QUARTERLY AMBIENT AIR QUALITY MONITORING REPORT FOR THE DURHAM YORK ENERGY CENTRE  
(CRAGO ROAD STATION) – JULY TO SEPTEMBER 2015**

**LIST OF APPENDICES**

<b>APPENDIX A</b>	<b>SO<sub>2</sub> DATA SUMMARIES AND TIME HISTORY PLOTS .....</b>	<b>A.1</b>
<b>APPENDIX B</b>	<b>NO<sub>2</sub> DATA SUMMARIES AND TIME HISTORY PLOTS.....</b>	<b>B.1</b>
<b>APPENDIX C</b>	<b>NO<sub>x</sub> DATA SUMMARIES AND TIME HISTORY PLOTS .....</b>	<b>C.1</b>
<b>APPENDIX D</b>	<b>PM<sub>2.5</sub> DATA SUMMARIES AND TIME HISTORY PLOTS .....</b>	<b>D.1</b>
<b>APPENDIX E</b>	<b>CONTINUOUS PARAMETER EDIT LOG .....</b>	<b>E.1</b>



## **QUARTERLY AMBIENT AIR QUALITY MONITORING REPORT FOR THE DURHAM YORK ENERGY CENTRE (CRAGO ROAD STATION) – JULY TO SEPTEMBER 2015**

### **Executive Summary**

The Regional Municipalities of Durham and York are constructing the Durham York Energy Centre (DYEC) which is an Energy from Waste (EFW) Facility intended to provide a long-term, sustainable solution to manage municipal solid waste remaining after diversion from the Regions. The facility commenced processing waste on February 13, 2015 and the facility was being commissioned throughout the period covered by this report.

As requested by the Regional Municipality of Durham (the Region), a third ambient air monitoring station located near the corner of Crago and Osborne Roads was installed in October/November 2014. This station, which is not part of the Ambient Air Quality Monitoring Plan - Durham York Residual Waste Study (Stantec, May 8, 2012), is operated following the same protocols as the other two stations (Courtice WPCP and Rundle Road Stations) already in operation. The plan developed for the Courtice WPCP and Rundle Road Stations was based on the Regional Council's mandate to provide ambient air quality monitoring in the area of the DYEC for a three year period. An ambient air quality monitoring and reporting program was also a requirement laid out in the Provincial Minister's Notice of Approval to Proceed with the Undertaking, detailed in Condition 11 of the Notice of Approval (MOECC, 2010). The air monitoring plan was also developed to satisfy the conditions of the Environmental Compliance Approval and the environmental mitigation and commitments set out in the Environmental Assessment (Jacques Whitford, 2009).

Since November 2014, the predominantly downwind Crago Road Station has measured the following air contaminants continuously:

- Sulphur Dioxide ( $\text{SO}_2$ );
- Nitrogen Oxides ( $\text{NO}_x$ ); and,
- Particulate Matter smaller than 2.5 microns ( $\text{PM}_{2.5}$ );

Operation of non-continuous monitors at the third station was not started as per Section 1.2 of the Ambient Monitoring Plan (Stantec, 2012). When the EFW facility is fully operational, monitoring of non-continuous monitors will start (as specified in the Ambient Monitoring Plan). The following air contaminants will be measured non-continuously:

- Metals in total suspended particulate matter (TSP);
- Polycyclic Aromatic Hydrocarbons (PAHs); and,
- Dioxins and Furans.

The predominantly downwind Crago Road station also measures horizontal wind speed, wind direction, atmospheric temperature, relative humidity and rainfall.

## **QUARTERLY AMBIENT AIR QUALITY MONITORING REPORT FOR THE DURHAM YORK ENERGY CENTRE (CRAGO ROAD STATION) – JULY TO SEPTEMBER 2015**

This quarterly report provides a summary of the ambient air quality data collected at the Crago Road station for the period July to September 2015 (Calendar Quarter 3). During this quarter, a malfunction of the Teledyne Monitor Labs Analyzer Model T100 SO<sub>2</sub> monitor (which required a replacement part to be ordered and installed under warranty) resulted in a 76.8% data recovery rate during the July-September period for SO<sub>2</sub>. All other measured air quality parameters had above acceptable data recovery rates during this quarter. Instrumentation recovery rates are presented in **Section 3.2** of this report.

The following observations and conclusions were made from a review of the measured ambient air quality monitoring data:

1. Measured levels of NO<sub>2</sub>, SO<sub>2</sub> and PM<sub>2.5</sub> were below the applicable O. Reg. 419/05 criteria or human health risk assessment (HHRA) health-based standards presented in **Table 2-1** of this report;
2. Since the Canadian Ambient Air Quality Standard (CAAQS) for PM<sub>2.5</sub> is based on a 98th percentile level over 3 years, whereas the PM<sub>2.5</sub> measurement period at the Crago Road station for this quarterly report was three months, there was insufficient data collected to determine with any certainty if exceedances of the CAAQS would occur. Therefore no comparison of the measured PM<sub>2.5</sub> data during this quarter to the CAAQS was conducted for this report, as it would not be scientifically accurate or representative;
3. In summary, all monitored contaminants were below their applicable MOECC criteria for the monitoring data presented in this report. All measured levels of all monitored contaminants were below their applicable HHRA health-based standards.

**QUARTERLY AMBIENT AIR QUALITY MONITORING REPORT FOR THE DURHAM YORK ENERGY CENTRE  
(CRAGO ROAD STATION) – JULY TO SEPTEMBER 2015**

## Abbreviations

AAQC	Ambient Air Quality Criteria
CAAQS	Canadian Ambient Air Quality Standard
CAC	Criteria Air Contaminants
D/Fs	Dioxins and Furans
DYEC	Durham York Energy Centre
EFW	Energy from Waste
MOECC	Ontario Ministry of the Environment and Climate Change
SO <sub>2</sub>	Sulphur Dioxide
NO <sub>x</sub>	Nitrogen Oxides
PAH	Polycyclic aromatic hydrocarbons
Particulate	A particle of a solid or liquid that is suspended in air.
PCB	Polychlorinated biphenyl
PCDD/PCDF	Polychlorinated dibenzo-p-dioxins and dibenzofurans
PM	Particulate Matter
PM <sub>2.5</sub>	Particulate Matter smaller than 2.5 microns
TEQ	Toxic equivalent quotient
TEQs	Toxic Equivalents
TSP	Total Suspended Particulate
WPCP	Water Pollution Control Plant

### Elements

Cd	Cadmium
Hg	Mercury
Pb	Lead
Al	Aluminum
As	Arsenic
Be	Beryllium
Cr	Chromium
Cu	Copper
Mn	Manganese
Ni	Nickel
Ag	Silver
Tl	Thallium
Sn	Tin
V	Vanadium
Zn	Zinc

**QUARTERLY AMBIENT AIR QUALITY MONITORING REPORT FOR THE DURHAM YORK ENERGY CENTRE  
(CRAGO ROAD STATION) – JULY TO SEPTEMBER 2015**

**Miscellaneous**

°C	temperature in degrees Celsius
N/A	not available
%	percent
ppm	part per million
ppb	part per billion
ppt	part per trillion
min	minimum
max	maximum
µg/m <sup>3</sup>	microgram per cubic metre

# QUARTERLY AMBIENT AIR QUALITY MONITORING REPORT FOR THE DURHAM YORK ENERGY CENTRE (CRAGO ROAD STATION) – JULY TO SEPTEMBER 2015

Introduction  
February 17, 2016

## 1.0 INTRODUCTION

### 1.1 BACKGROUND AND OBJECTIVES

The Regional Municipalities of Durham and York are constructing the Durham York Energy Centre (DYEC) which is an Energy from Waste (EFW) Facility intended to provide a long-term, sustainable solution to manage municipal solid waste remaining after diversion from the Regions. The facility commenced processing waste on February 13, 2015 and the facility was being commissioned throughout the period covered by this report. The site location of the DYEC is shown in **Figure 1-1**.

As requested by the Regional Municipality of Durham (the Region), a third ambient air monitoring station located near the corner of Crago and Osborne Roads was installed. This station, which is not part of the Ambient Air Quality Monitoring Plan - Durham York Residual Waste Study (Stantec, May 8, 2012), is operated following the same protocols as the other two stations (Courtice WPCP and Rundle Road Stations) already in operation. The plan developed for the Courtice WPCP and Rundle Road Stations was based on the Regional Council's mandate to provide ambient air quality monitoring in the area of the DYEC for a three year period.

The purposes of the ambient air quality monitoring program are to:

1. Quantify any measureable ground level concentrations resulting from emissions from the DYEC cumulative to local air quality, including validating the predicted concentrations from the dispersion modelling conducted in the Environmental Assessment (Jacques Whitford, 2009);
2. Monitor concentration levels of EFW-related air contaminants in nearby residential areas; and,
3. Quantify background ambient levels of air contaminants in the area.

Since November 2014, the predominantly downwind Crago Road station has measured the following air contaminants continuously:

- Sulphur Dioxide ( $\text{SO}_2$ );
- Nitrogen Oxides ( $\text{NO}_x$ );
- Particulate Matter smaller than 2.5 microns ( $\text{PM}_{2.5}$ );

## **QUARTERLY AMBIENT AIR QUALITY MONITORING REPORT FOR THE DURHAM YORK ENERGY CENTRE (CRAGO ROAD STATION) – JULY TO SEPTEMBER 2015**

### Introduction

February 17, 2016

Operation of the non-continuous monitors at the third station was not started as per Section 1.2 of the Ambient Monitoring Plan (Stantec, 2012). When the EFW facility is fully operational, monitoring of non-continuous monitors will start (as specified in the Ambient Monitoring Plan). The following air contaminants will be measured non-continuously:

- Metals in total suspended particulate matter (TSP);
- Polycyclic Aromatic Hydrocarbons (PAHs); and,
- Dioxins and Furans.

This quarterly report provides a summary of the ambient air quality data collected at this station for the period July to September 2015.


## **1.2 LOCATION OF AMBIENT AIR QUALITY MONITORING STATION**

The selection of the site for the monitoring station was done in consultation with Durham/York representatives, with consideration of the location of the existing monitoring stations and general MOECC siting criteria. The final location of the monitoring station was influenced by the availability of electrical power, accessibility of each location, and security.

The selected location is sited east of the DYEC in the vicinity of the Darlington Hydro Upper and Lower Soccer Fields. The predominantly downwind Crago Road Station is located on the east side of Crago Road, north of Osborne Road. Its location is shown in **Figure 1-2**. The monitoring station measures all the air contaminants listed in **Section 1.1** and meteorological data. This station is referred to as the Crago Road Station.

A fourth Fence Line Station, which will measure non-continuous parameters (metals and total particulate matter) will be installed prior to full operation of the DYEC and run for a one-year period.

A photograph of the Crago Road ambient air quality monitoring station is shown in **Figure 1-3**.



October 2013  
160950528



#### Notes

1. Coordinate System: NAD 1983 UTM Zone 17N

2. Base features produced under license with the Ontario Ministry of Natural Resources © Queen's Printer for Ontario, 2013.

#### Legend

- Durham York Energy Centre Site
- Railway
- Road
- Highway
- Watercourse
- Waterbody
- Wooded Area



#### Client/Project

The Region of Durham  
Durham York Energy Centre

#### Figure No.

1-1


#### Title

**Site Location Plan**

**QUARTERLY AMBIENT AIR QUALITY MONITORING REPORT FOR THE DURHAM YORK ENERGY CENTRE  
(CRAGO ROAD STATION) – JULY TO SEPTEMBER 2015**

Introduction  
February 17, 2016

[back of Figure 1-1]



#### Legend

- ▲ Station Location
- Fence Line Station Location  
(Monitoring to begin after DYEC commissioning period)
- Durham York Energy Centre Site
- Railway
- Road
- Highway

- Watercourse
- Waterbody
- Wooded Area

#### Client/Project

The Region of Durham  
Durham York Energy Centre

#### Figure No.

1-2

#### Title

**Locations of Ambient Monitoring Stations**

#### Notes

1. Coordinate System: NAD 1983 UTM Zone 17N

2. Base features produced under license with the Ontario Ministry of Natural Resources © Queen's Printer for Ontario, 2013.



**QUARTERLY AMBIENT AIR QUALITY MONITORING REPORT FOR THE DURHAM YORK ENERGY CENTRE  
(CRAGO ROAD STATION) – JULY TO SEPTEMBER 2015**

Introduction  
February 17, 2016

[back of Figure 1-2]

**QUARTERLY AMBIENT AIR QUALITY MONITORING REPORT FOR THE DURHAM YORK ENERGY CENTRE  
(CRAGO ROAD STATION) – JULY TO SEPTEMBER 2015**

Introduction  
February 17, 2016

**Figure 1-3 View of Crago Road Ambient Air Quality Monitoring Station**





# **QUARTERLY AMBIENT AIR QUALITY MONITORING REPORT FOR THE DURHAM YORK ENERGY CENTRE (CRAGO ROAD STATION) – JULY TO SEPTEMBER 2015**

Key Components Assessed  
February 17, 2016

## **2.0 KEY COMPONENTS ASSESSED**

### **2.1 METEOROLOGY**

The following meteorological parameters are measured at the Crago Road monitoring station:

- Wind Speed and Direction @10-m
- Ambient Temperature @ 2-m
- Relative Humidity
- Rainfall

### **2.2 AIR QUALITY CONTAMINANTS OF CONCERN**

The ambient air quality monitoring program for the DYEC includes the following contaminants specified in the Ambient Air Quality Monitoring Plan:

- Continuously monitored
  - Sulphur Dioxide (SO<sub>2</sub>);
  - Nitrogen Oxides (NO<sub>x</sub>); and,
  - Particulate Matter smaller than 2.5 microns (PM<sub>2.5</sub>).
- Non-Continuously monitored
  - Metals in Total Suspended Particulate (TSP) matter;
  - Polycyclic Aromatic Hydrocarbons (PAHs); and,
  - Dioxins and Furans.

Operation of the non-continuous monitors at the Crago Road station was not started as per Section 1.2 of the Ambient Monitoring Plan (Stantec, 2012). When the EFW facility is fully operational, monitoring of non-continuous monitors will start (as specified in the Ambient Monitoring Plan). Therefore, the non-continuously monitored contaminants listed above were not monitored during this quarter.

### **2.3 AIR QUALITY CRITERIA**

Two sets of standards were used for comparison to the air quality data as specified in the Ambient Air Monitoring Plan. The first set of standards is the limits reported in O.Reg.419/05 (Schedules 3 and 6). These are compliance based standards used throughout the province of Ontario. However, not all chemicals have O.Reg.419/05 criteria, or in some instances updated health-based standards were used in the human health risk assessment (HHRA) conducted in support of the Environmental Assessment (July 31, 2009) - December 10, 2009). These health-based values, which were reported in Table 7-2 (Summary of Inhalation TRVs and Inhalation Benchmarks Selected for CACs) and Table 7-3 (Inhalation TRVs and Inhalation Benchmarks for Selected COPCs) of the HHRA (Stantec, 2009) were used as the second set of standards.

## QUARTERLY AMBIENT AIR QUALITY MONITORING REPORT FOR THE DURHAM YORK ENERGY CENTRE (CRAVO ROAD STATION) – JULY TO SEPTEMBER 2015

Key Components Assessed  
February 17, 2016

The previously applicable 24-hour average Canada-Wide Standard (CWS) for PM<sub>2.5</sub> of 30 µg/m<sup>3</sup> (98<sup>th</sup> percentile averaged over 3 consecutive years), has been superseded by a new Canadian Ambient Air Quality Standard (CAAQS) of 28 µg/m<sup>3</sup> (98<sup>th</sup> percentile averaged over 3 consecutive years) as noted in **Table 2-1**. The proposed CAAQS 24-hour objective for 2020 is 27 µg/m<sup>3</sup>.

A summary of the relevant air quality criteria for the contaminants monitored in Q3 2015 is presented in **Table 2-1**.

**Table 2-1 Summary of Air Quality Criteria for CACs**

Contaminant	CAS	O. Reg 419/05 – Schedule 3/AAQC			HHRA Health-Based Standards		
		1-Hour (µg/m <sup>3</sup> )	24-Hour (µg/m <sup>3</sup> )	Other time Period (µg/m <sup>3</sup> )	1-Hour (µg/m <sup>3</sup> )	24-Hour (µg/m <sup>3</sup> )	Annual (µg/m <sup>3</sup> )
Sulphur dioxide	7446095	690	275		690	275	29
Nitrogen oxides <sup>A</sup>	10102-44-0	400	200		400	200	60

Contaminant	CAS	Canadian Ambient Air Quality Standards (CAAQS)			HHRA Health-Based Standards		
		1-Hour (µg/m <sup>3</sup> )	24-Hour (µg/m <sup>3</sup> )	Other time Period (µg/m <sup>3</sup> )	1-Hour (µg/m <sup>3</sup> )	24-Hour (µg/m <sup>3</sup> )	Other time Period (µg/m <sup>3</sup> )
PM <sub>2.5</sub>	N/A		28 <sup>B</sup>	10 <sup>C</sup>		30 <sup>D</sup>	

**Notes:**

- A. The Schedule 3 standards for NO<sub>x</sub> are based on health effects of NO<sub>2</sub>, as NO<sub>2</sub> has adverse health effects at much lower concentrations than NO. Therefore the standard was compared to NO<sub>2</sub> in this report. However, as per the current April 2012 version of O. Reg. 419 Summary of Standards and Guidelines, the standard was also compared to the monitored NO<sub>x</sub>.
- B. Canadian Ambient Air Quality Standards (CAAQS) for Respirable Particulate Matter and Ozone, effective by 2015 (CCME, 2012). The Respirable Particulate Matter Objective is referenced to the 98<sup>th</sup> percentile daily average concentration averaged over 3 consecutive years.
- C. Annual Canadian Ambient Air Quality Standard for Respirable Particulate Matter, effective by 2015. The Respirable Particulate Matter Objective is referenced to the 3-year average of the annual average concentrations.
- D. HHRA Health-Based Standard for PM<sub>2.5</sub> was selected referencing CCME (2006).

# QUARTERLY AMBIENT AIR QUALITY MONITORING REPORT FOR THE DURHAM YORK ENERGY CENTRE (CRAGO ROAD STATION) – JULY TO SEPTEMBER 2015

Instrumentation Summary  
February 17, 2016

## 3.0 INSTRUMENTATION SUMMARY

### 3.1 INSTRUMENTATION

The measurement program at the monitoring site includes both continuous and non-continuous monitors to sample air contaminant concentrations. The analyzers were set up between October to November 2014, and monitoring started on November 15, 2014.

Monitoring for respirable particulate matter (PM<sub>2.5</sub>), nitrogen oxides (NOx) and sulphur dioxide (SO<sub>2</sub>) are conducted on a continuous basis. A summary of the continuous monitors and a brief description of their principle of operation are provided in **Table 3-1** below.

**Table 3-1      Summary of Continuous Ambient Air Quality Monitors**

Contaminant	Monitor	Principle of Operation	Range	Time Interval
PM <sub>2.5</sub>	Thermo Sharp 5030 Synchronized Hybrid Ambient Real-time Particulate Monitor	Light Scattering Photometry / Beta Attenuation - Consists of a carbon14 source, detector and light scattering Nephelometer in a rack-mountable enclosure. The Thermo Sharp utilizes a continuous (non-step wise) hybrid mass measurement and a combination of beta attenuation and light scattering technology. The unit's filter tape is automatically advanced based upon a user defined frequency or particulate loading.	0-10 mg/m <sup>3</sup>	1 minute
NO, NO <sub>2</sub> , NOx	API Model 200E Chemiluminescence Analyzer	Chemiluminescence - Uses a chemiluminescence detection principle and microprocessor technology for ambient continuous emissions monitoring (CEM). Measurements are automatically compensated for temperature and pressure changes.	0 – 1000 ppb	1 second
SO <sub>2</sub>	Teledyne Monitor Labs Sulphur Dioxide Analyzer Model T100	Pulsed Fluorescence - SO <sub>2</sub> levels are measured based on the principle that SO <sub>2</sub> has a strong ultraviolet (UV) absorption at a wavelength between 200 and 240 nanometres (nm). The absorption of photons at these wavelengths results in the emission of fluorescence photons at a higher wavelength. The amount of fluorescence measured is directly proportional to the concentration of SO <sub>2</sub> .	0 – 1000 ppb	1 second

## QUARTERLY AMBIENT AIR QUALITY MONITORING REPORT FOR THE DURHAM YORK ENERGY CENTRE (CRAGO ROAD STATION) – JULY TO SEPTEMBER 2015

Instrumentation Summary  
February 17, 2016

The predominantly downwind Crago Road Station measures horizontal wind speed, wind direction, atmospheric temperature, relative humidity and rainfall. The meteorological sensors at the Crago Road Station are mounted on an external 10-m aluminum tower and are logged using a digital data acquisition system (DAS). The meteorological equipment includes the following:

**Table 3-2      Summary of Meteorological Equipment**

Parameter	Equipment
Wind Speed/Wind Direction	Met One Instruments Inc. Model 034B
Temperature	Campbell Scientific Model CS 107
Relative Humidity	Campbell Scientific Model HMP60
Rainfall	Texas Electronic TE525M

A Campbell Scientific CRX1000 station data acquisition system is used to collect continuous instrument monitoring data and status codes from the ambient air quality monitors. Continuous station data is maintained in the data loggers, and data is viewed locally using a laptop and the relevant DAS software applications. Remote data transmission is accomplished by the periodic transmission of collected station air quality data via cellular phone.

## 3.2 INSTRUMENTATION ISSUES

A few instrumentation issues were encountered during this quarter. A summary of operational issues for each measurement parameter during the monitoring period is presented in **Table 3-3**.

**Table 3-3      Summary of Instrument Issues at the Crago Road Station  
(Predominately Downwind)**

Parameter	Issues	Time Frame	Remedial Action
SO <sub>2</sub>	High readings – determined to be caused by faulty connectors	September 9, 2015 - September 23, 2015	Replaced with new parts from manufacturer under warranty
NOx	-	-	-
PM <sub>2.5</sub>	Output to data logger intermittently reading 0 µg/m <sup>3</sup>	July 1, 2015 - September 16, 2015	Reset heater inlet temperature after consultations with the manufacturer. Data downloaded directly from the analyzer's internal datalogger- no data lost
Other	-	-	-

## **QUARTERLY AMBIENT AIR QUALITY MONITORING REPORT FOR THE DURHAM YORK ENERGY CENTRE (CRAVO ROAD STATION) – JULY TO SEPTEMBER 2015**

Instrumentation Summary  
February 17, 2016

### **3.3 INSTRUMENTATION RECOVERY RATES**

Data recovery rates for each continuous monitor at the monitoring station during Quarter 3 (July to September 2015) are presented in **Table 3-4**.

The data recovery rates for the continuous monitors in this quarter reflect instrument down times for annual routine maintenance occurring between September 23 to September 30, 2015.

**Table 3-4      Summary of Data Recovery Rates for the Crago Road Station  
(Predominately Downwind) – July to September 2015**

Parameter	Valid Measurement Hours	Data Recovery Rate (%)
SO <sub>2</sub>	1694	76.7%
NO <sub>x</sub>	2014	91.2%
PM <sub>2.5</sub>	2019	91.4%
Temperature	2208	100%
Rainfall	2208	100%
Relative Humidity	2208	100%
Wind Speed/Direction	2208	100%
TSP/Metals	N/A ^	N/A ^
PAHs	N/A ^	N/A ^
Dioxins and Furans	N/A ^	N/A ^

**Note:**

A. Monitoring of these parameters was not started. Monitoring will begin when the Facility is fully operational.



# QUARTERLY AMBIENT AIR QUALITY MONITORING REPORT FOR THE DURHAM YORK ENERGY CENTRE (CRAGO ROAD STATION) – JULY TO SEPTEMBER 2015

Summary of Ambient Measurements  
February 17, 2016

## 4.0 SUMMARY OF AMBIENT MEASUREMENTS

The following sections provide summaries of the validated data and the validation done on each parameter.

### 4.1 METEOROLOGICAL DATA

A summary of the maximum, minimum, arithmetic mean, and standard deviation of the hourly average meteorological parameters measured at the monitoring station for the July to September 2015 period are presented in **Table 4-1**.

**Table 4-1 Summary of Hourly Meteorological Measurements – July to September 2015**

Parameter	Crago Road Station (Predominately Downwind)	Units
Temperature	Max	29.2
	Min	7.8
	Mean (July)	19.5
	Mean (August)	18.8
	Mean (September)	17.9
	Mean (Period)	18.7
	Standard Deviation	3.9
Rainfall	Max	14.7
	Min	0.0
	Mean (July)	0.05
	Mean (August)	0.08
	Mean (September)	0.12
	Mean (Period)	0.08
	Standard Deviation	0.65
Relative Humidity	Max	%
	Min	%
	Mean (July)	%
	Mean (August)	%
	Mean (September)	%
	Mean (Period)	%
	Standard Deviation	%

**QUARTERLY AMBIENT AIR QUALITY MONITORING REPORT FOR THE DURHAM YORK ENERGY CENTRE  
(CRAGO ROAD STATION) – JULY TO SEPTEMBER 2015**

Summary of Ambient Measurements  
February 17, 2016

**Table 4-1 Summary of Hourly Meteorological Measurements – July to September 2015**

Parameter	Crago Road Station (Predominately Downwind)	Units
Wind Speed <sup>A</sup>	Max	28.6
	Min	0.0
	Mean (July)	8.6
	Mean (August)	8.6
	Mean (September)	8.5
	Mean (Period)	8.6
	Standard Deviation	4.9


**Notes:**

A. Wind speed is measured at 10-m.

A wind rose showing directionality and speed is presented in **Figure 4-1**. The length of the radial barbs gives the total percent frequency of winds from the indicated direction, while portions of the barbs of different widths indicate the frequency associated with each wind speed category.

Winds over the three-month period occurred predominantly from northerly and southwesterly directions. Wind contribution from the south was low. Higher wind speeds occurred from northwesterly and southwesterly directions while lower wind speeds were observed from northerly directions.

**Figure 4-1 Wind Rose for July to September 2015**



## QUARTERLY AMBIENT AIR QUALITY MONITORING REPORT FOR THE DURHAM YORK ENERGY CENTRE (CRAGO ROAD STATION) – JULY TO SEPTEMBER 2015

Summary of Ambient Measurements  
February 17, 2016

### 4.2 CAC AMBIENT AIR QUALITY MEASUREMENTS

A summary of the maximum, minimum, arithmetic mean and standard deviation of the CAC pollutant concentrations measured are presented in **Table 4-2**. Also presented in this table are the number of exceedances (if any occurred) of the relevant Ontario ambient air quality criteria (AAQC) or health-based standard for each contaminant. All monitored contaminants were below their applicable criteria during the period between April to June, 2015.

Nitric oxide (NO) has no regulatory criteria as discussed in **Section 4.2.2** below. There are both hourly and daily AAQCs as well as Reg. 419 Schedule 3 criteria for NO<sub>x</sub> which are based on health effects of NO<sub>2</sub>. As specified in the MOECC's listing of AAQCs (MOECC, 2012a) the AAQC were compared to measured NO<sub>2</sub> concentrations in this report. However, as per the current April 2012 version of O. Reg. 419 Summary of Standards and Guidelines, the Schedule 3 criterion for NO<sub>x</sub> (MOECC, 2012b) was compared to the monitored NO<sub>x</sub> levels.

A comparison of the maximum measured data to their respective air quality criteria and the two existing ambient air monitoring stations (Stantec, 2015) is presented graphically in **Figure 4-2**.

**QUARTERLY AMBIENT AIR QUALITY MONITORING REPORT FOR THE DURHAM YORK ENERGY CENTRE (CRAGO ROAD STATION) – JULY TO SEPTEMBER 2015**

Summary of Ambient Measurements  
February 17, 2016

**Table 4-2 Summary of Ambient CAC Monitoring Data – July to September 2015**

Pollutant	Averaging Period	AAQC / Schedule 3 / HHRA Health-Based Standards			Crago Road Station (Predominately Downwind)	
		ppb	µg/m³		Concentration (ppbv)	Concentration (µg/m³)
SO <sub>2</sub>	1	250	690	Maximum	13.8	36.8
				Minimum	0.0	0.0
				Mean (July)	0.6	1.6
				Mean (August)	1.2	3.1
				Mean (September)	4.3	11.2
				Mean (Period)	1.3	3.5
				Standard Deviation	1.5	3.8
				# of Exceedances	0	0
	24	100	275	Maximum	10.0	26.3
				Minimum	0.4	1.2
				Mean (July)	0.6	1.6
				Mean (August)	1.1	3.1
				Mean (September)	4.0	10.4
				Mean (Period)	1.3	3.4
				Standard Deviation	1.3	3.3
				# of Exceedances	0	0

**QUARTERLY AMBIENT AIR QUALITY MONITORING REPORT FOR THE DURHAM YORK ENERGY CENTRE (CRAGO ROAD STATION) – JULY TO SEPTEMBER 2015**

Summary of Ambient Measurements  
February 17, 2016

**Table 4-2 Summary of Ambient CAC Monitoring Data – July to September 2015**

Pollutant	Averaging Period	AAQC / Schedule 3 / HHRA Health-Based Standards			Crago Road Station (Predominately Downwind)	
		ppb	µg/m³		Concentration (ppbv)	Concentration (µg/m³)
PM <sub>2.5</sub>	24	N/A	28 ^	Maximum	-	22.7
				Minimum	-	1.3
				Mean (July)	-	7.6
				Mean (August)	-	5.5
				Mean (September)	-	9.6
				Mean (Period)	-	7.4
				Standard Deviation	-	4.8
				# of Exceedances	-	N/A
NO <sub>2</sub>	1	200	400	Maximum	35.4	68.4
				Minimum	0.0	0.0
				Mean (July)	2.8	5.4
				Mean (August)	2.8	5.5
				Mean (September)	6.9	13.4
				Mean (Period)	3.9	7.5
				Standard Deviation	5.7	11.0
				# of Exceedances	0	0
	24	100	200	Maximum	17.1	33.3
				Minimum	0.0	0.0
				Mean (July)	2.8	5.4
				Mean (August)	2.7	5.1
				Mean (September)	7.0	13.4

**QUARTERLY AMBIENT AIR QUALITY MONITORING REPORT FOR THE DURHAM YORK ENERGY CENTRE (CRAGO ROAD STATION) – JULY TO SEPTEMBER 2015**

Summary of Ambient Measurements  
February 17, 2016

**Table 4-2 Summary of Ambient CAC Monitoring Data – July to September 2015**

Pollutant	Averaging Period	AAQC / Schedule 3 / HHRA Health-Based Standards			Crago Road Station (Predominately Downwind)	
		ppb	µg/m³		Concentration (ppbv)	Concentration (µg/m³)
NO <sub>C</sub>	1	NA	NA	Mean (Period)	3.9	7.5
				Standard Deviation	3.4	6.6
				# of Exceedances	0	0
NO <sub>C</sub>	1	NA	NA	Maximum	75.0	96.8
				Minimum	0.0	0.0
				Mean (July)	1.0	1.2
				Mean (August)	1.4	1.8
				Mean (September)	1.9	2.4
				Mean (Period)	1.4	1.8
				Standard Deviation	4.2	5.3
				# of Exceedances	N/A	N/A
	24	NA	NA	Maximum	12.7	16.3
				Minimum	0.0	0.0
				Mean (July)	1.0	1.2
				Mean (August)	1.4	1.8
				Mean (September)	1.9	2.4
				Mean (Period)	1.4	1.7
				Standard Deviation	1.8	2.3
				# of Exceedances	N/A	N/A

**QUARTERLY AMBIENT AIR QUALITY MONITORING REPORT FOR THE DURHAM YORK ENERGY CENTRE (CRAGO ROAD STATION) – JULY TO SEPTEMBER 2015**

Summary of Ambient Measurements  
February 17, 2016

**Table 4-2 Summary of Ambient CAC Monitoring Data – July to September 2015**

Pollutant	Averaging Period	AAQC / Schedule 3 / HHRA Health-Based Standards			Crago Road Station (Predominately Downwind)	
		ppb	µg/m³		Concentration (ppbv)	Concentration (µg/m³)
NOx	1	200 <sup>B</sup>	400 <sup>B</sup>	Maximum	83.1	164.5
				Minimum	0.0	0.0
				Mean (July)	3.8	7.2
				Mean (August)	4.2	8.1
				Mean (September)	8.9	17.2
				Mean (Period)	5.3	10.2
				Standard Deviation	8.4	16.3
				# of Exceedances	0	0
	24	100 <sup>C</sup>	200 <sup>C</sup>	Maximum	20.9	40.8
				Minimum	0.0	0.0
				Mean (July)	3.8	7.2
				Mean (August)	4.0	7.7
				Mean (September)	8.9	17.2
				Mean (Period)	5.2	10.1
				Standard Deviation	4.7	9.1
				# of Exceedances	0	0


**Note:**

- A. Canadian Ambient Air Quality Standards (CAAQS) for Respirable Particulate Matter (CCME, 2012). The Respirable Particulate Matter Objective is referenced to the 98th percentile over 3 consecutive years.
- B. As per current version (April 2012) of Reg 419 Summary of Standards and Guidelines, the air standard for NO<sub>x</sub> is compared to a monitored NO<sub>x</sub> concentration, although the Reg419 Schedule 3 standard for NO<sub>x</sub> is based on health effects of NO<sub>2</sub>.
- C. NO has no regulatory criteria.

## QUARTERLY AMBIENT AIR QUALITY MONITORING REPORT FOR THE DURHAM YORK ENERGY CENTRE (CRAGO ROAD STATION) – JULY TO SEPTEMBER 2015

Summary of Ambient Measurements  
February 17, 2016

**Figure 4-2 Comparison of NO<sub>2</sub> / NOx and SO<sub>2</sub> Ambient Air Quality Monitoring Data to Applicable Criteria and Existing Stations**



Detailed discussion for each measured contaminant is presented in the following sections.

### 4.2.1 Sulphur Dioxide (SO<sub>2</sub>)

Data summaries are presented in **Appendix A** for sulphur dioxide for each month as well as time history plots of the hourly and 24-hour average SO<sub>2</sub> concentrations. For the hourly and 24-hour averages, the Ontario AAQCs of 690  $\mu\text{g}/\text{m}^3$  and 275  $\mu\text{g}/\text{m}^3$  are shown as blue lines on each plot. As shown in these figures, measured ambient SO<sub>2</sub> concentrations at both stations were well below the criteria.


The maximum measured hourly and 24-hour average SO<sub>2</sub> concentrations measured at the Crago Road Station during July to September 2015 were 36.8 and 26.3  $\mu\text{g}/\text{m}^3$  respectively, which are 5% and 10% of the applicable 1-hour and 24-hour ambient air quality criteria.

A pollution rose of hourly average SO<sub>2</sub> concentrations measured at the Crago Road Station is presented in **Figure 4-3**. The pollution rose plot presents measured hourly average contaminant concentrations versus measured wind direction (over 10° wind sectors). In this period, the Crago Road station generally measured higher hourly concentrations for winds blowing from northerly, southwesterly and easterly directions with the highest measured hourly concentration occurring from the north-northwest.

## QUARTERLY AMBIENT AIR QUALITY MONITORING REPORT FOR THE DURHAM YORK ENERGY CENTRE (CRAKO ROAD STATION) – JULY TO SEPTEMBER 2015

Summary of Ambient Measurements  
February 17, 2016

**Figure 4-3 Pollution Rose of Measured Hourly Average SO<sub>2</sub> Concentrations – July to September 2015**



### 4.2.2 Nitrogen Dioxide (NO<sub>2</sub>)

Nitrogen oxides (NO<sub>x</sub>) are almost entirely made up of nitric oxide (NO) and nitrogen dioxide (NO<sub>2</sub>). Together, they are often referred to as NO<sub>x</sub>. Most NO<sub>2</sub> in the atmosphere is formed by the oxidation of NO, which is emitted directly by combustion processes, particularly those at high temperature and pressure. Exposure to both NO and NO<sub>2</sub> can result in adverse health effects to an exposed population. NO<sub>2</sub> is the regulated form of NO<sub>x</sub>. Similar to other jurisdictions (e.g., Alberta Environment, World Health Organization), the O. Reg. 419/05 Schedule 3 standards for NO<sub>x</sub> are based on health effects of NO<sub>2</sub>, as health effects are seen at much lower concentrations of NO<sub>2</sub> than NO. In this report, because NO<sub>2</sub> is the regulated form of NO<sub>x</sub>, the AAQC were compared to measured NO<sub>2</sub> concentrations (as per MOECC 2012a). However, as per the current April 2012 version of O. Reg. 419 Summary of Standards and Guidelines, the Schedule 3 NO<sub>x</sub> criteria were also compared to the monitored NO<sub>x</sub> concentrations (see **Section 4.2.3** below).

## QUARTERLY AMBIENT AIR QUALITY MONITORING REPORT FOR THE DURHAM YORK ENERGY CENTRE (CRAVO ROAD STATION) – JULY TO SEPTEMBER 2015


Summary of Ambient Measurements  
February 17, 2016

Data summaries are presented in **Appendix B** for nitrogen dioxide for the station each month as well as time history plots of the hourly and 24-hour average NO<sub>2</sub> concentrations. For the hourly and 24-hour averages, the Ontario AAQCs of 400 µg/m<sup>3</sup> and 200 µg/m<sup>3</sup> are shown as blue lines on each plot. As shown in these figures, measured ambient NO<sub>2</sub> concentrations were well below the criteria.

The maximum measured hourly and 24-hour average concentrations were 68.4 and 33.3 µg/m<sup>3</sup>, which are 17% and 17% of the applicable 1-hour and 24-hour ambient air quality criteria.

A pollution rose of measured hourly average NO<sub>2</sub> concentrations is presented in **Figure 4-4**. Higher measured hourly average concentrations generally occurred from northerly directions with the highest measured hourly concentration occurring from the northeast.

**Figure 4-4 Pollution Roses of Measured Hourly Average NO<sub>2</sub> – July to September 2015**



## QUARTERLY AMBIENT AIR QUALITY MONITORING REPORT FOR THE DURHAM YORK ENERGY CENTRE (CRAGO ROAD STATION) – JULY TO SEPTEMBER 2015

Summary of Ambient Measurements  
February 17, 2016

### 4.2.3 Nitrogen Oxides (NO<sub>x</sub>)

Data summaries are presented in **Appendix C** for nitrogen oxides for each station and month as well as time history plots of the hourly and 24-hour average NO<sub>x</sub> concentrations. For the hourly and 24-hour averages, the Ontario Schedule 3 criteria of 400 µg/m<sup>3</sup> and 200 µg/m<sup>3</sup> are shown as blue lines on each plot. As shown in these figures, the maximum measured ambient hourly and 24-hour average NO<sub>x</sub> concentrations at the Crago Road Station were below the criteria during this quarter.


As shown in **Table 4-2**, the maximum hourly NO<sub>x</sub> concentration measured at the Crago Road station was 164.5 µg/m<sup>3</sup>, which is 41% of the 1-hour ambient criteria. The 24-hour average NO<sub>x</sub> concentration measured at this station was 40.8 µg/m<sup>3</sup>, which is 20% of the applicable 24-hour criteria.

A pollution rose of measured hourly average NO<sub>x</sub> concentrations is presented in **Figure 4-5**. In Figure 4-5, higher measured hourly average NO<sub>x</sub> concentrations typically occurred for winds blowing from northerly directions with the highest measured hourly concentration occurring from the north.

# QUARTERLY AMBIENT AIR QUALITY MONITORING REPORT FOR THE DURHAM YORK ENERGY CENTRE (CRAKO ROAD STATION) – JULY TO SEPTEMBER 2015

Summary of Ambient Measurements  
February 17, 2016

**Figure 4-5 Pollution Roses of Measured Hourly Average NO<sub>x</sub> Concentrations – July to September 2015**



## 4.2.4 Particulate Matter Smaller than 2.5 Microns (PM<sub>2.5</sub>)

Data summaries and time history plots of measured 24-hour average concentrations are presented in **Appendix D** for PM<sub>2.5</sub>.


The maximum measured 24-hour average PM<sub>2.5</sub> concentration was 22.7 µg/m<sup>3</sup> during this quarter. It should be noted that an exceedance of the 24-hour CAAQS for PM<sub>2.5</sub> requires the average of the 98<sup>th</sup> percentile levels in each of three consecutive years to be greater than 28 µg/m<sup>3</sup> whereas the PM<sub>2.5</sub> measurement at this station in the report consisted of approximately 3 months of data, there is insufficient data to determine with any certainty if exceedances of the CAAQS would occur. Discussion of PM<sub>2.5</sub> measurements with respect to the CAAQS will be provided in the 2015 annual report, at which time sufficient data will have been collected to make preliminary comparisons.

## QUARTERLY AMBIENT AIR QUALITY MONITORING REPORT FOR THE DURHAM YORK ENERGY CENTRE (CRAVO ROAD STATION) – JULY TO SEPTEMBER 2015

Summary of Ambient Measurements  
February 17, 2016

A pollution rose showing the measured 24-hour average ambient PM<sub>2.5</sub> concentrations versus direction is shown in **Figure 4-6**. Higher measured concentrations typically occurred from northerly and northwesterly directions, with the highest measured 24-hour concentration occurring from the northwest.

**Figure 4-6 Pollution Roses of Measured 24-Hour Average PM<sub>2.5</sub> Concentrations – July to September 2015**





## **QUARTERLY AMBIENT AIR QUALITY MONITORING REPORT FOR THE DURHAM YORK ENERGY CENTRE (CRAGO ROAD STATION) – JULY TO SEPTEMBER 2015**

Conclusions  
February 17, 2016

### **5.0 CONCLUSIONS**

This quarterly report provides a summary of the ambient air quality data collected at the Crago Road monitoring station located in the vicinity, and predominantly downwind, of the DYEC for the period July to September 2015.

The following observations and conclusions were made from a review of the measured ambient air quality monitoring data:

1. Measured levels of NO<sub>2</sub>, SO<sub>2</sub> and PM<sub>2.5</sub> were below the applicable O. Reg. 419/05 criteria or human health risk assessment (HHRA) health-based standards presented in **Table 2-1** of this report;
2. Since the Canadian Ambient Air Quality Standard (CAAQS) for PM<sub>2.5</sub> is based on a 98<sup>th</sup> percentile level over 3 years, whereas the PM<sub>2.5</sub> measurement period at the Crago Road station for this quarterly report was three months, there was insufficient data collected to determine with any certainty if exceedances of the CAAQS would occur. Therefore no comparison of the measured PM<sub>2.5</sub> data during this quarter to the CAAQS was conducted for this report, as it would not be scientifically accurate or representative;
3. In summary, all monitored contaminants were below their applicable MOECC criteria for the monitoring data presented in this report. All measured levels of all monitored contaminants were below their applicable HHRA health-based standards.



## **QUARTERLY AMBIENT AIR QUALITY MONITORING REPORT FOR THE DURHAM YORK ENERGY CENTRE (CRAVO ROAD STATION) – JULY TO SEPTEMBER 2015**

References  
February 17, 2016

## **6.0 REFERENCES**

Canadian Council of Ministers of the Environment (CCME), (2007). Guidance Document on Achievement Determination. Canada-Wide Standards for Particulate Matter and Ozone. Revised (PN1391)(978-1-896997-74-2 PDF)

Canadian Council of Ministers of the Environment (CCME), (2012). Guidance Document on Achievement Determination. Canadian Ambient Air Quality Standards for Fine Particulate Matter and Ozone (PN 1483)(978-1 896997-91-9 PDF)

Jacques Whitford, (2009). Final Environmental Assessment, December 4, 2009

Ontario Minister of the Environment (MOECC), (2010). Environmental Assessment Act, Section 9. Notice of Approval to Proceed with the Undertaking. Re: The Amended Environmental Assessment for Durham and York Residual Waste Study (EA File No: 04-EA-02-08)

Ontario Ministry of the Environment (MOECC), (2012a). Standards Development Branch, Ontario's Ambient Air Quality Criteria, April 2012. (PIBs 6570e01)

Ontario Ministry of the Environment (MOECC), (2012b). Standards Development Branch, Summary of Standards and Guidelines to support Ontario Regulation 419/05 – Air Pollution – Local Air Quality (including Schedule 6 of O. Reg 419/05 on Upper Risk Thresholds), April 2012 (PIBs 6569e01)

Stantec Consulting Limited, (2009). Final Environmental Assessment, Appendix C12: Site Specific Human Health and Ecological Risk Assessment Technical Study Report, December 4, 2009.

Stantec Consulting Limited, (2012). Ambient Air Quality Monitoring Plan – Durham York Residual Waste Study, May 8, 2012

Stantec Consulting Limited , (2015). Quarterly Ambient Air Quality Monitoring Report for the Durham York Energy Centre – October to December 2014, January 28, 2015.



**QUARTERLY AMBIENT AIR QUALITY MONITORING REPORT FOR THE DURHAM YORK ENERGY CENTRE  
(CRAGO ROAD STATION) – JULY TO SEPTEMBER 2015**

**APPENDIX A  
SO<sub>2</sub> Data Summaries and Time History Plots**




SO2 - Crago Road July 2015 (µg/m³)																															
Day	Hour	0	100	200	300	400	500	600	700	800	900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	Count	Maximum	Minimum	Average	Hrs>690	Days>275
1	2.3	1.3	2.0	1.8	1.2	1.5	1.6	1.7	2.0	1.8	1.7	1.5	1.6	1.5	1.6	1.5	1.6	1.4	1.5	1.5	2.0	1.7	1.6	1.7	24	2.3	1.2	1.6	0	0	
2	1.7	1.9	1.7	1.9	1.6	1.4	1.4	1.5	1.2	1.5	1.2	1.1	0.9	1.6	1.0	1.3	1.3	1.4	1.3	1.1	1.0	1.0	2.0	2.0	24	2.0	0.9	1.4	0	0	
3	1.5	1.6	1.9	1.6	1.2	1.5	1.3	1.1	1.2	1.2	1.0	1.4	1.0	1.4	1.4	1.2	1.4	1.2	1.0	0.4	1.8	2.1	1.9	24	2.1	0.4	1.4	0	0		
4	1.9	1.8	1.7	1.9	1.7	1.9	1.7	1.6	1.1	1.5	1.2	1.6	1.2	1.3	1.1	1.0	0.9	1.2	0.9	1.0	1.1	1.3	1.5	2.0	24	2.0	0.9	1.4	0	0	
5	2.0	1.7	1.5	1.4	1.4	1.1	1.4	1.6	1.6	1.2	1.4	1.2	1.2	1.0	1.1	0.4	1.1	1.3	1.5	2.0	1.9	0.8	0.6	24	2.0	0.4	1.3	0	0		
6	0.9	1.3	1.5	1.3	1.2	1.4	1.2	0.8	1.4	1.3	1.1	1.0	0.8	1.1	1.3	1.4	1.5	1.6	0.9	1.4	1.5	2.0	1.8	0.5	24	2.0	0.5	1.3	0	0	
7	1.4	2.5	2.6	1.6	1.3	1.2	0.5	0.1	1.1	1.0	1.0	1.3	1.5	1.4	1.9	1.4	2.1	1.3	1.4	1.3	1.8	1.9	1.4	24	2.6	0.1	1.4	0	0		
8	0.7	1.3	1.2	1.2	1.3	1.3	0.8	1.0	1.2	1.0	1.3	1.2	0.9	1.1	0.9	1.1	1.2	1.1	1.3	1.2	1.5	2.1	1.9	24	2.1	0.7	1.2	0	0		
9	2.4	1.5	1.9	2.1	2.0	1.7	2.2	2.6	2.4	2.0	1.3	1.4	1.6	1.5	1.3	1.2	1.4	1.7	1.3	1.5	1.2	1.2	1.5	1.3	24	2.6	1.2	1.7	0	0	
10	1.9	1.5	1.6	1.5	1.7	1.4	1.3	1.1	1.0	1.0	1.2	1.4	1.1	0.8	1.0	0.7	1.1	1.1	1.0	1.2	1.3	1.1	1.8	24	1.9	0.7	1.2	0	0		
11	1.7	1.3	1.6	1.3	2.0	2.1	1.6	1.4	1.4	1.2	1.0	1.2	0.9	1.0	0.9	0.7	1.0	1.2	1.4	1.2	1.3	1.5	1.9	1.2	24	2.1	0.7	1.3	0	0	
12	0.6	1.4	1.3	1.4	1.8	1.3	2.0	1.4	1.3	1.3	1.4	1.0	0.5	0.9	1.1	1.2	1.3	1.0	1.3	1.6	2.1	2.2	1.9	1.6	24	2.2	0.5	1.4	0	0	
13	1.6	1.7	1.6	1.4	1.6	1.5	1.6	1.6	0.8	1.1	1.2	1.6	1.1	1.3	1.2	1.1	1.2	1.6	1.3	1.5	1.6	2.0	2.1	1.5	24	2.1	0.8	1.5	0	0	
14	2.1	2.4	2.4	2.5	0.6	1.3	1.8	2.0	1.2	0.0	1.5	1.4	1.5	1.1	1.5	1.3	1.4	1.6	1.5	1.6	1.7	2.1	1.0	24	2.5	0.0	1.6	0	0		
15	1.2	0.0	1.3	1.7	1.8	1.4	1.2	1.1	1.5	1.7	1.2	1.2	1.2	1.5	1.4	1.6	1.4	1.6	1.5	1.2	1.2	1.5	1.6	24	1.8	0.0	1.4	0	0		
16	1.2	1.5	1.3	1.9	1.7	2.0	1.9	1.7	1.1	1.5	1.4	1.3	1.2	1.1	1.0	1.1	1.2	0.9	0.3	1.4	1.3	1.9	1.4	24	2.0	0.3	1.4	0	0		
17	2.1	2.0	1.8	1.5	1.7	1.6	1.4	1.4	1.2	1.6	1.4	1.7	1.7	1.8	1.4	1.0	1.2	1.7	1.2	1.7	1.4	1.7	1.6	1.9	24	2.1	1.0	1.6	0	0	
18	2.3	2.3	2.1	2.0	1.8	2.0	1.6	1.2	0.9	1.1	1.3	1.0	2.2	1.4	1.1	1.8	1.6	1.4	1.3	1.6	1.4	0.8	1.7	24	2.3	0.8	1.5	0	0		
19	1.9	2.3	2.4	2.6	2.7	2.2	1.5	0.8	0.9	1.3	1.4	1.7	1.7	1.6	1.6	1.4	1.9	1.6	1.8	1.5	2.0	1.7	2.4	24	2.7	0.8	1.8	0	0		
20	1.4	0.7	1.4	1.5	1.6	2.0	1.9	1.9	1.8	1.3	1.5	1.9	1.5	1.9	2.1	1.8	1.8	1.5	1.8	2.1	1.9	1.0	2.2	2.5	24	2.5	0.7	1.7	0	0	
21	2.4	2.1	0.9	1.2	2.5	2.6	1.3	1.6	0.9	1.1	1.2	1.1	1.3	1.3	1.6	2.2	1.9	1.2	1.3	1.7	1.8	2.4	2.1	2.0	24	2.6	0.9	1.6	0	0	
22	2.1	2.0	2.1	2.0	2.1	2.2	1.5	1.8	2.0	1.7	1.4	1.2	1.2	1.3	1.3	1.5	1.7	1.6	1.8	1.9	1.5	1.6	2.0	2.1	24	2.2	0.8	1.7	0	0	
23	2.0	2.3	2.2	2.7	2.9	3.2	2.2	1.8	1.4	1.2	1.2	1.3	1.3	1.5	1.7	1.9	2.1	1.7	1.8	2.0	2.3	1.7	1.9	24	3.2	1.2	1.9	0	0		
24	2.1	1.9	1.3	2.0	2.2	2.4	1.9	2.7	2.4	1.8	1.8	1.6	1.4	1.4	1.6	1.6	1.6	2.3	1.9	1.8	1.9	1.0	1.9	24	2.7	1.0	1.8	0	0		
25	1.8	2.0	2.1	1.8	1.9	2.4	1.8	1.2	1.1	1.1	1.6	1.9	1.8	2.1	1.9	1.7	2.0	2.2	2.1	1.4	0.9	2.2	24	2.4	0.9	1.8	0	0			
26	2.1	1.5	2.5	1.4	1.6	2.0	1.7	1.6	1.2	1.5	1.5	1.6	1.9	1.6	1.5	1.7	1.5	1.5	1.6	2.3	2.9	2.5	2.8	24	2.9	1.2	1.8	0	0		
27	2.1	1.9	2.1	1.9	2.2	2.4	4.0	2.2	2.0	1.6	1.6	1.8	1.9	1.9	1.4	1.4	1.8														

SO2 - Crago Road August 2015 ( $\mu\text{g}/\text{m}^3$ )																														
Day	Hour																								Count	Maximum	Minimum	Average	Hrs>690	Days>275
	0	100	200	300	400	500	600	700	800	900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300						
1	1.6	2.3	1.1	1.4	1.9	2.2	1.6	1.3	1.8	1.7	2.0	1.7	1.9	1.5	1.6	1.6	1.7	1.3	2.1	1.9	1.5	1.3	1.0	1.2	24	2.3	1.0	1.6	0	0
2	1.6	1.4	2.1	2.1	1.6	2.1	2.1	1.9	2.8	2.9	2.5	2.6	2.4	2.7	2.2	1.9	2.1	2.2	2.0	1.7	1.8	1.5	1.8	1.7	24	2.9	1.4	2.1	0	0
3	1.6	1.8	2.7	2.7	2.0	1.8	1.9	1.9	1.6	1.8	2.0	1.5	1.7	1.7	1.7	1.8	1.6	1.6	1.5	1.6	1.4	1.7	1.4	1.4	24	2.7	1.4	1.8	0	0
4	1.7	1.5	1.6	2.1	2.2	1.6	1.8	1.5	1.5	1.2	1.2	1.7	1.7	1.4	1.2	0.3	1.4	1.2	1.5	0.8	2.2	1.6	1.4	1.4	24	2.2	0.3	1.5	0	0
5	1.7	2.0	1.4	1.5	1.7	3.1	2.6	1.4	1.7	1.7	1.4	1.5	1.8	1.8	1.2	1.4	1.6	1.0	1.2	1.6	1.7	1.2	1.1	1.3	24	3.1	1.0	1.6	0	0
6	1.3	1.3	1.2	1.8	2.0	2.8	2.9	2.1	1.6	1.3	1.8	2.0	2.1	2.1	2.0	1.4	1.6	1.7	1.4	1.7	1.6	1.4	1.6	24	2.9	1.2	1.8	0	0	
7	2.3	3.0	2.7	2.5	2.3	2.3	1.9	2.5	12.6	3.3	2.4	1.8	2.1	2.2	1.7	1.8	1.4	1.0	1.3	1.4	1.7	1.3	1.3	1.5	24	12.6	1.0	2.4	0	0
8	1.9	1.6	2.0	1.8	1.7	1.3	1.6	2.0	5.7	5.4	5.6	15.4	3.1	2.7	2.1	2.3	2.2	2.1	2.2	2.0	2.2	2.2	2.1	1.3	24	15.4	1.3	3.0	0	0
9	1.5	1.4	1.1	1.1	1.4	1.1	1.3	1.6	1.8	1.9	2.1	1.6	1.4	1.4	1.5	1.7	1.2	1.6	2.1	1.9	1.7	1.6	1.9	2.0	24	2.1	1.1	1.6	0	0
10	1.6	1.6	1.4	1.6	1.7	1.9	1.9	1.8	3.2	2.8	2.5	2.1	1.9	1.9	2.3	3.2	3.0	3.5	3.1	2.9	2.8	2.4	3.5	2.7	24	3.5	1.4	2.4	0	0
11	3.2	3.8	2.8	3.0	2.7	3.0	2.9	1.6	2.8	2.6	3.3	3.6	3.2	2.9	3.1	2.6	3.0	2.8	3.1	2.4	2.4	3.3	2.8	2.8	24	3.8	1.6	2.9	0	0
12	2.8	3.1	3.2	2.8	3.0	3.1	2.7	2.8	3.1	2.9	2.9	3.5	3.0	2.8	2.9	2.7	2.7	2.9	2.7	2.5	3.1	3.0	3.1	3.4	24	3.5	2.5	2.9	0	0
13	3.0	3.8	4.4	3.9	3.1	3.4	3.6	3.3	3.4	3.6	3.9	6.0	9.0	4.5	4.4	4.8	3.3	3.4	3.2	2.7	2.8	3.2	3.4	3.6	24	9.0	2.7	3.9	0	0
14	3.7	3.2	2.7	2.6	3.2	3.5	3.6	2.9	2.8	3.0	2.5	2.8	3.1	3.7	3.3	3.1	3.2	3.1	3.0	2.1	3.0	2.6	3.3	24	3.7	2.1	3.0	0	0	
15	3.2	2.8	2.0	2.6	2.7	2.5	3.0	3.2	2.7	2.8	2.9	3.2	2.8	3.0	3.4	3.4	3.4	3.1	3.0	2.4	3.2	3.2	3.4	24	3.4	1.3	2.9	0	0	
16	3.4	3.2	2.9	3.0	2.9	2.7	2.9	3.4	3.3	3.1	2.4	2.8	3.1	3.0	3.2	3.8	3.7	3.5	3.6	3.9	3.4	3.5	3.8	24	3.9	2.4	3.2	0	0	
17	3.7	3.9	3.6	3.9	4.2	4.2	3.6	2.6	2.3	2.7	2.9	3.2	3.2	3.0	3.1	3.2	3.9	3.8	3.4	3.7	3.6	3.4	3.2	3.7	24	4.2	2.3	3.4	0	0
18	3.7	3.7	4.0	3.3	3.3	4.2	4.0	3.9	3.4	3.3	3.0	3.2	3.5	3.6	3.4	3.3	4.0	3.4	3.5	3.7	3.3	3.1	3.0	24	4.2	3.0	3.5	0	0	
19	2.8	3.1	3.6	2.9	2.2	2.5	2.3	2.7	3.0	2.7	2.7	3.4	3.4	3.3	3.5	3.3	3.4	4.5	4.8	4.0	3.6	3.8	3.7	24	4.8	2.2	3.3	0	0	
20	3.1	3.5	3.8	3.7	3.4	C	C	C	2.7	R	2.7	3.3	3.7	3.1	3.2	3.0	2.7	3.0	3.3	4.2	3.4	2.8	3.2	2.9	20	4.2	2.7	3.2	0	0
21	2.8	2.3	2.4	2.9	3.0	2.7	2.8	2.5	2.8	3.0	3.2	3.0	2.9	3.0	2.7	2.9	2.6	2.4	2.6	3.1	3.6	3.5	2.4	24	3.6	2.3	2.8	0	0	
22	2.5	2.4	2.6	2.8	2.6	2.7	2.7	2.6	3.0	2.9	2.8	2.4	2.5	2.7	2.6	2.8	2.5	2.6	2.8	2.9	2.7	2.7	3.6	24	3.6	2.4	2.7	0	0	
23	3.2	2.8	2.9	3.2	2.9	2.8	3.0	2.8	3.3	3.2	3.9	3.9	3.8	3.3	2.8	2.9	3.1	3.0	2.6	2.4	2.9	3.4	3.5	24	4.8	2.4	3.2	0	0	
24	3.2	2.7	1.2	2.3	2.6	2.9	3.2	3.3	2.3	2.5	2.5	3.3	3.3	3.8	3.6	3.2	3.0	3.2	3.3	2.8	3.3	3.5	3.1	24	4.1	1.2	3.0	0	0	
25	4.0	3.5	3.4	3.3	3.1	3.0	3.3	3.2	3.5	3.3	3.7	3.9	4.4	4.2	4.0	3.6	3.5	3.3	3.3	3.6	3.3	3.4	3.5	24	4.4	3.0	3.5	0	0	
26	3.9	4.1	3.4	3.7	3.9	3.6	3.7	3.7	4.0	3.8	3.5	3.8	3.8	3.9	3.5	3.7	3.8	3.1	3.7	3.2	3.3	3.4	3.5	24	4.1	3.1	3.6	0	0	
27	3.4	3																												

SO2 - Crago Road																															
September 2015																															
(µg/m³)																															
Day	Hour																														
Day	0	100	200	300	400	500	600	700	800	900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	Count	Maximum	Minimum	Average	Hrs>690	Days>275	
1	5.4	5.4	5.4	5.4	4.2	4.5	5.4	6.6	5.7	5.1	5.1	5.2	5.2	5.3	6.7	14.0	11.8	9.5	8.4	7.7	5.8	7.2	6.5	7.2	24	14.0	4.2	6.6	0	0	
2	5.9	6.7	6.6	6.4	6.2	6.5	6.0	7.1	7.2	5.9	5.8	6.1	6.2	6.3	6.2	6.4	6.6	6.8	7.0	7.0	6.8	6.0	7.2	24	7.2	5.8	6.5	0	0		
3	7.5	6.5	7.1	7.6	7.7	6.1	6.0	6.8	7.8	7.8	7.1	7.0	7.0	7.5	6.9	7.2	7.4	7.6	7.8	7.9	7.7	8.0	7.8	7.1	24	8.0	6.0	7.3	0	0	
4	8.0	8.2	8.6	8.3	7.2	7.6	7.7	7.5	8.9	24.5	14.3	11.2	9.7	9.1	9.0	9.1	8.8	8.6	13.8	12.6	10.2	8.9	9.0	8.9	24	24.5	7.2	10.0	0	0	
5	9.2	8.7	9.1	9.3	9.3	8.9	9.0	9.6	20.3	11.8	9.9	10.1	8.8	8.3	8.5	8.4	8.6	8.7	8.9	8.8	9.1	8.8	8.8	8.6	24	20.3	8.3	9.6	0	0	
6	8.3	8.3	8.0	9.5	9.3	8.4	9.9	9.4	9.0	8.9	8.6	9.9	10.9	9.4	9.2	9.5	9.3	9.7	9.7	9.9	9.6	9.9	10.4	10.5	24	10.9	8.0	9.4	0	0	
7	9.7	10.5	10.1	10.8	10.2	10.8	10.3	9.7	10.1	10.5	10.8	11.2	14.5	16.8	13.3	12.7	12.7	12.1	12.5	12.7	12.4	12.4	13.0	13.2	24	16.8	9.7	11.8	0	0	
8	12.5	13.3	13.0	14.0	13.4	14.2	13.9	13.9	14.1	14.0	14.1	15.2	15.4	17.7	18.1	17.2	17.3	17.4	17.4	17.6	17.7	18.4	18.2	24	18.4	12.5	15.6	0	0		
9	18.8	19.0	19.7	19.6	19.8	20.8	20.3	21.4	21.6	22.6	23.9	23.8	24.4	24.5	27.4	29.2	27.7	29.1	31.0	33.3	36.8	35.5	M	22	36.8	18.8	25.0	0	0		
10	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	0	0.0	0.0	0	0		
11	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	0	0.0	0.0	0	0		
12	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	0	0.0	0.0	0	0		
13	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	0	0.0	0.0	0	0		
14	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	0	0.0	0.0	0	0		
15	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	0	0.0	0.0	0	0		
16	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	0	0.0	0.0	0	0		
17	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	0	0.0	0.0	0	0		
18	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	0	0.0	0.0	0	0		
19	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	0	0.0	0.0	0	0		
20	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	0	0.0	0.0	0	0		
21	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	0	0.0	0.0	0	0		
22	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	0	0.0	0.0	0	0		
23	M	M	M	M	M	M	C	C	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	0	0.0	0.0	0	0		
24	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	0	0.0	0.0	0	0		
25	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	0	0.0	0.0	0	0		
26	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	0	0.0	0.0	0	0		
27	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	0	0.0	0.0	0	0		
28	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	0	0.0	0.0	0	0		
29	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	0	0.0	0.0	0	0		
30	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	0	0.0	0.0	0	0		
31																										214	9	8	9		
Count	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	8	8	214	9	8	9				
Maximum	18.8	19.0	19.7	19.6	19.8	20.8	20.3	21.4	21.6	24.5	23.9	23.8	24.4	24.5	27.4	29															



**Figure A-1 Time History Plots of Measured Hourly Average and 24-Hour Average SO<sub>2</sub> Concentrations– Crago Road Station**





**QUARTERLY AMBIENT AIR QUALITY MONITORING REPORT FOR THE DURHAM YORK ENERGY CENTRE  
(CRAGO ROAD STATION) – JULY TO SEPTEMBER 2015**

**APPENDIX B  
NO<sub>2</sub> Data Summaries and Time History Plots**




NO <sub>2</sub> - Crago Road July 2015 (µg/m <sup>3</sup> )																																
Day	Hour																								Count	Maximum	Minimum	Average	Hrs>400	Days>200		
		0	100	200	300	400	500	600	700	800	900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300							
1	4.9	5.3	0.0	0.0	0.0	0.0	3.3	1.5	2.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.6	3.7	24	5.3	0.0	1.1	0	0		
2	0.0	0.0	0.0	0.0	2.9	7.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20.2	5.2	4.0	1.2	24	20.2	0.0	1.7	0	0		
3	0.6	0.0	0.0	0.0	0.0	1.2	2.5	5.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.2	22.7	22.2	24	22.7	0.0	2.6	0	0		
4	11.1	7.1	9.4	4.0	3.9	0.0	0.0	0.0	0.0	0.0	1.8	0.9	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.3	5.2	13.1	16.1	10.5	24	16.1	0.0	3.5	0	0		
5	16.7	9.9	2.7	12.1	0.0	0.0	5.2	3.4	1.7	1.9	2.2	1.4	0.0	0.0	0.0	0.0	0.0	0.0	3.3	4.9	3.8	0.0	0.0	1.1	24	16.7	0.0	2.9	0	0		
6	8.5	5.6	5.1	19.9	28.7	21.9	22.5	17.0	1.1	10.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.6	12.8	0.0	0.0	0.0	0.0	0.0	24	28.7	0.0	6.6	0	0		
7	2.0	11.1	8.3	8.1	15.6	2.6	0.3	8.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	4.3	3.8	0.0	0.8	0.0	0.0	0.0	24	15.6	0.0	2.7	0	0	
8	0.0	0.0	0.0	0.0	2.0	4.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	30.2	41.3	24.6	21.5	24	41.3	0.0	5.2	0	0		
9	28.7	19.1	12.0	23.3	20.1	20.7	24.2	24.8	23.6	14.0	0.2	0.0	0.0	3.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	34.1	4.1	24	34.1	0.0	10.5	0	0
10	0.0	0.0	0.0	0.0	0.0	0.0	0.3	2.0	0.7	2.4	5.3	7.7	3.5	0.0	0.0	0.0	0.0	0.0	0.0	2.0	22.7	54.8	25.4	16.3	24	54.8	0.0	6.0	0	0		
11	13.3	10.4	5.0	2.9	2.3	23.4	12.1	7.7	1.9	5.9	8.3	7.2	1.3	0.0	0.0	0.0	0.0	0.0	0.0	1.9	2.0	0.3	1.9	10.2	24	23.4	0.0	4.9	0	0		
12	6.3	11.0	13.5	6.1	5.0	9.8	10.1	3.2	5.3	6.7	4.1	8.0	2.8	4.7	1.4	3.1	3.1	0.5	1.5	0.5	13.1	23.0	43.5	40.2	24	43.5	0.5	9.4	0	0		
13	32.3	13.4	10.1	29.2	25.2	16.2	14.2	12.0	0.5	0.0	0.0	0.0	0.0	2.9	2.9	0.0	0.0	0.0	0.0	1.6	13.9	12.3	0.8	24	32.3	0.0	7.8	0	0			
14	0.0	0.0	0.0	0.0	0.2	1.8	0.7	0.4	0.6	0.3	0.0	0.0	0.8	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0	0.8	0.0	0.0	24	1.8	0.0	0.3	0	0		
15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.5	17.0	1.9	0.0	0.0	24	17.0	0.0	0.9	0	0		
16	0.1	1.7	8.0	14.7	15.6	15.8	13.2	4.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.0	6.6	18.0	14.3	24	18.0	0.0	4.7	0	0	
17	15.9	8.3	4.5	4.2	11.4	3.1	1.9	0.6	0.0	0.0	0.0	0.0	0.5	1.2	0.0	0.0	4.7	6.7	0.0	7.6	12.1	13.5	15.2	24	15.9	0.0	4.7	0	0			
18	15.7	20.3	21.0	16.9	11.1	9.7	7.4	5.2	3.0	3.8	1.7	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	24	21.0	0.0	4.9	0	0		
19	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.7	0.0	0.0	0.0	24	2.7	0.0	0.1	0	0		
20	7.4	10.3	6.1	5.9	16.3	31.9	17.8	16.8	11.8	11.2	5.3	2.6	4.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	24	31.9	0.0	6.2	0	0		
21	0.0	0.0	1.1	0.0	12.2	8.9	1.6	2.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	7.9	27.9	19.0	13.9	24	27.9	0.0	4.0	0	0			
22	12.5	0.3	0.0	0.0	2.5	2.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8	6.7	16.9	19.6	18.7	24	19.6	0.0	3.4	0	0			
23	12.5	17.8	16.9	24.2	21.4	21.4	14.7	4.6	0.0	0.0	5.5	9.9	9.3	7.8	0.9	1.0	0.0	0.0	0.0	46.6	28.3	6.1	8.6	24	46.6	0.0	10.7	0	0			
24	8.0	2.0	0.0	7.5	19.2	20.4	14.2	18.1	20.7	15.8	19.2	6.6	0.8	0.0	0.0	0.6	1.3	0.2	0.0	2.1	0.0	0.0	0.0	0.0	24	20.7	0.0	6.5	0	0		
25	0.0	1.6	0.0	0.0	7.2	12.4	4.1	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	4.3	7.2	11.9	5.8	11.0	24	12.4	0.0	2.8	0	0		
26	7.1	12.2	9.3	4.6																												

NO <sub>2</sub> - Crago Road August 2015 (µg/m <sup>3</sup> )																																
Day	Hour																								Count	Maximum	Minimum	Average	Hrs>400	Days>200		
		0	100	200	300	400	500	600	700	800	900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300							
1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	5.6	1.9	24	5.6	0.0	0.4	0	0		
2	6.7	7.6	6.7	1.8	12.4	4.8	3.4	3.5	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	9.6	1.6	0.0	0.0	24	12.4	0.0	2.5	0	0		
3	0.0	0.0	0.0	0.0	0.0	0.0	1.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11.0	17.4	1.3	3.4	24	17.4	0.0	1.4	0	0		
4	8.5	11.6	9.4	10.7	1.0	0.0	9.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	0.6	0.0	0.0	14.0	26.6	14.8	17.1	24	26.6	0.0	5.2	0	0		
5	22.6	7.1	0.0	0.0	7.8	9.1	6.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.4	4.6	24	22.6	0.0	2.4	0	0		
6	6.9	1.6	1.0	7.1	8.2	10.0	6.8	6.4	1.8	0.0	0.0	1.7	2.1	0.0	0.0	0.0	0.0	0.0	0.0	5.0	50.1	33.1	16.8	0.1	24	50.1	0.0	6.6	0	0		
7	0.0	0.0	0.0	0.0	0.0	8.6	3.7	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17.7	15.2	9.3	24	17.7	0.0	2.3	0	0		
8	7.0	1.4	3.0	0.0	1.9	0.5	0.0	0.0	3.0	5.8	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.9	9.5	4.4	0.0	24	9.5	0.0	1.7	0	0	
9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	28.0	23.3	19.4	14.2	24	28.0	0.0	3.6	0	0
10	10.0	2.2	11.9	9.2	16.7	15.5	12.6	3.2	0.2	0.0	0.0	0.0	0.0	6.0	6.2	0.0	5.9	0.0	0.0	11.4	4.8	2.8	5.1	24	16.7	0.0	5.2	0	0			
11	0.0	0.0	0.3	2.4	1.5	3.3	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.0	0.0	24	3.3	0.0	0.4	0	0		
12	0.0	3.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.5	7.3	3.0	4.3	24	7.3	0.0	0.9	0	0	
13	14.8	18.4	18.7	16.9	13.9	16.4	11.0	1.1	0.3	6.3	9.8	3.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	24	18.7	0.0	5.4	0	0		
14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.7	9.1	21.5	24	21.5	0.0	1.8	0	0		
15	7.7	0.8	2.7	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12.4	13.0	17.5	3.3	24	17.5	0.0	2.4	0	0	
16	1.9	6.0	4.7	0.9	0.0	2.4	2.3	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	24	6.0	0.0	0.8	0	0		
17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	24	0.0	0.0	0.0	0	0		
18	2.3	5.8	0.0	6.9	16.6	15.4	9.8	7.5	3.4	0.0	0.0	0.0	0.0	1.2	3.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.7	19.7	24	19.7	0.0	4.1	0	0		
19	12.1	3.4	5.1	4.1	6.8	17.5	15.6	2.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	9.4	0.0	0.0	24	17.5	0.0	3.2	0	0	
20	0.0	0.0	0.0	0.0	0.0	C	C	C	C	1.3	5.2	5.0	14.9	4.8	1.2	2.1	0.0	0.0	0.7	1.5	2.0	4.8	19.0	19	19.0	0.0	3.3	0	0			
21	21.1	15.0	15.5	13.5	5.2	4.3	6.3	17.8	15.1	9.1	6.3	4.7	3.4	3.7	3.4	5.4	3.6	3.9	4.8	16.1	26.5	25.4	23.1	16.4	24	26.5	3.4	11.2	0	0		
22	14.9	14.7	17.0	13.1	9.8	10.2	11.5	3.7	1.2	2.0	0.1	0.0	0.3	0.0	0.6	0.0	0.0	0.0	9.6	6.4	22.5	24.2	14.8	11.3	24	24.2	0.0	7.8	0	0		
23	14.1	17.3	13.3	13.1	7.4	6.0	10.0	3.3	6.2	1.5	1.7	0.4	0.0	0.2	0.2	0.0	0.5	0.1	0.3	3.5	3.9	5.1	2.0	24	17.3	0.0	4.6	0	0			
24	0.9	1.9	3.0	4.1	4.4	5.4	14.6	7.2	4.2	4.3	3.6	3.1	1.7	1.1	1.1	1.2	0.8	1.2	0.8	1.0	2.4	2.4	2.5	9.5	24	14.6	0.8	3.4	0	0		
25	6.5	6.8	3.2	18.6	17.8	9.6	14.4	11.9	10.6	10.4	8.6	7.7	4.3	3.7	1.1	1.3	2.0	6.9	6.5	8.8	13.9	16.3	27.0	18.7	24	27.0	1.1	9.9	0	0		
26	16.8	15.9	17.3	12.3	35.7</td																											

NO <sub>2</sub> - Crago Road																															
September 2015																															
(µg/m <sup>3</sup> )																															
Hour																															
Day	0	100	200	300	400	500	600	700	800	900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	Count	Maximum	Minimum	Average	Hrs>400	Days>200	
1	11.9	5.8	3.5	10.0	13.1	27.9	39.5	26.3	17.0	22.3	12.4	4.1	3.4	2.7	8.0	6.9	11.1	11.6	22.8	13.6	18.3	49.3	59.5	35.5	24	59.5	2.7	18.2	0	0	
2	32.8	32.5	43.1	35.3	30.9	41.7	30.6	31.7	23.8	17.8	11.4	6.6	4.2	3.9	7.6	4.9	11.5	4.2	17.2	17.3	29.8	35.4	32.5	61.6	24	61.6	3.9	23.7	0	0	
3	56.6	30.4	17.7	18.2	17.4	14.2	10.1	5.8	4.4	6.1	8.3	4.8	6.4	2.7	3.3	4.8	2.3	8.5	6.9	19.6	8.4	14.3	13.0	26.8	24	56.6	2.3	13.0	0	0	
4	22.3	11.8	10.0	14.8	26.9	21.9	21.1	11.7	15.1	33.4	11.2	7.6	6.0	4.4	2.9	4.1	3.3	4.1	17.5	9.7	29.8	11.2	8.8	7.7	24	33.4	2.9	13.2	0	0	
5	8.1	8.4	8.3	7.2	6.2	7.5	8.3	13.8	24.7	6.7	3.8	2.7	2.2	2.7	2.6	2.0	1.8	1.2	5.0	0.6	1.9	21.4	6.3	7.7	24	24.7	0.6	6.7	0	0	
6	11.6	7.5	9.3	10.2	10.7	5.6	7.0	4.9	4.0	1.5	1.3	0.7	1.6	1.0	0.6	1.7	2.8	4.5	2.0	3.9	3.7	5.6	7.8	2.2	24	11.6	0.6	4.7	0	0	
7	4.7	2.6	1.8	5.4	1.7	2.5	5.6	4.6	3.7	4.2	1.3	1.6	1.3	0.0	0.0	2.4	4.9	2.3	3.3	4.4	4.4	17.6	6.5	5.6	24	17.6	0.0	3.9	0	0	
8	12.3	14.0	8.9	3.1	11.9	24.6	13.0	4.8	5.2	3.7	3.6	5.3	3.3	1.4	5.0	5.7	5.5	3.4	5.8	11.8	9.0	3.6	2.7	8.6	24	24.6	1.4	7.3	0	0	
9	5.8	4.2	5.8	13.2	21.9	17.5	39.3	26.2	6.3	8.3	4.2	4.8	3.3	3.2	2.7	7.7	4.8	6.7	9.0	15.1	16.8	14.7	22.2	21.3	24	39.3	2.7	11.9	0	0	
10	18.7	16.1	8.4	10.0	14.5	21.7	20.2	15.5	15.1	5.1	2.2	4.9	2.4	3.1	2.3	2.8	4.4	3.6	8.2	35.7	52.3	48.9	36.9	29.1	24	52.3	2.2	15.9	0	0	
11	25.3	29.6	20.6	27.8	21.9	35.2	23.2	16.7	7.4	2.4	2.1	2.0	3.8	3.4	5.4	5.3	5.4	6.8	3.9	3.8	2.2	3.2	2.4	2.1	24	35.2	2.0	10.9	0	0	
12	2.2	1.3	2.5	1.5	0.7	2.5	4.4	3.4	1.4	0.4	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.5	0.0	0.0	0.0	24	4.4	0.0	0.9	0	0	
13	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	1.4	1.5	4.3	3.9	6.3	2.2	5.7	24	9.9	0.0	1.5	0	0
14	5.4	3.4	2.1	9.6	11.4	22.1	31.6	17.3	11.8	12.5	9.2	3.8	2.9	1.6	0.8	2.1	1.0	2.1	4.9	3.4	54.3	57.1	64.2	58.6	24	64.2	0.8	16.4	0	0	
15	58.4	53.0	51.3	45.6	48.7	53.2	52.2	41.6	44.9	25.8	18.4	17.1	10.2	6.8	3.7	5.8	9.9	4.4	9.1	5.0	2.5	8.0	7.4	11.9	24	58.4	2.5	24.8	0	0	
16	6.3	21.7	36.9	33.8	33.0	34.3	29.7	42.4	38.8	35.1	21.0	14.3	7.4	3.8	6.5	4.5	4.7	9.9	13.9	11.8	41.9	68.4	48.4	25.5	24	68.4	3.8	24.8	0	0	
17	42.6	38.0	60.3	38.9	57.4	61.4	55.0	56.4	12.1	11.9	14.2	8.0	4.4	6.1	5.5	5.9	12.3	10.6	16.4	8.7	9.0	20.4	22.4	13.0	24	61.4	4.4	24.6	0	0	
18	21.9	30.4	28.8	27.9	54.6	62.0	57.8	27.0	16.8	8.7	8.7	6.8	6.0	13.7	12.1	10.0	9.0	4.8	7.4	20.4	22.4	19.6	30.3	28.7	24	62.0	4.8	22.3	0	0	
19	13.6	10.1	15.8	19.8	19.8	12.8	10.5	9.6	1.7	5.9	3.4	2.3	2.6	1.6	3.3	5.9	1.2	0.1	1.1	1.5	1.6	1.2	3.6	4.3	24	19.8	0.1	6.4	0	0	
20	2.4	4.3	7.4	4.7	2.0	2.7	2.2	1.3	0.0	1.2	0.0	0.6	2.8	0.0	0.0	0.8	0.0	0.0	8.4	38.2	30.8	24.6	26.1	17.9	24	38.2	0.0	7.4	0	0	
21	14.5	21.8	15.2	12.7	15.9	23.6	22.2	22.5	14.0	11.9	7.7	8.1	1.5	3.2	3.8	0.9	0.0	0.0	0.9	5.3	37.6	43.7	34.1	24.9	24	43.7	0.0	14.4	0	0	
22	10.3	10.4	14.9	23.4	31.8	34.4	31.4	27.2	16.9	4.1	4.3	4.3	4.7	2.4	1.2	1.3	2.6	7.1	9.0	2.9	40.9	54.2	34.6	33.6	24	54.2	1.2	17.0	0	0	
23	26.1	19.9	23.9	22.1	34.9	43.2	26.3	C	C	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	7	43.2	19.9	0	0	0	0
24	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	0	0.0	0.0	0	0	0	0	
25	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	0	0.0	0.0	0	0	0	0	
26	M	M	M	M	M																										



**Figure B-1 Time History Plots of Measured Hourly Average and 24-Hour Average NO<sub>2</sub> Concentrations – Crago Road Station**





**QUARTERLY AMBIENT AIR QUALITY MONITORING REPORT FOR THE DURHAM YORK ENERGY CENTRE  
(CRAGO ROAD STATION) – JULY TO SEPTEMBER 2015**

**APPENDIX C  
NOx Data Summaries and Time History Plots**












**Figure C-1 Time History Plots of Measured Hourly Average and 24-Hour Average NO<sub>x</sub> Concentrations – Crago Road Station**





**QUARTERLY AMBIENT AIR QUALITY MONITORING REPORT FOR THE DURHAM YORK ENERGY CENTRE  
(CRAGO ROAD STATION) – JULY TO SEPTEMBER 2015**

**APPENDIX D  
PM2.5 Data Summaries and Time History Plot**




		PM <sub>2.5</sub> - Crago Road July 2015 (µg/m <sup>3</sup> )																														
Hour		Day	0	100	200	300	400	500	600	700	800	900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	Count	Maximum	Minimum	Average		
1	14.7	12.7	5.9	4.4	0.0	4.2	4.8	6.7	16.9	2.9	1.6	1.6	2.8	3.6	3.7	3.4	3.8	5.1	5.0	4.6	4.8	8.2	7.5	6.3	24	16.9	0.0	5.6				
2	4.7	4.4	4.0	3.5	2.8	2.8	1.8	0.2	1.7	1.7	3.0	4.0	4.5	5.4	2.9	2.2	2.4	3.1	2.2	4.2	5.7	5.3	4.7	4.5	24	5.7	0.2	3.4				
3	4.7	4.4	4.3	4.3	4.6	4.5	4.2	3.5	3.0	3.8	4.1	4.3	4.2	4.6	3.1	2.6	2.2	2.1	2.2	2.4	4.0	5.3	8.5	8.6	24	8.6	2.1	4.1				
4	10.1	7.3	6.8	5.7	4.4	4.6	3.9	3.2	2.5	2.2	3.2	3.3	4.1	2.7	2.7	2.8	2.3	2.4	4.5	7.9	7.6	8.4	12.3	19.1	24	19.1	2.2	5.6				
5	17.3	20.1	15.9	14.3	14.2	14.0	14.7	14.4	13.5	11.2	5.7	15.4	15.0	14.8	17.6	12.6	11.5	12.4	13.4	13.2	14.5	15.5	15.8	15.9	24	20.1	5.7	14.3				
6	17.2	17.4	18.6	20.3	0.0	21.0	22.2	22.2	20.9	22.6	22.6	21.2	20.7	19.2	18.8	16.4	16.5	0.0	0.0	16.7	15.5	16.0	15.5	13.3	24	22.6	0.0	16.5				
7	12.0	17.4	17.5	17.1	15.3	16.6	17.1	15.8	0.0	8.9	12.8	18.7	23.7	23.1	19.5	20.1	21.6	12.5	11.5	0.9	0.8	1.8	1.3	0.6	24	23.7	0.0	12.8				
8	1.4	2.3	3.1	5.4	0.0	7.9	6.5	5.8	4.2	2.6	3.8	6.2	5.8	0.0	5.5	5.0	3.6	3.0	3.4	4.2	5.6	5.8	5.5	5.9	24	7.9	0.0	4.3				
9	6.8	7.2	7.8	1.2	3.6	0.4	2.6	0.1	11.2	8.5	10.9	10.7	10.1	9.8	8.5	8.1	8.7	9.7	9.3	10.0	12.4	12.2	13.3	8.6	24	13.3	0.1	8.0				
10	6.7	5.8	5.8	5.7	6.2	7.3	7.3	7.1	0.0	8.5	9.3	10.3	10.3	9.1	8.6	8.4	7.6	6.8	7.4	8.0	8.4	9.4	8.6	8.2	24	10.3	0.0	7.5				
11	8.1	8.1	7.8	8.5	0.0	10.0	10.3	9.7	9.0	10.0	11.9	12.5	10.2	10.5	10.2	9.0	6.8	6.2	6.4	8.7	9.9	9.4	10.4	13.8	24	13.8	0.0	9.1				
12	15.1	16.4	16.7	16.3	0.0	14.4	12.0	11.8	13.4	14.5	18.6	19.9	21.7	21.5	18.9	18.2	17.8	18.0	14.7	13.1	13.8	15.8	16.8	17.3	24	21.7	0.0	15.7				
13	18.8	17.9	17.2	18.1	0.0	15.8	15.6	13.5	0.0	9.9	10.8	13.1	15.6	16.5	16.7	16.2	17.7	17.1	14.7	14.0	16.4	16.0	14.7	13.7	24	18.8	0.0	14.2				
14	12.0	6.7	4.8	4.5	4.5	7.5	11.0	11.8	11.0	9.1	9.3	8.6	8.5	8.0	7.8	6.6	6.3	5.1	3.4	3.1	5.6	5.2	4.1	4.1	24	12.0	3.1	7.0				
15	2.6	1.2	1.0	0.8	1.0	1.1	1.2	1.1	1.2	0.9	1.3	1.4	1.7	1.4	1.0	0.9	1.0	1.1	1.2	1.4	2.3	1.8	1.8	1.6	24	2.6	0.8	1.3				
16	1.8	1.9	2.2	2.6	2.7	3.2	3.5	3.9	2.0	1.7	1.9	2.1	2.1	1.9	1.7	1.6	2.0	2.7	2.6	2.7	5.9	3.7	4.0	4.0	24	5.9	1.6	2.7				
17	3.9	3.1	3.3	3.2	3.2	3.0	2.6	2.2	2.3	2.8	2.5	2.6	2.7	4.1	5.3	4.8	5.1	5.1	5.4	5.0	5.0	6.0	5.7	6.4	24	6.4	2.2	4.0				
18	8.3	7.5	9.1	9.1	0.0	10.8	13.3	12.1	12.2	14.9	16.9	12.7	9.0	12.2	9.7	10.4	10.6	11.1	11.0	11.5	10.4	8.1	8.0	7.0	24	16.9	0.0	10.2				
19	6.7	7.2	7.8	8.6	9.2	7.6	7.1	6.9	6.9	6.0	5.2	5.0	5.6	6.7	8.0	8.4	7.4	6.5	5.6	7.4	8.8	6.6	5.4	5.0	24	9.2	5.0	6.9				
20	5.7	5.8	5.8	5.6	0.0	6.7	5.4	6.0	0.0	5.6	4.9	6.1	7.9	6.8	7.0	6.3	6.5	5.5	5.2	5.2	5.6	6.0	5.9	6.1	24	7.9	0.0	5.5				
21	5.6	4.4	4.7	5.3	6.0	4.8	3.4	3.7	0.0	2.6	2.3	2.5	2.2	2.4	2.5	0.4	2.4	2.0	2.6	3.6	3.9	4.5	4.5	24	6.0	0.0	3.4					
22	4.4	2.7	2.1	2.1	2.0	2.1	2.0	1.8	1.8	1.6	1.6	1.8	1.8	1.7	1.7	1.8	2.1	1.9	2.1	2.2	2.8	3.2	3.5	4.3	24	4.4	1.6	2.3				
23	3.8	3.7	4.4	5.0	5.0	4.9	4.4	3.3	2.4	2.1	2.3	2.5	3.1	2.7	2.4	2.1	2.0	1.6	1.6	1.7	2.4	3.2	2.9	2.7	24	5.0	1.6	3.0				
24	2.3	2.0	2.2	2.6	3.5	3.7	3.7	3.4	4.9	4.8	5.1	3.7	3.5	4.1	4.6	4.6	4.4	4.5	4.5	4.4	4.8	5.4	5.2	3.8	24	5.4	0.9	3.8				
25	1.8	6.1	5.0	5.0	5.5	6.1	6.8	7.8	7.9	7.6	7.3	7.6	7.7	8.4	10.9	9.1	9.3	9.2	10.6	11.9	16.0	12.9	15.0	19.0	24	19.0	1.8	8.9				
26	19.5	13.5	8.8	6.8	10.3	14.8	14.3	12.2	9.6	11.0	10.3	11.2	12.6	11.4	7.6	7.3	6.4	5.6	5.3	6.5	7.6	7.3	8.3	8.4	24	19.5	5.3	9.9				
27	9.5	9.2	10.7	9.2	0.0	9.3	8.8	8.5	8.6	8.7	11.0	10.6	35.7	13.0	9.7	8.6	9.0	9.0	9.1	8.												

PM <sub>2.5</sub> - Crago Road August 2015 (µg/m <sup>3</sup> )																															
Day	Hour																									Count	Maximum	Minimum	Average		
		0	100	200	300	400	500	600	700	800	900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300						
1	7.0	7.4	6.7	6.8	0.0	5.1	4.7	5.1	5.2	3.7	3.4	4.4	4.2	3.8	3.0	3.7	3.7	2.8	2.2	2.4	2.5	4.1	6.1	6.4	24	7.4	0.0	4.4			
2	9.2	10.7	10.1	8.8	10.1	9.2	6.8	6.1	6.4	6.9	8.3	7.4	5.9	3.9	2.9	3.2	4.6	4.9	4.0	5.7	6.8	3.4	4.4	4.5	24	10.7	2.9	6.4			
3	3.6	2.3	2.2	1.4	1.6	1.5	1.8	1.7	1.4	2.1	3.5	4.2	4.5	4.0	3.6	3.4	2.6	3.5	4.0	4.2	5.5	3.5	3.9	24	5.5	1.4	3.0				
4	4.5	4.2	4.2	4.7	0.0	3.3	3.4	2.1	2.2	1.8	2.3	2.9	2.7	2.5	2.5	4.7	2.8	2.2	2.4	2.1	3.6	4.4	6.1	7.7	24	7.7	0.0	3.3			
5	7.6	4.7	3.3	3.0	3.0	2.8	2.7	1.6	0.0	1.8	1.9	2.1	2.2	2.4	1.5	2.0	2.1	1.5	1.3	1.3	0.7	1.8	24	7.6	0.0	2.3					
6	1.9	1.6	1.6	2.2	2.2	2.8	2.4	3.0	3.7	2.1	0.8	3.5	1.0	3.2	2.6	2.1	2.8	2.4	0.1	4.0	6.1	6.5	4.5	1.9	24	6.5	0.1	2.7			
7	0.6	3.6	3.8	3.9	1.1	2.6	4.3	1.9	1.8	1.9	1.9	0.0	3.7	3.2	2.9	2.4	2.4	2.6	2.8	4.3	4.3	4.7	5.4	5.2	24	5.4	0.0	3.0			
8	5.0	4.1	4.8	4.5	4.1	2.0	0.9	4.0	5.5	4.7	3.6	2.8	2.1	2.9	4.3	2.4	2.8	2.1	2.8	7.6	13.4	5.6	9.2	24	13.4	0.9	4.3				
9	5.7	4.5	4.5	4.4	0.0	0.1	3.3	2.3	1.4	1.2	1.3	1.3	1.2	1.2	1.3	1.8	1.9	1.7	1.8	2.4	4.7	4.9	6.9	7.3	24	7.3	0.0	2.8			
10	6.6	4.7	4.9	5.5	1.5	3.6	2.6	4.3	4.3	4.0	4.2	4.4	4.4	4.9	7.7	6.9	5.7	7.5	6.5	5.2	4.5	4.1	5.1	6.0	24	7.7	1.5	5.0			
11	5.7	5.9	7.3	6.2	5.8	5.2	4.5	3.6	3.5	2.8	3.0	3.3	2.9	3.0	3.8	4.3	5.1	6.8	7.7	2.6	2.8	3.9	3.7	2.6	24	7.7	2.6	4.4			
12	2.9	2.4	2.3	2.3	0.0	1.9	1.3	0.9	1.1	1.1	1.0	1.2	1.2	1.6	1.8	2.0	0.4	0.1	1.1	1.9	2.8	2.9	2.7	2.9	24	2.9	0.0	1.7			
13	4.5	4.9	5.6	6.0	5.2	5.0	4.6	3.4	2.9	2.7	2.6	3.1	2.2	0.4	2.5	3.1	3.8	4.4	3.7	3.2	3.3	3.9	5.3	24	6.0	0.4	3.7				
14	5.3	4.6	4.6	5.1	5.5	5.9	6.0	7.5	9.0	10.6	10.2	9.6	7.2	8.2	10.4	10.1	8.1	6.5	7.0	8.4	10.3	14.0	18.0	24	18.0	4.6	8.7				
15	9.8	6.3	5.0	4.4	4.2	3.8	3.7	4.0	3.8	3.0	4.4	4.1	3.6	3.4	4.7	4.8	4.6	5.6	7.6	7.7	9.1	13.2	15.0	13.0	24	15.0	3.0	6.2			
16	14.6	17.8	16.7	16.1	12.0	11.3	11.7	8.6	14.4	8.5	17.3	18.0	12.5	10.3	6.4	6.0	6.7	6.2	5.6	6.0	7.1	9.1	11.6	10.7	24	18.0	5.6	11.1			
17	10.4	10.1	9.4	8.9	0.0	10.8	10.3	9.2	9.2	8.6	8.8	10.1	10.7	11.6	12.9	12.6	12.7	12.0	12.4	15.1	15.3	14.9	14.5	15.1	24	15.3	0.0	11.1			
18	15.4	15.4	16.5	18.6	0.0	18.1	17.6	20.7	23.3	22.5	21.7	19.4	18.0	7.5	6.8	6.1	6.1	8.1	8.5	9.7	8.5	9.6	14.8	24	23.3	0.0	13.3				
19	11.3	11.5	11.3	9.9	9.7	11.3	12.2	11.5	11.4	11.1	11.9	12.6	11.0	11.6	12.6	11.5	9.2	7.7	11.4	8.3	5.3	6.0	4.7	5.0	24	12.6	4.7	10.0			
20	4.6	4.7	5.0	5.3	5.8	C	C	2.3	2.8	2.5	3.9	1.7	0.4	3.1	1.8	1.5	1.3	0.9	0.9	2.2	2.6	3.0	2.3	2.8	22	5.8	0.4	2.8			
21	2.8	2.4	2.4	1.9	1.6	2.2	1.5	2.2	2.2	1.5	1.1	1.6	1.4	1.1	1.2	1.5	1.4	1.3	1.6	2.2	2.7	4.0	4.7	4.5	24	4.7	1.1	2.1			
22	3.8	2.7	2.6	2.0	2.4	2.1	1.9	2.0	2.9	2.6	1.5	1.4	1.4	1.5	1.6	1.3	1.4	1.4	1.4	2.4	6.1	7.3	10.1	24	10.1	1.3	2.7				
23	15.1	6.1	6.4	6.1	5.1	4.4	3.6	2.8	2.6	2.3	2.9	2.9	2.2	2.0	1.7	1.6	1.6	1.6	1.8	1.8	3.8	3.3	3.4	24	15.1	1.6	3.6				
24	5.0	5.1	5.5	6.0	0.0	7.4	9.5	8.5	0.0	5.1	4.9	5.2	4.9	4.5	3.9	4.0	4.5	4.7	4.6	4.2	4.4	3.8	3.9	4.5	24	9.5	0.0	4.8			
25	3.8	2.9	2.5	3.0	3.3	3.6	4.0	4.0	3.2	2.8	2.7	2.4	2.7	2.9	0.5	2.7	4.5	4.1	3.0	2.9	2.8	2.3	2.4	3.2	24	4.5	0.5	3.0			
26	3.6	3.8	4.3	4.5	4.7	5.0	4.9	4.8	2.6	1.6	1.1	1.5	1.6	1.6	1.8	1.9	2.8	3.2	3.1	2.8	3.0	2.7	2.5	2.0	24	5.0	1.1	3.0			
27	0.1	1.8	1.7	1.4	1.7	1.7	1.9	1.8	1.5	1.4	1.6	1.6	1.6	1.6	1.8																





**Figure D-1 Time History Plot of Measured 24-Hour Average PM<sub>2.5</sub> Concentrations – Crago Road Station**





**QUARTERLY AMBIENT AIR QUALITY MONITORING REPORT FOR THE DURHAM YORK ENERGY CENTRE  
(CRAGO ROAD STATION) – JULY TO SEPTEMBER 2015**

**APPENDIX E  
Continuous Parameter Edit Logs**



EDIT LOG TABLE

### Examples of Acceptable Edit Actions:

Add offset of

## Delete hours

## Zero Correction

## Slope Correction

## Manual data entry

#### In invalidating span & zero check data

#### Invalidating data due to equipment

#### Invalidate data when instrumentation off-line

### **Marking data as out-of-range**

#### Marking data as Out of Range

## EDIT LOG TABLE

Project Name	Durham York Energy Centre Ambient Air Monitoring Program							
Contact	Greg Crooks / Connie Lim / Tim Hung	Phone:	905-944-7777	E-mail:	greg.crooks@stantec.com, connie.lim@stantec.com, tim.hung@stantec.com			
Station number:	N/A	Station Name:	Crago Road					
Station address:	Crago Road	Emitter Address:	The Region of Durham, 605 Rossland Rd, Whitby, ON					
Pollutant or para	NOx	Instrument make & model:	API Model 200E Chemiluminescence Analyzer		Serial Number:	1424		
Data edit period	Start date:	1-Jan-15	End date:	31-Dec-15	Time Zone : EST			
Edit #	Edit date	Editor's Name	Edit Action	Starting Date (dd/mm/yyyy)	Hour (xx:xx)	Ending Date (dd/mm/yyyy)	Hour (xx:xx)	Reason
1	24-Apr-15	TH	Invalidate Data	23/01/2015	08:00	23/01/2015	10:00	Monthly calibration
2	24-Apr-15	TH	Invalidate Data	27/02/2015	13:00	27/02/2015	13:00	Monthly calibration
3	24-Apr-15	TH	Invalidate Data	26/03/2015	09:00	26/03/2015	10:00	Monthly calibration
4	5-Jun-15	TH	Invalidate Data	23/04/2015	07:00	23/04/2015	08:00	Monthly calibration
5	5-Jun-15	TH	Invalidate Data	11/5/2015	13:00	11/5/2015	16:00	Monthly calibration
6	30-Jul-15	TH	Invalidate Data	30/06/2015	06:00	30/06/2015	06:00	Monthly calibration
7	9-Oct-15	TH	Invalidate Data	31/07/2015	06:00	31/07/2015	09:00	Monthly calibration
8	9-Oct-15	TH	Invalidate Data	20/08/2015	05:00	20/08/2015	09:00	Monthly calibration
9	9-Oct-15	TH	Invalidate Data	23/09/2015	07:00	23/09/2015	08:00	Monthly calibration
10	9-Oct-15	TH	Invalidate Data	23/09/2015	09:00	30/09/2015	23:00	Monitor removed for annual maintenance

Examples of Acceptable Edit Actions:

Add offset of

Invalidating span &amp; zero check data

Delete hours

Invalidating data due to equipment malfunctions and power failures.

Zero Correction

Invalidating data when instrumentation off-line

Slope Correction

Marking data as out-of-range

Manual data entry for missing, but collected data

## EDIT LOG TABLE

<b>Project Name</b>	<b>Durham York Energy Centre Ambient Air Monitoring Program</b>									
Contact	Greg Crooks / Connie Lim / Tim Hung	Phone:	905-944-7777	E-mail:	greg.crooks@stantec.com, connie.lim@stantec.com, tim.hung@stantec.com					
Station number:	N/A		Station Name:	Crago Road						
Station address:	Crago Road		Emitter Address:	The Region of Durham, 605 Rossland Rd, Whitby, ON						
Pollutant or parameter:	PM2.5	Instrument make & model:		Thermo Sharp 5030 Synchronized Hybrid Ambient Real-time	Serial Number:	CM 0269				
Data edit period	Start date:	1-Jan-15	End date:	31-Dec-15	Time Zone : EST					
Edit #	Edit date	Editor's Name	Edit Action	Starting Date (dd/mm/yyyy)	Hour (xx:xx)	Ending Date (dd/mm/yyyy)	Reason			
1	24-Apr-15	TH	Invalidate Data	31/12/2014	00:00	23/01/2015	11:00			
2	24-Apr-15	TH	Invalidate Data	27/02/2015	13:00	27/02/2015	13:00			
3	24-Apr-15	TH	Invalidate Data	14/03/2015	11:00	26/03/2015	12:00			
4	5-Jun-15	TH	Invalidate Data	10/4/2015	00:00	23/04/2015	11:00			
5	5-Jun-15	TH	Invalidate Data	11/5/2015	13:00	11/5/2015	16:00			
6	3-Jul-15	TH	Invalidate Data	27/03/2015	00:00	29/03/2015	23:00			
7	30-Jul-15	TH	Invalidate Data	30/06/2015	06:00	30/06/2015	06:00			
8	3-Sep-15	CL	Replace Data	9-May-15	17:00	11-May-15	10:00			
9	3-Sep-15	CL	Replace Data	18-May-15	12:00	19-May-15	05:00			
10	3-Sep-15	CL	Replace Data	26-May-15	11:00	28-May-15	15:00			
11	3-Sep-15	CL	Replace Data	30-May-15	06:00	31-May-15	03:00			
12	3-Sep-15	CL	Replace Data	5-Jun-15	09:00	6-Jun-15	09:00			
13	3-Sep-15	CL	Replace Data	8-Jun-15	05:00	10-Jun-15	03:00			
14	3-Sep-15	CL	Replace Data	10-Jun-15	06:00	11-Jun-15	06:00			
15	3-Sep-15	CL	Replace Data	11-Jun-15	14:00	17-Jun-15	03:00			
16	3-Sep-15	CL	Replace Data	18-Jun-15	18:00	19-Jun-15	13:00			
17	3-Sep-15	CL	Replace Data	21-Jun-15	01:00	26-Jun-15	17:00			
18	3-Sep-15	CL	Replace Data	28-Jun-15	01:00	30-Jun-15	02:00			
19	3-Sep-15	CL	Replace Data	30-Jun-15	09:00	30-Jun-15	23:00			
20	12-Sep-15	CL	Replace Data	2-Apr-15	19:00	10-Apr-15	11:00			
21	12-Sep-15	CL	Invalidate Data	6-Apr-15	00:00	6-Apr-15	00:05			
22	9-Oct-15	TH	Invalidate Data	31/07/2015	06:00	31/07/2015	06:00			
23	9-Oct-15	TH	Invalidate Data	20/08/2015	05:00	20/08/2015	06:00			
24	9-Oct-15	TH	Invalidate Data	23/09/2015	06:00	23/09/2015	07:00			
25	9-Oct-15	TH	Invalidate Data	23/09/2015	08:00	30/09/2015	23:00			
26	9-Nov-15	TH	Replace Data	1-Jul-15	00:00	1-Jul-15	03:00			
27	9-Nov-15	TH	Replace Data	1-Jul-15	05:00	2-Jul-15	06:00			
28	9-Nov-15	TH	Replace Data	5-Jul-15	11:00	6-Jul-15	03:00			
29	9-Nov-15	TH	Replace Data	6-Jul-15	05:00	6-Jul-15	16:00			
30	9-Nov-15	TH	Replace Data	6-Jul-15	19:00	7-Jul-15	07:00			
31	9-Nov-15	TH	Replace Data	7-Jul-15	09:00	8-Jul-15	03:00			
32	9-Nov-15	TH	Replace Data	8-Jul-15	05:00	8-Jul-15	12:00			
33	9-Nov-15	TH	Replace Data	8-Jul-15	14:00	9-Jul-15	02:00			
34	9-Nov-15	TH	Replace Data	9-Jul-15	08:00	10-Jul-15	07:00			
35	9-Nov-15	TH	Replace Data	10-Jul-15	09:00	11-Jul-15	03:00			
36	9-Nov-15	TH	Replace Data	11-Jul-15	05:00	12-Jul-15	03:00			
37	9-Nov-15	TH	Replace Data	12-Jul-15	05:00	13-Jul-15	03:00			
38	9-Nov-15	TH	Replace Data	13-Jul-15	05:00	13-Jul-15	07:00			
39	9-Nov-15	TH	Replace Data	13-Jul-15	09:00	15-Jul-15	02:00			
40	9-Nov-15	TH	Replace Data	17-Jul-15	09:00	18-Jul-15	03:00			
41	9-Nov-15	TH	Replace Data	18-Jul-15	05:00	20-Jul-15	03:00			
42	9-Nov-15	TH	Replace Data	20-Jul-15	05:00	20-Jul-15	07:00			
43	9-Nov-15	TH	Replace Data	20-Jul-15	09:00	21-Jul-15	07:00			
44	9-Nov-15	TH	Replace Data	21-Jul-15	09:00	21-Jul-15	14:00			
45	9-Nov-15	TH	Replace Data	25-Jul-15	01:00	27-Jul-15	03:00			
46	9-Nov-15	TH	Replace Data	27-Jul-15	05:00	28-Jul-15	03:00			
47	9-Nov-15	TH	Replace Data	28-Jul-15	05:00	31-Jul-15	05:00			

Project Name	Durham York Energy Centre Ambient Air Monitoring Program								
Contact	Greg Crooks / Connie Lim / Tim Hung		Phone:	905-944-7777	E-mail:	greg.crooks@stantec.com, connie.lim@stantec.com, tim.hung@stantec.com			
Station number:	N/A		Station Name:	Crago Road					
Station address:	Crago Road		Emitter Address:	The Region of Durham, 605 Rossland Rd, Whitby, ON					
Pollutant or parameter:	PM2.5	Instrument make & model:		Thermo Sharp 5030 Synchronized Hybrid Ambient Real-time	Serial Number:	CM 0269			
Data edit period	Start date:	1-Jan-15	End date:	31-Dec-15	Time Zone : EST				
Edit #	Edit date	Editor's Name	Edit Action	Starting Date (dd/mm/yyyy)	Hour (xx:xx)	Ending Date (dd/mm/yyyy)	Reason		
48	9-Nov-15	TH	Replace Data	31-Jul-15	18:00	1-Aug-15	03:00		
49	9-Nov-15	TH	Replace Data	1-Aug-15	05:00	4-Aug-15	03:00		
50	9-Nov-15	TH	Replace Data	4-Aug-15	05:00	5-Aug-15	07:00		
51	9-Nov-15	TH	Replace Data	5-Aug-15	07:00	5-Aug-15	20:00		
52	9-Nov-15	TH	Replace Data	6-Aug-15	11:00	6-Aug-15	11:00		
53	9-Nov-15	TH	Replace Data	6-Aug-15	13:00	6-Aug-15	17:00		
54	9-Nov-15	TH	Replace Data	7-Aug-15	01:00	7-Aug-15	03:00		
55	9-Nov-15	TH	Replace Data	7-Aug-15	07:00	7-Aug-15	10:00		
56	9-Nov-15	TH	Replace Data	7-Aug-15	12:00	8-Aug-15	04:00		
57	9-Nov-15	TH	Replace Data	8-Aug-15	07:00	9-Aug-15	03:00		
58	9-Nov-15	TH	Replace Data	9-Aug-15	06:00	10-Aug-15	03:00		
59	9-Nov-15	TH	Replace Data	10-Aug-15	07:00	12-Aug-15	03:00		
60	9-Nov-15	TH	Replace Data	12-Aug-15	05:00	17-Aug-15	03:00		
61	9-Nov-15	TH	Replace Data	17-Aug-15	05:00	18-Aug-15	03:00		
62	9-Nov-15	TH	Replace Data	18-Aug-15	05:00	20-Aug-15	04:00		
63	9-Nov-15	TH	Replace Data	20-Aug-15	13:00	20-Aug-15	13:00		
64	9-Nov-15	TH	Replace Data	20-Aug-15	19:00	24-Aug-15	03:00		
65	9-Nov-15	TH	Replace Data	24-Aug-15	05:00	24-Aug-15	07:00		
66	9-Nov-15	TH	Replace Data	24-Aug-15	09:00	25-Aug-15	13:00		
67	9-Nov-15	TH	Replace Data	26-Aug-15	11:00	26-Aug-15	23:00		
68	9-Nov-15	TH	Replace Data	27-Aug-15	01:00	27-Aug-15	02:00		
69	9-Nov-15	TH	Replace Data	28-Aug-15	13:00	29-Aug-15	03:00		
70	9-Nov-15	TH	Replace Data	29-Aug-15	05:00	30-Aug-15	03:00		
71	9-Nov-15	TH	Replace Data	8/30/2015	05:00	8/31/2015	03:00		
72	9-Nov-15	TH	Replace Data	8/31/2015	05:00	8/31/2015	05:00		
73	9-Nov-15	TH	Replace Data	8/31/2015	13:00	8/31/2015	15:00		
74	9-Nov-15	TH	Replace Data	8/31/2015	17:00	9/1/2015	03:00		
75	9-Nov-15	TH	Replace Data	9/1/2015	05:00	9/2/2015	03:00		
76	9-Nov-15	TH	Replace Data	9/2/2015	05:00	9/3/2015	03:00		
77	9-Nov-15	TH	Replace Data	9/3/2015	05:00	9/4/2015	03:00		
78	9-Nov-15	TH	Replace Data	9/4/2015	05:00	9/5/2015	03:00		
79	9-Nov-15	TH	Replace Data	9/5/2015	05:00	9/6/2015	03:00		
80	9-Nov-15	TH	Replace Data	9/6/2015	05:00	9/8/2015	07:00		
81	9-Nov-15	TH	Replace Data	8-Sep-15	09:00	10-Sep-15	10:00		
82	9-Nov-15	TH	Replace Data	11-Sep-15	17:00	11-Sep-15	17:00		
83	9-Nov-15	TH	Replace Data	12-Sep-15	09:00	12-Sep-15	16:00		
84	9-Nov-15	TH	Replace Data	13-Sep-15	10:00	14-Sep-15	02:00		
85	9-Nov-15	TH	Replace Data	14-Sep-15	17:00	15-Sep-15	02:00		
86	9-Nov-15	TH	Replace Data	15-Sep-15	08:00	16-Sep-15	03:00		
87	9-Nov-15	TH	Replace Data	16-Sep-15	05:00	16-Sep-15	07:00		

Examples of Acceptable Edit Actions:

Add offset of

Delete hours

Zero Correction

Slope Correction

Manual data entry for missing, but collected data

Invalidating span & zero check data

Invalidating data due to equipment malfunctions and power failures.

Invalidating data when instrumentation off-line

Marking data as out-of-range

## EDIT LOG TABLE

Project Name	Durham York Energy Centre Ambient Air Monitoring Program						
Contact	Greg Crooks / Connie Lim / Tim Hung		Phone:	905-944-7777	E-mail:	greg.crooks@stantec.com, connie.lim@stantec.com, tim.hung@stantec.com	
Station number:	N/A	Station Name:	Crago Road				
Station address:	Crago Road	Emitter Address:	The Region of Durham, 605 Rossland Rd, Whitby, ON				
Pollutant or parameter:	Temperature	Instrument make & model:	Campbell Scientific Model HMP60				
Data edit period	Start date:	1-Jan-15	End date:	31-Dec-15	Time Zone : EST		
Edit #	Edit date	Editor's Name	Edit Action	Starting Date (dd/mm/yyyy)	Hour (xx:xx)	Ending Date (dd/mm/yyyy)	Reason

## EDIT LOG TABLE

Project Name	Durham York Energy Centre Ambient Air Monitoring Program						
Contact	Greg Crooks / Connie Lim / Tim Hung		Phone:	905-944-7777	E-mail:	greg.crooks@stantec.com, connie.lim@stantec.com, tim.hung@stantec.com	
Station number:	N/A	Station Name:	Crago Road				
Station address:	Crago Road	Emitter Address:	The Region of Durham, 605 Rossland Rd, Whitby, ON				
Pollutant or parameter:	Rainfall	Instrument make & model:	Texas Electronic TE525M				
Data edit period	Start date:	1-Jan-15	End date:	31-Dec-15	Time Zone : EST		
Edit #	Edit date	Editor's Name	Edit Action	Starting Date (dd/mm/yyyy)	Hour (xx:xx)	Ending Date (dd/mm/yyyy)	Reason

Examples of Acceptable Edit Actions:

Add offset of

Delete hours

Zero Correction

Slope Correction

Manual data entry for missing, but collected data

Invalidate span &amp; zero check data

Invalidate data due to equipment malfunctions and power failures.

Invalidate data when instrumentation off-line

Marking data as out-of-range

## EDIT LOG TABLE

Project Name	Durham York Energy Centre Ambient Air Monitoring Program								
Contact	Greg Crooks / Connie Lim / Tim Hung		Phone:	905-944-7777	E-mail:	greg.crooks@stantec.com, connie.lim@stantec.com, tim.hung@stantec.com			
Station number:	N/A		Station Name:	Crago Road					
Station address:	Crago Road		Emitter Address:	The Region of Durham, 605 Rossland Rd, Whitby, ON					
Pollutant or parameter:	Relative Humidity	Instrument make & model:		Campbell Scientific Model HMP60					
Data edit period	Start date:	1-Jan-15	End date:	31-Dec-15	Time Zone : EST				
Edit #	Edit date	Editor's Name	Edit Action	Starting	Ending	Reason			
				Date (dd/mm/yyyy)	Hour (xx:xx)	Date (dd/mm/yyyy)	Hour (xx:xx)		

## EDIT LOG TABLE

Project Name	Durham York Energy Centre Ambient Air Monitoring Program								
Contact	Greg Crooks / Connie Lim / Tim Hung		Phone:	905-944-7777	E-mail:	greg.crooks@stantec.com, connie.lim@stantec.com, tim.hung@stantec.com			
Station number:	N/A		Station Name:	Crago Road					
Station address:	Crago Road		Emitter Address:	The Region of Durham, 605 Rossland Rd, Whitby, ON					
Pollutant or parameter:	Wind Speed/Wind Direction	Instrument make & model:		Met One Instruments Inc. Model 034B					
Data edit period	Start date:	1-Jan-15	End date:	31-Dec-15	Time Zone : EST				
Edit #	Edit date	Editor's Name	Edit Action	Starting	Ending	Reason			
				Date (dd/mm/yyyy)	Hour (xx:xx)	Date (dd/mm/yyyy)	Hour (xx:xx)		

Examples of Acceptable Edit Actions:

- Add offset of
- Delete hours
- Zero Correction
- Slope Correction
- Manual data entry for missing, but collected data
- Invalidating span & zero check data
- Invalidating data due to equipment malfunctions and power failures.
- Invalidating data when instrumentation off-line
- Marking data as out-of-range