

# REPORT



## DURHAM YORK ENERGY CENTRE

COURTICE, ONTARIO

### 2024 Q4 AMBIENT AIR QUALITY MONITORING REPORT

RWDI #2505260

February 14, 2025

#### SUBMITTED TO

**The Director, Legislative Services-  
Regional Clerk or Designate**

**The Regional Municipality of Durham**  
605 Rossland Road East, 1st Floor  
Corporate Services-Legislative Services  
Division  
Whitby, ON L1N 6A3

**CC:**

**Lipika Saha**  
[Lipika.Saha@durham.ca](mailto:Lipika.Saha@durham.ca)

**Lyndsay Waller**  
[Lyndsay.Waller@durham.ca](mailto:Lyndsay.Waller@durham.ca)

**Andrew Evans**  
[Andrew.Evans@durham.ca](mailto:Andrew.Evans@durham.ca)

#### SUBMITTED BY

**Maja Bokara, PGCert, EP**  
Project Manager  
[Maja.Bokara@rwdi.com](mailto:Maja.Bokara@rwdi.com)

**RWDI AIR Inc.  
Consulting Engineers & Scientists**  
600 Southgate Drive  
Guelph, ON N1G 4P6  
T: 519.823.1311  
F: 519.823.1316



## TABLE OF CONTENTS

<b>1</b>	<b>INTRODUCTION .....</b>	<b>1</b>
1.1	Sampling Locations .....	2
<b>2</b>	<b>SAMPLING METHODOLOGY .....</b>	<b>3</b>
2.1	Nitrogen Oxide Analyzers.....	3
2.2	Sulphur Dioxide Analyzers.....	4
2.3	SHARP 5030 PM <sub>2.5</sub> Analyzers .....	5
2.4	TSP High Volume Air Samplers .....	5
2.5	Polyurethane Foam Samplers.....	6
2.6	Meteorological Towers .....	6
<b>3</b>	<b>AIR QUALITY CRITERIA AND STANDARDS .....</b>	<b>6</b>
<b>4</b>	<b>MECP AUDITS .....</b>	<b>7</b>
<b>5</b>	<b>SUMMARY OF AMBIENT MEASUREMENTS .....</b>	<b>7</b>
5.1	Meteorological Station Results.....	7
5.1.1	Courtice Station Results .....	7
5.1.2	Rundle Road Station Results .....	9
5.2	NO <sub>x</sub> , SO <sub>2</sub> and PM <sub>2.5</sub> Summary Table Results .....	9
5.3	Oxides of Nitrogen Results.....	11
5.3.1	Courtice Station Results .....	11
5.3.2	Rundle Road Station Results .....	11
5.4	Sulphur Dioxide Results .....	12
5.4.1	Courtice Station Results .....	12
5.4.2	Rundle Road Station Results .....	13
5.5	Fine Particulate Matter (PM <sub>2.5</sub> ) Results.....	15
5.5.1	Courtice Station Results .....	15
5.5.2	Rundle Road Station Results .....	15
5.6	TSP and Metals Hi-Vol Results.....	16
5.6.1	Courtice Station Results .....	16

**2024 Q4 AMBIENT AIR QUALITY MONITORING REPORT  
DURHAM YORK ENERGY CENTRE**

RWDI#2505260  
February 14, 2025



5.6.1	Rundle Road Station Results .....	18
5.7	PAH Results.....	19
5.7.1	Courtice Station Results.....	19
5.7.2	Rundle Road Station Results .....	21
5.8	Dioxin and Furan Results .....	22
5.8.1	Courtice Station Results.....	22
5.8.2	Rundle Road Station Results .....	23
<b>6</b>	<b>DATA REQUESTS.....</b>	<b>24</b>
6.1	Continuous Monitoring .....	24
6.2	Discrete Monitoring .....	24
<b>7</b>	<b>CONCLUSIONS.....</b>	<b>24</b>
<b>8</b>	<b>REFERENCES.....</b>	<b>25</b>
<b>9</b>	<b>GENERAL STATEMENT OF LIMITATIONS.....</b>	<b>25</b>

## LIST OF TABLES

**Table 1:** PM<sub>2.5</sub>, SO<sub>2</sub> and NO<sub>2</sub> CAAQS' by Implementation Year

**Table 2:** Hourly Statistics from the Courtice WPCP Meteorological Station

**Table 3:** Hourly Statistics from the Rundle Road Meteorological Station

**Table 4:** Summary of Courtice Station Continuous Data Statistics

**Table 5:** Summary of Rundle Road Station Continuous Data Statistics

**Table 6:** Summary of Exceedance Statistics

**Table 7:** Summary of TSP Sampler Courtice Station

**Table 8:** Summary of TSP Sampler Rundle Road Station

**Table 9:** Statistics Summary of PAH Results for Courtice Station

**Table 10:** Statistics Summary of PAH Results for Rundle Road Station

**Table 11:** Courtice Station Q4 Monitoring Results for Dioxins and Furans

**Table 12:** Rundle Road Station Q4 Monitoring Results for Dioxins and Furans

**2024 Q4 AMBIENT AIR QUALITY MONITORING REPORT  
DURHAM YORK ENERGY CENTRE**

RWDI#2505260  
February 14, 2025



## LIST OF FIGURES

**Figure 1:** DYEC Site and Ambient Monitoring Station Locations

**Figure 2:** Rundle Road Station

**Figure 3:** Courtice Station

**Figure 4:** Courtice and Rundle Road Wind Roses

**Figure 5:** Pollution Roses of Hourly Average NO<sub>2</sub> Concentrations – October to December 2024

**Figure 6:** Pollution Roses of Hourly Average SO<sub>2</sub> Concentrations – October to December 2024

**Figure 7:** Pollution Roses of 5-minute Average SO<sub>2</sub> Concentrations >67 ppb – October to December 2024

**Figure 8:** Pollution Roses of Hourly Average PM<sub>2.5</sub> Concentrations – October to December 2024

## LIST OF APPENDICES

**Appendix A1:** 2024 Summary Statistics for Q4

- A2: 2024 Q4 Station Courtice Monitoring Results for PM<sub>2.5</sub>
- A3: 2024 Q4 Station Rundle Road Monitoring Results for PM<sub>2.5</sub>
- A4: 2024 Q4 Station Courtice Monitoring Results for NO<sub>x</sub>
- A5: 2024 Q4 Station Rundle Road Monitoring Results for NO<sub>x</sub>
- A6: 2024 Q4 Station Courtice Monitoring Results for NO
- A7: 2024 Q4 Station Rundle Road Monitoring Results for NO
- A8: 2024 Q4 Station Courtice Monitoring Results for NO<sub>2</sub>
- A9: 2024 Q4 Station Rundle Road Monitoring Results for NO<sub>2</sub>
- A10: 2024 Q4 Station Courtice Monitoring Results for SO<sub>2</sub>
- A11: 2024 Q4 Station Rundle Road Monitoring Results for SO<sub>2</sub>
- A12: 2024 Q4 Courtice Meteorological Station Windspeed Data Summary
- A13: 2024 Q4 Rundle Road Meteorological Station Windspeed Data Summary
- A14: 2024 Q4 Courtice Meteorological Station Wind Direction Data Summary
- A15: 2024 Q4 Rundle Road Meteorological Station Wind Direction Data Summary
- A16: 2024 Q4 Courtice Meteorological Station Temperature Data Summary
- A17: 2024 Q4 Rundle Road Meteorological Station Temperature Data Summary
- A18: 2024 Q4 Courtice Meteorological Station Relative Humidity Summary
- A19: 2024 Q4 Rundle Road Meteorological Station Relative Humidity Summary
- A20: 2024 Q4 Courtice Meteorological Station Precipitation Data Summary
- A21: 2024 Q4 Rundle Road Meteorological Station Precipitation Data Summary
- A22: 2024 Q4 Courtice Meteorological Station Pressure Data Summary

**2024 Q4 AMBIENT AIR QUALITY MONITORING REPORT  
DURHAM YORK ENERGY CENTRE**

RWDI#2505260  
February 14, 2025



**Appendix B1:** Summary of Sample Flow Rate and Sample Duration for Dioxins & Furans

- B2: 2024 Courtice Station Q4 Monitoring Results for Dioxins & Furans
- B3: 2024 Rundle Road Station Q4 Monitoring Results for Dioxins & Furans
- B4: Summary of Sample Flow Rate and Sample Duration for Polycyclic Aromatic Hydrocarbons (PAH)
- B5: Courtice Station Q4 Monitoring Results for PAH's
- B6: Rundle Road Station Q4 Monitoring Results for PAH's
- B7: Summary of Sample Flow Rate and Sample Duration for Total Suspended Particulate (TSP) and Metals
- B8: 2024 Courtice Station Q4 Monitoring Results for TSP and Metals
- B9: 2024 Rundle Road Station Q4 Monitoring Results for TSP and Metals

**Appendix C:** 2024 Q4 Courtice and Rundle Road Station Zero Graphs

**Appendix D1:** Q4 Edit Log for PM<sub>2.5</sub> at Courtice Station

- D2: Q4 Edit Log for PM<sub>2.5</sub> at Rundle Road Station
- D3: Q4 Edit Log for NO<sub>x</sub> at Courtice Station
- D4: Q4 Edit Log for NO<sub>x</sub> at Rundle Road Station
- D5: Q4 Edit Log for SO<sub>2</sub> at Courtice Station
- D6: Q4 Edit Log for SO<sub>2</sub> at Rundle Road Station
- D7: Q4 Edit Log for Meteorological Parameters at Courtice Station
- D8: Q4 Edit Log for Meteorological Parameters at Rundle Road Station
- D9: Q4 Edit Log for Discrete Sampling at Courtice Station
- D10: Q4 Edit Log for Discrete Sampling at Rundle Road Station

**Appendix E1:** 10-min SO<sub>2</sub> Running Average Exceedances at the Courtice Station – October

- E2: 10-min SO<sub>2</sub> Running Average Exceedances at the Courtice Station – November
- E3: 10-min SO<sub>2</sub> Running Average Exceedances at the Courtice Station – December
- E4: 1-hour SO<sub>2</sub> Running Average Exceedances at the Courtice Station – October
- E5: 1-hour SO<sub>2</sub> Running Average Exceedances at the Courtice Station – November
- E6: 1-hour SO<sub>2</sub> Running Average Exceedances at the Courtice Station – December

**Appendix F:** RWDI Q4 Sulphur Dioxide Emissions Technical Memorandum

**2024 Q4 AMBIENT AIR QUALITY MONITORING REPORT  
DURHAM YORK ENERGY CENTRE**

RWDI#2505260  
February 14, 2025



## 1 INTRODUCTION

RWDI AIR Inc. (RWDI) was retained by Durham Region and York Region (the Regions) to conduct discrete and continuous air quality ambient monitoring at the Durham York Energy Centre (DYEC) monitoring stations. The facility address is 1835 Energy Drive, Clarington, Ontario. The DYEC is a facility that manages post diversion municipal solid waste from Durham Region and York Region to create energy from waste combustion.

Commercial operation of the DYEC commenced on February 1, 2016. The site location is shown below in Figure 1.

Condition 11 of the Environmental Assessment Notice of Approval and Condition 7(4) of the Environmental Compliance Approval (ECA) requires ambient air monitoring to be undertaken by the DYEC. An Ambient Air Monitoring and Reporting Plan was prepared and approved by the Ministry of Environment, Conservation and Parks (MECP) to satisfy these conditions. Two (2) monitoring stations were established to monitor ambient air quality around the DYEC and quantify the background ambient air quality levels and DYEC contributed emissions to ambient air quality levels.

This monitoring plan was developed based on the Regional Council mandate to provide ambient monitoring in the area of the DYEC. The purposes of the ambient monitoring program are to:

- Quantify any measurable ground level concentrations resulting from emissions from the DYEC cumulative to local air quality, including validating the predicted concentrations from the dispersion modelling conducted in the Environmental Assessment (2009a);
- Monitor concentration levels of EFW-related air contaminants in nearby residential areas; and,
- Quantify background ambient levels of air contaminants in the area.

The facility has two (2) monitoring stations which collect continuous and discrete ambient measurements, known as the Courtice station and Rundle Road station. The station locations are shown in Figure 1. The Courtice and Rundle Road stations were operational in May of 2013 and have been operated on behalf of the Region of Durham by Stantec Consulting Ltd. since that time up until July 31, 2018. RWDI has overseen the operation of the stations on behalf of the Region of Durham since August 1, 2018.

The Courtice and Rundle Road stations continuously monitor the following air quality parameters: Particulate Matter less than 2.5 microns ( $PM_{2.5}$ ), Nitrogen Oxides ( $NO_x$ ) and Sulfur Dioxide ( $SO_2$ ). In addition, both discretely monitor the following air quality parameters: Total Suspended Particulate (TSP), Metals, Dioxins and Furans (D&F) and Polycyclic Aromatic Hydrocarbons (PAHs).

Continuous meteorological data is collected at the Courtice and Rundle Road stations. The Rundle Road station collects the following meteorological parameters: wind speed, wind direction, ambient temperature, precipitation and relative humidity. The Courtice station collects the following meteorological parameters: wind speed, wind direction, ambient temperature, ambient pressure, precipitation and relative humidity. The meteorological towers at both stations are approximately 10 meters tall.


## 2024 Q4 AMBIENT AIR QUALITY MONITORING REPORT DURHAM YORK ENERGY CENTRE

RWDI#2505260  
February 14, 2025



Throughout this monitoring period there were ninety (90) exceedance events of the rolling 10-minute SO<sub>2</sub> AAQC and thirty-six (36) exceedance events of the rolling 1-hour SO<sub>2</sub> AAQC at the Courtice station. There were two (2) exceedances of the Benzo(a) Pyrene AAQC in total, with one (1) exceedance at each station. Data recovery rates were acceptable and valid for all measured Q4 continuous and discrete parameters.

**Figure 1:** DYEC Site and Ambient Monitoring Station Locations



## 1.1 Sampling Locations

The station sites were selected in consultation with a working group that included representatives from the MECP, the Region of Durham, York Region, and the Energy from Waste Advisory Committee (EFWAC), as required by Condition 11.3 of the Environmental Assessment Notice of Approval. The Courtice station is predominantly upwind of the DYEC and is located on the Courtice WPCP property just southwest of the DYEC. The Rundle Road station is predominantly downwind of the DYEC and is located just southeast of the intersection of Baseline Road and Rundle Road just northeast of the DYEC. Pictures of the two (2) stations are presented as **Figure 2** and **3**.

**Figure 2:** Rundle Road Station



**Figure 3:** Courtice Station



## 2 SAMPLING METHODOLOGY

The Rundle Road and Courtice stations are both equipped with the following continuous monitors: Thermo Scientific Model 5030 SHARP (Synchronized Hybrid Ambient Real-time Particulate) monitor (PM<sub>2.5</sub> analyzer), Teledyne Nitrogen Oxides Analyzer Model T200 (NO<sub>x</sub> analyzer), and a Teledyne Sulfur Dioxide Analyzer Model T100 (SO<sub>2</sub> analyzer). Both stations also have the following periodic monitors: High Volume (Hi-Vol) Air Sampler outfitted with a TSP inlet head as approved by the United States Environmental Protection Agency (U.S. EPA), and a Hi-Vol Air Sampler outfitted with a polyurethane foam plug and circular quartz filter for measuring PAH's and D&F's as approved by U.S. EPA.

### 2.1 Nitrogen Oxide Analyzers

The Teledyne T200 Nitrogen Oxide (NO<sub>x</sub>) analyzers use chemiluminescence detection, coupled with microprocessor technology to provide sensitivity and stability for ambient air quality applications. The instrument determines real-time concentration of nitric oxide (NO), total nitrogen oxides (NO<sub>x</sub>) (the sum of NO and NO<sub>2</sub>), and nitrogen dioxide (NO<sub>2</sub>). The amount of NO is measured by detecting the chemiluminescence reaction that occurs in the reaction cell when NO molecules are exposed to ozone (O<sub>3</sub>). The NO and O<sub>3</sub> molecules collide in the reaction cell and enter a higher energy state.

When these excited molecules return to a stable energy state, they emit a photon of light which is proportional to the amount of NO in the sample stream of gas entering the analyzer.



To determine the total NOx ( $\text{NO} + \text{NO}_2$ ) measurement, sample gas is periodically bypassed through a heated molybdenum converter cartridge that converts any  $\text{NO}_2$  molecules in the sample stream into NO (any existing NO molecules in the stream remain as is). The instrument will switch the sample stream through the converter periodically and then through the reaction cell where the same chemiluminescence reaction occurs with ozone.

The resultant response produced is now the sum of NO and converted  $\text{NO}_2$  producing a NOx measurement. The resultant  $\text{NO}_2$  determination is the NOx measurement subtracted from the NO measurement.

The NOx analyzers were zero and span checked daily using the internal zero and span (IZS) system and calibrated once a month using either EPA protocol span gases and a dilution system or an ESA permeation tube calibrator. Automatic IZS checks were performed on a daily basis commencing at approximately 01:45 and ending at 02:15. The checks consisted of a 10-minute zero check, a 10-minute span check and a 10-minute purge. These checks provide a way to monitor daily performance of the analyzer using an external charcoal and purafil zeroing cartridge for the zero, and an internal permeation oven with a permeation tube for the span. These IZS checks are not for calibration purposes but are merely a diagnostic tool to identify instrument drift.

The instrument collects data using its own data acquisition system (DAS) on a 5-minute interval. Data is collected from the instrument directly to an EnviDAS logger at 1-min, 5-min and 60-min intervals. The logger can be accessed remotely, and all instrument parameters can be examined as well as the measurement data. This allows the tracking of instrument performance. Data was also collected at 1-minute intervals by an external datalogger using analog output connections as a back-up. The measurement data was averaged using Envista processing software over a 1-hour and 24-hour period to compare to the applicable ambient air quality criteria.

## **2.2 Sulphur Dioxide Analyzers**

The Teledyne T100 Sulphur Dioxide ( $\text{SO}_2$ ) Analyzer is a microprocessor-controlled analyzer that determines the concentration of  $\text{SO}_2$  in a sample gas drawn through the instrument. In the sample chamber, sample gas is excited by ultraviolet light causing the  $\text{SO}_2$  to absorb energy from the light and move to an active state ( $\text{SO}_2^*$ ). These active  $\text{SO}_2^*$  molecules must decay into a stable state back to  $\text{SO}_2$ , and when this happens a photon of light is released which is recognized by the instrument as fluorescence. The instrument measures the amount of fluorescence to determine the amount of  $\text{SO}_2$  present in the sample gas.

The  $\text{SO}_2$  analyzers were zero and span checked daily using the IZS system and calibrated once a month using either EPA protocol span gases and a dilution system or an ESA permeation tube calibrator. Automatic IZS checks were performed on a daily basis commencing at approximately 01:45 and ending at 02:15. The checks consisted of a 10-minute zero check, a 10-minute span check and a 10-minute purge. These checks provide a way to monitor daily performance of the analyzer using an external charcoal and purafil zeroing cartridge for the zero, and an internal permeation oven with a permeation tube for the span. These IZS checks are not for calibration purposes but are merely a diagnostic tool to identify instrument drift.



The instrument collects data using its own data acquisition system (DAS) on a 5-minute interval. Data is collected from the instrument directly to an EnviDAS logger at 1-min, 5-min and 60-min intervals. The logger can be accessed remotely, and all instrument parameters can be examined as well as the measurement data. This allows the tracking of instrument performance. Data was also collected at 1-minute intervals by an external datalogger using analog output connections as a back-up. The measurement data was averaged using Envista processing software over a 1-hour and 24-hour period to compare to the applicable ambient air quality criteria.

## **2.3 SHARP 5030 PM<sub>2.5</sub> Analyzers**

The SHARP 5030 is a hybrid nephelometric/radiometric particulate mass monitor capable of providing precise, real-time measurements with a superior detection limit. The SHARP incorporates a high sensitivity light scattering photometer whose output signal is continuously referenced to the time-averaged measurement of an integral beta attenuating mass sensor. The SHARP also incorporates a dynamic inlet heating system designed to maintain the relative humidity of the air passing through the filter tape constant.

The SHARP is calibrated once a month to ensure accuracy and validity of its data. The PM<sub>2.5</sub> inlet head and sharp cut cyclone is cleaned monthly as well to ensure proper performance. The monthly calibration process consists of the following: zeroing the nephelometer if necessary, calibration of ambient temperature, calibration of barometric pressure, and calibration of the flow.

The instrument collects data using its own data acquisition system (DAS) on a 5-minute interval. Data is collected from the instrument directly to an EnviDAS logger at 1-min, 5-min and 60-min intervals. The logger can be accessed remotely, and all instrument parameters can be examined as well as the measurement data. This allows the tracking of instrument performance. Data was also collected at 1-minute intervals by an external datalogger using analog output connections as a back-up. The measurement data was averaged using Envista processing software over a 1-hour and 24-hour period to compare to the applicable ambient air quality criteria.

## **2.4 TSP High Volume Air Samplers**

The Tisch TE-5170 Total Suspended Particulate (TSP) high volume (Hi-Vol) air samplers were outfitted with a TSP gabled inlet capable of collecting particulate of all aerodynamic diameters. Each Hi-Vol is equipped with a mass flow controller, which ensures a flow rate of 40 cubic feet per minute (CFM), a chart recorder for measuring cfm flow throughout the run time, an elapsed timer and a wheel timer for starting and stopping each sample. In the latter part of 2019, the pin-based wheel timer was modified with an automated relay system controlled by a data logger to toggle the sampler on and off, and the chart recorder system was replaced by a digital pressure transducer to record the blower output pressure. Teflon coated glass fibre filters are outfitted at the top of the hi-vol samplers where air is drawn through the filter, thereby collecting TSP. Each Hi-Vol is calibrated quarterly (every three months) to ensure accuracy and validity of the volume of air drawn through the sampler.

The Teflon coated glass fibre filter media was pre and post weighed by ALS Laboratories in Burlington, Ontario. The filters are then analyzed for total particulate weight, metals analysis and mercury.



## 2.5 Polyurethane Foam Samplers

The D&F, and PAH samples were collected using Tisch TE-1000 samplers, which are listed as reference devices for U.S. EPA Methods TO-9 and TO-13. The samplers use a collection filter that is 'backed-up' by a polyurethane foam (PUF) plug. The airborne compounds present in the particulate phase are collected on the Teflon coated glass fibre filter and any compounds present in the vapour phase are absorbed in the PUF plug. Each PUF sampler is equipped with a mass flow controller, which can sustain 8 CFM of flow over the sampling period, an elapsed timer and a wheel timer for starting and stopping each sample.

In the latter part of 2019, the pin-based wheel timer was modified with an automated relay system controlled by a data logger to toggle the sampler on and off, and the chart recorder system was replaced by a digital pressure transducer to record the blower output pressure. Each PUF sampler is calibrated quarterly (every three months) to ensure accuracy and validity of the volume of air drawn through the sampler.

The filter and PUF media/glassware is proofed and analyzed by ALS Laboratories in Burlington, Ontario. The filters and PUF/XAD plugs are then analyzed for PAH's and D&F's.

## 2.6 Meteorological Towers

Meteorological data was collected from the Rundle Road and Courtice stations. This is done so that a vector could be associated with the applicable contaminant concentrations. The Rundle Road and Courtice stations are outfitted with a Campbell Scientific HMP60 Temperature / Relative Humidity probe, and a Texas Instruments TE525M rain gauge. Meteorological data was collected at 1-minute intervals and was averaged using Envista processing software over a 1-hour period.

# 3 AIR QUALITY CRITERIA AND STANDARDS

The monitored contaminant concentrations were compared to air quality criteria and standards set by the MECP and by Environment Canada. The MECP developed Ambient Air Quality Criteria (AAQCs) which are the maximum desirable concentrations in the outdoor air, based on effects to the environment and health (MECP, 2012). Not all contaminants have an applicable regulatory limit; therefore, other criteria were used for comparison. These included human health risk assessment (HHRA) criteria.

Environment Canada has established a Canadian Ambient Air Quality Standard (CAAQS) which are health-based air quality objectives for the outdoor air (Environment Canada, 2013). The current CAAQS' for PM<sub>2.5</sub> are 27 µg/m<sup>3</sup> for the 3-year average of annual 98<sup>th</sup> percentile 24-hour concentration, and 8.8 µg/m<sup>3</sup> for the 3-year average of annual average concentrations (in effect as of 2020). The CAAQS' are listed in **Table 1**. No direct comparison to the 2020 CAAQS' is appropriate for this report, as the standards are only applicable to 3-year averaged data which is provided in the annual reports.

**2024 Q4 AMBIENT AIR QUALITY MONITORING REPORT  
DURHAM YORK ENERGY CENTRE**

RWDI#2505260  
February 14, 2025



**Table 1: PM<sub>2.5</sub>, SO<sub>2</sub> and NO<sub>2</sub> CAAQS' by Implementation Year**

Parameter	Averaging Time	Year Applied		Statistical Form
		2020	2025	
<b>Fine Particulate Matter (PM<sub>2.5</sub>)</b>	24-hour	27	$\mu\text{g}/\text{m}^3$	The 3-year average of the annual 98 <sup>th</sup> percentile of the daily 24-hour average concentrations
		8.8		
<b>Sulphur Dioxide (SO<sub>2</sub>)</b>	Annual	70	65	The 3-year average of the annual 99 <sup>th</sup> percentile of the SO <sub>2</sub> daily maximum 1-hour average concentrations
		ppb	ppb	The average over a single calendar year of all 1-hour average SO <sub>2</sub> concentrations
<b>Nitrogen Dioxide (NO<sub>2</sub>)</b>	1-hour	5	4	
		ppb	ppb	The 3-year average of the annual 98 <sup>th</sup> percentile of the daily maximum 1-hour average concentrations
	Annual	60	42	
		ppb	ppb	The average over a single calendar year of all 1-hour average concentrations

(CCME,2019)

All applicable criteria and standards are shown in the 'Summary of Ambient Measurements' section of this report.

## 4 MECP AUDITS

In Q4, there was a MECP audit conducted on November 4, 2024. All instruments met their respective audit criteria.

## 5 SUMMARY OF AMBIENT MEASUREMENTS

Ambient air quality monitoring results for all contaminants sampled at the Courtice and Rundle Road stations are discussed herein. Summary statistics from October to December 2024 are presented in a summary format below and in a more detailed matrix format in **Appendix A** for continuous measurements and **Appendix B** for discrete measurements.

### 5.1 Meteorological Station Results

#### 5.1.1 Courtice Station Results

The Courtice station collected the following meteorological parameters: wind speed, wind direction, relative humidity, ambient temperature, ambient pressure, and precipitation. The meteorological tower at the station is at a height of approximately 10 meters tall. The Courtice station maintained an average of 98.9% of data collection for all the parameters measured during Q4.


**2024 Q4 AMBIENT AIR QUALITY MONITORING REPORT**  
**DURHAM YORK ENERGY CENTRE**

RWDI#2505260  
February 14, 2025



Hourly statistics from the meteorological station are presented in **Table 2**. A wind rose showing trends in wind speed and wind direction during Q4 is provided in **Figure 4**. A wind direction cut-off was applied for wind speeds less than or equal to 1.8 kph for the wind rose.

**Figure 4:** Wind Roses of Hourly Wind Speed and Wind Direction – October to December 2024



**Table 2:** Hourly Statistics from the Courtice Meteorological Station

Courtice Station MET Statistics	Maximum 1 hr. Mean					Minimum 1 hr. Mean					Monthly Mean					Total	% Valid hours					
Parameter	WS	Temp	RH	Pres	Rain	WS	Temp	RH	Pres	Rain	WS	Temp	RH	Pres	Rain	Rain	WS	WD	Temp	RH	Pres	Rain
Units	(km/hr.)	( C)	(%)	Hg	mm	(km/hr.)	( C)	(%)	Hg	mm	(km/hr.)	( C)	(%)	Hg	mm	mm	(%)					
October	26.8	21.6	100.0	30.3	9.4	0.2	1.3	38.0	29.4	0.0	9.8	11.4	73.9	29.8	0.0	29.8	96.8	96.8	96.8	96.8	96.8	96.8
November	35.1	20.6	100.0	30.3	4.0	0.6	-1.8	40.1	29.2	0.0	14.5	6.9	71.3	29.7	0.0	21.4	100.0	100.0	100.0	100.0	100.0	100.0
December	50.6	10.4	100.0	30.7	3.9	0.4	-18.0	37.0	29.1	0.0	14.4	-0.1	76.6	29.8	0.1	61.2	99.9	99.9	99.9	99.9	99.9	99.7
Q4 Arithmetic Mean											12.9	6.0	74.0	29.8	0.1	112.4	98.9	98.9	98.9	98.9	98.9	98.8

### 5.1.2 Rundle Road Station Results

The Rundle Road station collected the following meteorological parameters: wind speed, wind direction, relative humidity, ambient temperature, and precipitation. The meteorological tower at the station is at a height of approximately 10 meters tall. The Rundle Road station maintained a minimum average of 99.7% data collection for all the meteorological parameters measured during Q4. Hourly statistics from the meteorological station is presented in **Table 3**. A wind rose showing trends in wind speed and wind direction during Q4 is provided in **Figure 4**. A wind direction cut-off was applied for wind speeds less than or equal to 1.8 kph for the wind rose.

**Table 3:** Hourly Statistics from the Rundle Road Meteorological Station

Rundle Road Station MET Statistics	Maximum 1 hr. Mean				Minimum 1 hr. Mean				Monthly Mean				Total	% Valid Hours						
Parameter	WS	Temp	RH	Rain	WS	Temp	RH	Rain	WS	Temp	RH	Rain	Rain	WS	WD	Temp	RH	Rain		
Units	(km/hr.)	( C)	(%)	mm	(km/hr.)	( C)	(%)	mm	(km/hr.)	( C)	(%)	mm	mm	mm	(%)					
October	26.7	21.6	100.0	10.2	0.1	-0.2	41.0	0.0	8.0	10.6	78.2	0.1	39.7	99.7	99.7	99.7	99.7	99.7		
November	27.3	20.1	100.0	4.2	0.1	-3.6	42.8	0.0	11.1	6.0	76.1	0.0	25.2	99.6	99.6	99.6	99.6	99.6		
December	38.0	11.1	100.0	5.6	0.2	-19.0	40.8	0.0	10.9	-1.1	80.3	0.1	75.2	99.9	99.9	100.0	100.0	99.9		
Q4 Arithmetic Mean											10.0	5.1	78.1	0.1	140.1	99.7	99.7	99.8	99.8	99.7

## 5.2 NO<sub>x</sub>, SO<sub>2</sub> and PM<sub>2.5</sub> Summary Table Results

**Table 4** provides a summary of Maximum 1-hour Rolling Means, Maximum 24-hour Rolling Means, Monthly Means, Quarterly Means and Percent valid data for the Courtice station. **Table 5** provides a summary of Maximum 1-hour Means, Maximum 24-hour Means, Monthly Means, Quarterly Means and Percent valid data for the Rundle Road station. **Table 6** provides a summary of exceedance statistics for both Courtice and Rundle Road stations. At the Courtice station, there were ninety (90) exceedance events of the rolling 10-minute SO<sub>2</sub> AAQC and thirty-six (36) exceedance events of the 1-hour SO<sub>2</sub> AAQC in Q4. At the Rundle Road station, there were no exceedance events of the rolling 10-minute SO<sub>2</sub> AAQC or the 1-hour SO<sub>2</sub> AAQC in Q4.





## 5.3 Oxides of Nitrogen Results

### 5.3.1 Courtice Station Results

Data recovery levels were high for oxides of nitrogen (98.5% valid data). Monitoring results were compared to the AAQC for NO<sub>2</sub> only, as it is the only parameter that has AAQC values for 1-hour and 24-hour averaging periods (there are no AAQC's for NO or NO<sub>x</sub>). There were no exceedances above the AAQC values for the entirety of the sampling period for rolling 1-hour and 24-hour averaged data. The highest NO<sub>2</sub> value seen among the 1-hour rolling averages was 28.1 ppb, which is 14.1% of the AAQC. The highest NO<sub>2</sub> value seen among the rolling 24-hour averages was 14.2 ppb, which is 14.2% of the AAQC. The measurements are summarized in **Table 4** above. A pollution rose is presented in **Figure 5** for the Courtice station during Q4 composed of hourly average NO<sub>2</sub> concentrations. A pollution rose indicates the percentage of time that the wind originates from a given direction coupled with the pollutant measurement for that time in either ppb or micrograms per meter cubed. In order to show where possible major sources of pollutants are coming from, levels below 5 ppb were omitted from the graphic wind rose representation.

The Courtice station pollution rose in **Figure 5** shows the NO<sub>2</sub> impacts were largely spread out from the west-southwest to the north and to the east. The station is downwind of the DYEC when winds are from the northeast and east-northeast directions, which happened periodically during the monitoring period, therefore it is likely that the DYEC contributed to the observed concentrations from those directions. The additional impacts from the east, and west-south to the north-northeast indicates reception from surrounding industry or the highway and railway corridors.


### 5.3.2 Rundle Road Station Results

Data recovery levels were high for oxides of nitrogen (99.5% valid data). There were no exceedances above the AAQC values for the entirety of the sampling period for rolling 1-hour and 24-hour averaged data. The highest NO<sub>2</sub> value seen among the 1-hour rolling averages was 26.1 ppb, which is 13.1% of the AAQC. The highest NO<sub>2</sub> value seen among the rolling 24-hour averages was 13.6 ppb, which is 13.6% of the AAQC. The measurements are summarized in **Table 5** above.

A pollution rose is presented in **Figure 5** for the Rundle Road station during Q4 composed of hourly average NO<sub>2</sub> concentrations. In order to show where possible major sources of pollutants are coming from, levels below 5 ppb were omitted from the graphic wind rose representation.

The Rundle Road station pollution rose in **Figure 5** shows that the majority of elevated NO<sub>2</sub> events at the Rundle Road station occurred when winds were primarily from west-southwest direction. The station is downwind of the DYEC when winds are from the south-southwest and southwest directions. Since the elevated concentrations occurred from the west-southwest during the monitoring period, therefore it is likely that the DYEC did not contribute to the observed concentrations. There are additional minor impacts from the west, east-northeast to east which indicates reception from surrounding industry or the highway and railway corridors.

**Figure 5:** Pollution Roses of Hourly Average NO<sub>2</sub> Concentrations – October to December 2024



## 5.4 Sulphur Dioxide Results

### 5.4.1 Courtice Station Results

Data recovery levels were high for sulphur dioxide (98.6% valid data). Monitoring results were compared to the AAQC for 10-minute and 1-hour rolling average periods. In Q4, the highest SO<sub>2</sub> value seen among the 10-min rolling averages was 590.1 ppb, which is 880.7% of the AAQC. The highest SO<sub>2</sub> value seen among the 1-hour rolling averages was 187.8 ppb, which is 469.5% of the AAQC. There were ninety (90) exceedance events of the rolling 10-minute SO<sub>2</sub> AAQC and thirty-six (36) exceedance events of the 1-hour SO<sub>2</sub> AAQC in Q4. A table outlining the interpretation of the exceedance period can be found in [Appendix E](#).

The SO<sub>2</sub> statistical results are summarized in [Table 4](#) above. A pollution rose is presented in [Figure 6](#) for the Courtice station during Q4 composed of hourly average SO<sub>2</sub> concentrations. In order to show where possible major sources of pollutants are coming from, levels below 5 ppb were omitted from the graphic wind rose representation. A pollution rose is presented in [Figure 7](#) for the Courtice station during Q4 composed of 5-minute average SO<sub>2</sub> concentrations with levels below 67 ppb omitted to illustrate directionality of exceedance concentrations.

The Courtice station pollution rose in [Figure 6](#) shows that the majority of elevated SO<sub>2</sub> events at Courtice occurred from the north-northwest to northeast directions. The events were likely a result of emissions from surrounding industrial sources with contributions from the DYEC in the northeast direction.

The Courtice station pollution rose in [Figure 7](#) shows that <0.66% of the 5-min SO<sub>2</sub> events are elevated >67 ppb and the majority occurred from the north-northeast directions. The pollution rose indicates that the DYEC was likely not a contributor to SO<sub>2</sub> levels at the station and that the levels may be related to other industrial activity nearby.

**2024 Q4 AMBIENT AIR QUALITY MONITORING REPORT**  
**DURHAM YORK ENERGY CENTRE**

RWDI#2505260  
February 14, 2025



A Technical Memorandum summarizing the DYEC SO<sub>2</sub> continuous emissions monitoring system (CEMS) data during the exceedance events recorded at the Courtice and Rundle Road Ambient Monitoring stations for Q4, is included in **Appendix F**. The Memorandum indicates that based on the in-stack concentration levels measured by the CEMS, that there were no unusual levels of SO<sub>2</sub> emissions during the ambient station exceedance events and that the facility's impact on ambient air quality would be expected to be quite low.

### **5.4.2 Rundle Road Station Results**

Data recovery levels were high for sulphur dioxide (99.5% valid data). Monitoring results were compared to the AAQC for 10-minute and 1-hour rolling average periods. The highest SO<sub>2</sub> value seen among the 10-min rolling averages was 3.6 ppb, which is 5.4% of the AAQC. The highest SO<sub>2</sub> value seen among the 1-hour rolling averages was 3.2 ppb, which is 8% of the AAQC.

The SO<sub>2</sub> statistical results are summarized in **Table 5** above. A pollution rose is presented in **Figure 6** for the Rundle Road station during Q4 composed of hourly average SO<sub>2</sub> concentrations. In order to show where possible major sources of pollutants are coming from, levels below 5 ppb were omitted from the graphic wind rose representation. A pollution rose is presented in **Figure 7** for the Rundle Road station during Q4 composed of 5-minute average SO<sub>2</sub> concentrations with levels below 67 ppb omitted to illustrate directionality of exceedance concentrations.

The Rundle Road station pollution rose in **Figure 6** shows that there were no events of elevated SO<sub>2</sub> at the Rundle Road during Q4 of 2024.


The Rundle Road station pollution rose in **Figure 7** shows that there were no 5-min SO<sub>2</sub> events that are elevated >67 ppb.

**2024 Q4 AMBIENT AIR QUALITY MONITORING REPORT  
DURHAM YORK ENERGY CENTRE**


RWDI#2505260  
February 14, 2025



**Figure 6:** Pollution Roses of Hourly Average SO<sub>2</sub> Concentrations – October to December 2024



**Figure 7:** Pollution Roses of 5-minute Average SO<sub>2</sub> Concentrations >67 ppb – October to December 2024





## 5.5 Fine Particulate Matter (PM<sub>2.5</sub>) Results

### 5.5.1 Courtice Station Results

Data recovery levels were high for particulate matter less than 2.5 microns (98.6% valid data). There is no 1-hour AAQC or standard for PM<sub>2.5</sub>, but there is a 24-hour CAAQS of 27 µg/m<sup>3</sup> for the 3-year average of the annual 98<sup>th</sup> percentile 24-hour concentrations, and 8.8 µg/m<sup>3</sup> for the 3-year average of the annual average concentrations (in effect as of 2020). Note that since the reported data is only quarterly and the CAAQS is applicable to the 3-year average, the CAAQS' for PM<sub>2.5</sub> was not applicable to the data. The highest PM<sub>2.5</sub> value seen among the 1-hour rolling averages was 25.3 µg/m<sup>3</sup> and the highest value seen among the 24-hour rolling averages was 16.9 µg/m<sup>3</sup>. The results are summarized in **Table 4** above. A pollution rose is presented in **Figure 8** for the Courtice station during Q4 composed of hourly average PM<sub>2.5</sub> concentrations. In order to show where possible major sources of pollutants are coming from, levels below 5 µg/m<sup>3</sup> were omitted from the graphic wind rose representation.

The Courtice station pollution rose in **Figure 8** shows that some of the elevated PM<sub>2.5</sub> events at Courtice occurred when winds were from the west-southwest to west and east-northeast to east, which places the station downwind of the DYEC occasionally. Other contributions are in line with nearby industrial activity.

### 5.5.2 Rundle Road Station Results

Data recovery levels were high for particulate matter less than 2.5 microns (99.7% valid data). The highest PM<sub>2.5</sub> value seen among the 1-hour rolling averages was 30.0 µg/m<sup>3</sup> and the highest value seen among the 24-hour rolling averages was 15.2 µg/m<sup>3</sup>. The results are summarized in **Table 5** above. A pollution rose is presented in **Figure 8** for the Rundle Road station during Q4 composed of hourly average PM<sub>2.5</sub> concentrations. In order to show where possible major sources of pollutants are coming from, levels below 5 µg/m<sup>3</sup> were omitted from the graphic wind rose representation.


The Rundle Road pollution rose in **Figure 8** shows that the majority of elevated PM<sub>2.5</sub> events at the Rundle Road station occurred when winds were from the west-southwest to west and north to east. Elevated concentrations were more frequent from the west-southwest during the monitoring period. Therefore, it is not likely that the DYEC partially contributed to the observed concentrations from the southwest. Other possible contributions include surrounding industry, nearby high traffic areas and urban background.

**2024 Q4 AMBIENT AIR QUALITY MONITORING REPORT  
DURHAM YORK ENERGY CENTRE**

RWDI#2505260  
February 14, 2025



**Figure 8:** Pollution Roses of Hourly Average PM<sub>2.5</sub> Concentrations – October to December 2024



## 5.6 TSP and Metals Hi-Vol Results

All of the TSP Hi-Vols operated on a discrete schedule every 6 days according to the NAPS schedule during Q4 with the sample days being: October 3, 9, 15, 21, 27, November 2, 8, 14, 20, 26 December 2, 8, 14, 20, and 26.

### 5.6.1 Courtice Station Results

Data recovery levels were high for the TSP sampler at the Courtice station (100% valid data). There were no exceedances of any of the AAQC's Criteria for TSP, mercury, or metals during Q4. **Table 7** is a summary of the statistics for this station.







## **5.7 PAH Results**

All of the PUF Hi-Vols operated on a discrete schedule every 12 days for PAH's according to the NAPS schedule during Q4 with the sample days being: October 9, 21, November 2, 14, 26, December 8, and 20.

Due to analytical equipment issues with the laboratory, the December 20 results are not currently available. There is no timeline for when the December 20 results will be completed. This delay decreases the percent valid data for both site, but both stations are above 75% valid data for the quarter. The December 20 results will be included in the next quarterly report.

### **5.7.1 Courtice Station Results**

Data recovery levels were high for the PAH results at the Courtice station (86% valid data). There was one (1) exceedance of the BaP AAQC during Q4. All other contaminants were below their respective AAQC's during Q4 of 2024. **Table 9** outlines the statistics summary for this station.





## 5.8 Dioxin and Furan Results

All of the PUF Hi-Vols operated on a discrete schedule every 24 days for D&F's according to the NAPS schedule during Q4 with the sample days being: October 9, November 2, 26 and December 20.

### 5.8.1 Courtice Station Results

Data recovery levels were high for the D&F results at the Courtice station (100% valid data). There were no exceedances of any of the AAQC's for any of the D&F's during Q4. **Table 11** is a summary of the statistics for this station.

**Table 11:** Courtice Station Q4 Monitoring Results for Dioxins and Furans

Contaminant	Units	MECP Criteria	No. > Criteria	Arithmetic Mean	Q4 Minimum Concentration	Q4 Maximum Concentration	October Maximum Concentration	November Maximum Concentration	December Maximum Concentration	Number of Valid Samples	% Valid data
<b>2,3,7,8-TCDD</b>	pg/m <sup>3</sup>	-	-	1.16E-03	3.61E-04	3.12E-03	3.12E-03	6.56E-04	3.61E-04	4	100
<b>1,2,3,7,8-PeCDD</b>	pg/m <sup>3</sup>	-	-	1.10E-03	3.77E-04	2.42E-03	2.42E-03	1.21E-03	3.77E-04	4	100
<b>1,2,3,4,7,8-HxCDD</b>	pg/m <sup>3</sup>	-	-	1.32E-04	4.05E-05	2.94E-04	2.94E-04	1.50E-04	4.43E-05	4	100
<b>1,2,3,6,7,8-HxCDD</b>	pg/m <sup>3</sup>	-	-	1.47E-04	4.22E-05	2.94E-04	2.94E-04	1.63E-04	8.85E-05	4	100
<b>1,2,3,7,8,9-HxCDD</b>	pg/m <sup>3</sup>	-	-	1.17E-04	4.10E-05	2.94E-04	2.94E-04	8.75E-05	4.10E-05	4	100
<b>1,2,3,4,6,7,8-HpCDD</b>	pg/m <sup>3</sup>	-	-	2.76E-04	9.89E-05	4.07E-04	2.70E-04	4.07E-04	3.27E-04	4	100
<b>OCDD</b>	pg/m <sup>3</sup>	-	-	3.83E-05	2.58E-05	5.63E-05	2.58E-05	3.97E-05	5.63E-05	4	100
<b>2,3,7,8-TCDF</b>	pg/m <sup>3</sup>	-	-	1.44E-04	6.56E-05	3.46E-04	3.46E-04	9.76E-05	6.56E-05	4	100
<b>1,2,3,7,8-PeCDF</b>	pg/m <sup>3</sup>	-	-	3.56E-05	2.04E-05	7.27E-05	7.27E-05	2.83E-05	2.11E-05	4	100
<b>2,3,4,7,8-PeCDF</b>	pg/m <sup>3</sup>	-	-	3.53E-04	1.56E-04	6.75E-04	6.75E-04	4.19E-04	1.62E-04	4	100
<b>1,2,3,4,7,8-HxCDF</b>	pg/m <sup>3</sup>	-	-	2.40E-04	6.07E-05	5.65E-04	5.65E-04	1.89E-04	6.07E-05	4	100
<b>1,2,3,6,7,8-HxCDF</b>	pg/m <sup>3</sup>	-	-	9.99E-05	5.03E-05	2.08E-04	2.08E-04	8.41E-05	5.74E-05	4	100
<b>2,3,4,6,7,8-HxCDF</b>	pg/m <sup>3</sup>	-	-	9.73E-05	6.00E-05	2.08E-04	2.08E-04	6.06E-05	6.07E-05	4	100
<b>1,2,3,7,8,9-HxCDF</b>	pg/m <sup>3</sup>	-	-	1.11E-04	6.16E-05	2.42E-04	2.42E-04	7.07E-05	7.05E-05	4	100
<b>1,2,3,4,6,7,8-HpCDF</b>	pg/m <sup>3</sup>	-	-	3.89E-05	2.43E-05	5.65E-05	5.02E-05	5.65E-05	2.46E-05	4	100
<b>1,2,3,4,7,8,9-HpCDF</b>	pg/m <sup>3</sup>	-	-	1.41E-05	3.57E-06	3.29E-05	3.29E-05	8.41E-06	1.14E-05	4	100
<b>OCDF</b>	pg/m <sup>3</sup>	-	-	2.79E-06	3.33E-07	8.49E-06	1.61E-06	7.30E-07	8.49E-06	4	100
<b>Total Toxic Equivalency</b>	pg TEQ/m <sup>3</sup>	0.1 1 <sup>[1]</sup>	0	4.11E-03	1.77E-03	9.12E-03	9.12E-03	3.73E-03	1.84E-03	4	100

**Notes:** All non-detectable results were reported as 1/2 of the detection limit

[1] O. Reg. 419/05 Schedule Upper Risk Thresholds

## 5.8.2 Rundle Road Station Results

Data recovery levels were acceptable for the D&F results at the Rundle Road station (100% valid data). There were no exceedances of any of the AAQC's Criteria for any of the D&Fs during Q4. **Table 12** is a summary of the statistics for this station.

**Table 12:** Rundle Road Station Q4 Monitoring Results for Dioxins and Furans

Contaminant	Units	MECP Criteria	No. > Criteria	Arithmetic Mean	Q4 Minimum Concentration	Q4 Maximum Concentration	October Maximum Concentration	November Maximum Concentration	December Maximum Concentration	Number of Valid Samples	% Valid data
<b>2,3,7,8-TCDD</b>	pg/m <sup>3</sup>	-	-	9.84E-04	4.18E-04	1.98E-03	1.98E-03	9.82E-04	4.18E-04	4	100
<b>1,2,3,7,8-PeCDD</b>	pg/m <sup>3</sup>	-	-	1.46E-03	6.81E-04	2.10E-03	1.57E-03	2.10E-03	6.81E-04	4	100
<b>1,2,3,4,7,8-HxCDD</b>	pg/m <sup>3</sup>	-	-	1.61E-04	8.05E-05	2.47E-04	2.47E-04	2.00E-04	1.16E-04	4	100
<b>1,2,3,6,7,8-HxCDD</b>	pg/m <sup>3</sup>	-	-	1.70E-04	1.29E-04	2.47E-04	2.47E-04	1.54E-04	1.51E-04	4	100
<b>1,2,3,7,8,9-HxCDD</b>	pg/m <sup>3</sup>	-	-	2.03E-04	6.04E-05	3.44E-04	2.47E-04	3.44E-04	6.04E-05	4	100
<b>1,2,3,4,6,7,8-HpCDD</b>	pg/m <sup>3</sup>	-	-	3.50E-04	1.72E-04	4.96E-04	3.86E-04	4.96E-04	1.72E-04	4	100
<b>OCDD</b>	pg/m <sup>3</sup>	-	-	3.27E-05	1.60E-05	4.26E-05	3.30E-05	4.26E-05	1.60E-05	4	100
<b>2,3,7,8-TCDF</b>	pg/m <sup>3</sup>	-	-	1.14E-04	4.64E-05	2.14E-04	2.14E-04	1.32E-04	4.64E-05	4	100
<b>1,2,3,7,8-PeCDF</b>	pg/m <sup>3</sup>	-	-	3.53E-05	1.67E-05	4.95E-05	4.95E-05	4.83E-05	1.67E-05	4	100
<b>2,3,4,7,8-PeCDF</b>	pg/m <sup>3</sup>	-	-	2.99E-04	1.58E-04	4.30E-04	4.30E-04	3.53E-04	1.58E-04	4	100
<b>1,2,3,4,7,8-HxCDF</b>	pg/m <sup>3</sup>	-	-	8.16E-05	4.33E-05	1.52E-04	1.52E-04	7.41E-05	4.33E-05	4	100
<b>1,2,3,6,7,8-HxCDF</b>	pg/m <sup>3</sup>	-	-	1.58E-04	6.92E-05	2.93E-04	2.93E-04	1.81E-04	9.01E-05	4	100
<b>2,3,4,6,7,8-HxCDF</b>	pg/m <sup>3</sup>	-	-	1.32E-04	5.88E-05	2.49E-04	1.48E-04	2.49E-04	5.88E-05	4	100
<b>1,2,3,7,8,9-HxCDF</b>	pg/m <sup>3</sup>	-	-	9.14E-05	4.78E-05	1.81E-04	1.81E-04	8.53E-05	5.11E-05	4	100
<b>1,2,3,4,6,7,8-HpCDF</b>	pg/m <sup>3</sup>	-	-	5.32E-05	1.53E-05	7.64E-05	4.78E-05	7.64E-05	1.53E-05	4	100
<b>1,2,3,4,7,8,9-HpCDF</b>	pg/m <sup>3</sup>	-	-	1.53E-05	4.64E-06	3.63E-05	3.63E-05	1.50E-05	4.64E-06	4	100
<b>OCDF</b>	pg/m <sup>3</sup>	-	-	8.49E-07	3.72E-07	1.53E-06	1.53E-06	8.21E-07	3.72E-07	4	100
<b>Total Toxic Equivalency</b>	pg TEQ/m <sup>3</sup>	0.1 1 <sup>[1]</sup>	0	4.34E-03	2.10E-03	6.26E-03	6.26E-03	4.72E-03	2.10E-03	4	100

**Notes:** All non-detectable results were reported as 1/2 of the detection limit

[1] O. Reg. 419/05 Schedule Upper Risk Thresholds



## 6 DATA REQUESTS

The following sections outline any instrumentation issues encountered that have caused data loss at any of the monitors at each of the stations.

**Appendix C** contains monthly IZS zero trends for the NO<sub>x</sub> and SO<sub>2</sub> analyzers at the Courtice and Rundle Road stations.

Edit logs identifying missing data, maintenance times, calibrations and any other missing data have been included in **Appendix D**.

### 6.1 Continuous Monitoring

On October 6, 2024 at 16:00 till October 7, 2024 at 17:00, the Courtice station incurred 25 hours of data loss due to a computer malfunction.

On November 16, 2024 at 11:00 till November 16, 2024 at 14:00, the Rundle station incurred 3 hours of data loss due to a power outage.

### 6.2 Discrete Monitoring

The December 8, 2024 Rundle TSP sample was invalidated due to the sample volume being outside sampling criteria.

The December 20 PAH results for both stations are not currently available from the laboratory due to analytical equipment issues.

## 7 CONCLUSIONS

This Q4 report provides a summary of the ambient air quality data collected at the Courtice and Rundle Road stations. There were ninety (90) exceedance events of the rolling 10-minute SO<sub>2</sub> AAQC and thirty-six (36) exceedance events of the 1-hour SO<sub>2</sub> AAQC at the Courtice station. There were two (2) exceedance of the Benzo(a) Pyrene AAQC, one (1) exceedance at each station. Data recovery rates were acceptable and valid for all measured Q4 continuous and discrete parameters.




## 8 REFERENCES

1. Canadian Council of Ministers of the Environment (CCME), 2012. Guidance Document on Achievement Determination Canadian Ambient Air Quality Standards for Fine Particulate Matter and Ozone. PN 1483 978-1-896997-91-9 PDF
2. Canadian Council of Ministers of the Environment (CCME), 2019. Guidance Document on Air Zone Management. PN 1593978-1-77202-050-2 PDF
3. Ontario Ministry of the Environment and Climate Change, 2018. [Technical Assessment and Standards Development Branch] Ontario Air Standards for Sulphur Dioxide (SO<sub>2</sub>). [Online]
4. Human Toxicology and Air Standards Section, Technical Assessment and Standards Development Branch, Ontario Ministry of the Environment, Conservation and Parks (MECP). 2020. Ontario's Ambient Air Quality Criteria. MECP, Toronto, ON, Canada.

## 9 GENERAL STATEMENT OF LIMITATIONS

This report entitled "2024 Q4 Ambient Air Quality Monitoring Report", dated February 11, 2025 was prepared by RWDI AIR Inc. ("RWDI") for The Regional Municipality of Durham ("Client"). The findings and conclusions presented in this report have been prepared for the Client and are specific to the project described herein ("Project"). This report was prepared using scientific principles, published methodologies and professional judgment in assessing available information and data. The findings presented within this document are based on available data within the limits of the existing information, budgeted scope of work, and schedule. The conclusions contained in this report are based on the information available to RWDI when this report was prepared; subsequent changes made by the Client after the date of this report have not been reflected in the conclusions.

This report was prepared for the exclusive use of The Regional Municipality of Durham and the MECP. Any use which a third party makes of this report, or any reliance on or decisions made based on it, are the responsibility of such third parties. RWDI accepts no responsibility for damages, if any, suffered by any third party as result of decisions made or actions based on this report.

An abstract graphic design element consisting of a large, light beige circle overlapping a smaller, solid blue triangle pointing upwards. The blue triangle is positioned in the upper left corner of the page.

## APPENDIX A



**Table A2: 2024 Q4 Station Courtice Monitoring Results for PM2.5**

Data Statistics	Rolling Mean > 24 hr AAQC	Arithmetic Mean	Maximum 1 hr Rolling Mean	Maximum 24 hr Rolling Mean	Number of Valid Hours	Valid Data
Month	PM <sub>2.5</sub>	PM <sub>2.5</sub>	PM <sub>2.5</sub>	PM <sub>2.5</sub>	PM <sub>2.5</sub>	PM <sub>2.5</sub>
	No.	(ug/m <sup>3</sup> )	(ug/m <sup>3</sup> )	(ug/m <sup>3</sup> )	No.	%
October	N/A	4.6	22.4	15.9	717	96.4
November	N/A	3.6	16.4	8.0	718	99.7
December	N/A	5.0	25.3	16.9	743	99.9

**Table A3: 2024 Q4 Station Rundle Monitoring Results for PM<sub>2.5</sub>**

Data Statistics	Rolling Mean > 24 hr AAQC	Arithmetic Mean	Maximum 1 hr Rolling Mean	Maximum 24 hr Rolling Mean	Number of Valid Hours	Valid Data
Month	PM <sub>2.5</sub>	PM <sub>2.5</sub>	PM <sub>2.5</sub>	PM <sub>2.5</sub>	PM <sub>2.5</sub>	PM <sub>2.5</sub>
	No.	(ug/m <sup>3</sup> )	(ug/m <sup>3</sup> )	(ug/m <sup>3</sup> )	No.	%
October	N/A	4.6	29.2	11.4	743	99.9
November	N/A	3.2	30.0	11.4	715	99.3
December	N/A	5.1	25.4	15.2	743	99.9

**Table A4: 2024 Q4 Station Courtice Monitoring Results for NOx**

Data Statistics	Events > 1 hr AAQC	Events > 24 hr AAQC	Arithmetic Mean	Maximum 1 hr Rolling Mean	Maximum 24 hr Rolling Mean	Number of Valid Hours	Valid Data
Month	NO <sub>x</sub>	NO <sub>x</sub>	NO <sub>x</sub>	NO <sub>x</sub>	NO <sub>x</sub>	NO <sub>x</sub>	NO <sub>x</sub>
	No.	No.	(ppb)	(ppb)	(ppb)	No.	%
October	N/A	N/A	8.8	60.3	26.0	718	96.5
November	N/A	N/A	6.5	56.6	17.1	717	99.6
December	N/A	N/A	6.8	48.0	16.9	741	99.6

**Table A5: 2024 Q4 Station Rundle Monitoring Results for NOx**

Data Statistics	Events > 1 hr AAQC	Events > 24 hr AAQC	Arithmetic Mean	Maximum 1 hr Rolling Mean	Maximum 24 hr Rolling Mean	Number of Valid Hours	Valid Data
Month	NO <sub>x</sub>	NO <sub>x</sub>	NO <sub>x</sub>	NO <sub>x</sub>	NO <sub>x</sub>	NO <sub>x</sub>	NO <sub>x</sub>
	No.	No.	(ppb)	(ppb)	(ppb)	No.	%
October	N/A	N/A	4.1	44.3	9.8	742	99.7
November	N/A	N/A	4.6	51.4	13.0	714	99.2
December	N/A	N/A	6.3	37.1	16.7	742	99.7

**Table A6: 2024 Q4 Station Courtice Monitoring Results for NO**

Data Statistics	Events > 1 hr AAQC	Events > 24 hr AAQC	Arithmetic Mean	Maximum 1 hr Rolling Mean	Maximum 24 hr Rolling Mean	Number of Valid Hours	Valid Data
Month	NO	NO	NO	NO	NO	NO	NO
	No.	No.	(ppb)	(ppb)	(ppb)	No.	%
October	N/A	N/A	2.6	46.0	12.3	718	96.5
November	N/A	N/A	1.6	34.8	7.8	717	99.6
December	N/A	N/A	1.4	26.9	5.6	741	99.6

**Table A7: 2024 Q4 Station Rundle Monitoring Results for NO**

Data Statistics	Events > 1 hr AAQC	Events > 24 hr AAQC	Arithmetic Mean	Maximum 1 hr Rolling Mean	Maximum 24 hr Rolling Mean	Number of Valid Hours	Valid Data
Month	NO	NO	NO	NO	NO	NO	NO
	No.	No.	(ppb)	(ppb)	(ppb)	No.	%
October	N/A	N/A	0.8	18.2	2.9	742	99.7
November	N/A	N/A	0.9	27.5	3.5	714	99.2
December	N/A	N/A	1.3	18.4	3.7	742	99.7

**Table A8: 2024 Q4 Station Courtice Monitoring Results for NO<sub>2</sub>**

Data Statistics	Events > 1 hr AAQC	Events > 24 hr AAQC	Arithmetic Mean	Maximum 1 hr Rolling Mean	Maximum 24 hr Rolling Mean	Number of Valid Hours	Valid Data
Month	NO <sub>2</sub>	NO <sub>2</sub>	NO <sub>2</sub>	NO <sub>2</sub>	NO <sub>2</sub>	NO <sub>2</sub>	NO <sub>2</sub>
	No.	No.	(ppb)	(ppb)	(ppb)	No.	%
October	0	0	6.2	28.1	14.2	718	96.5
November	0	0	4.9	26.4	11.4	717	99.6
December	0	0	5.3	26.8	11.5	741	99.6

**Table A9: 2024 Q4 Station Rundle Monitoring Results for NO<sub>2</sub>**

Data Statistics	Events > 1 hr AAQC	Events > 24 hr AAQC	Arithmetic Mean	Maximum 1 hr Rolling Mean	Maximum 24 hr Rolling Mean	Number of Valid Hours	Valid Data
Month	NO <sub>2</sub>	NO <sub>2</sub>	NO <sub>2</sub>	NO <sub>2</sub>	NO <sub>2</sub>	NO <sub>2</sub>	NO <sub>2</sub>
	No.	No.	(ppb)	(ppb)	(ppb)	No.	%
October	0	0	3.5	26.1	8.4	742	99.7
November	0	0	3.8	24.0	10.5	714	99.2
December	0	0	4.9	23.3	13.6	742	99.7

**Table A10: 2024 Q4 Station Courtice Monitoring Results for SO<sub>2</sub>**

Data Statistics	Events > 10 min AAQC	Events > 1 hr AAQC	Arithmetic Mean	Maximum 10 min Rolling Mean	Maximum 1 hr Rolling Mean	Maximum 24 hr Rolling Mean	Number of Valid Hours	Valid Data
Month	SO <sub>2</sub>	SO <sub>2</sub>	SO <sub>2</sub>	SO <sub>2</sub>	SO <sub>2</sub>	SO <sub>2</sub>	SO <sub>2</sub>	SO <sub>2</sub>
	No.	No.	(ppb)	(ppb)	(ppb)	(ppb)	No.	%
October	40	16	5.2	330.1	89.2	21.8	718	96.5
November	44	19	4.5	590.1	187.8	27.0	717	99.6
December	6	1	1.7	112.0	50.4	8.5	742	99.7

**Table A11: 2024 Q4 Station Rundle Monitoring Results for SO<sub>2</sub>**

Data Statistics	Events > 10 min AAQC	Events > 1 hr AAQC	Arithmetic Mean	Maximum 10 min Rolling Mean	Maximum 1 hr Rolling Mean	Maximum 24 hr Rolling Mean	Number of Valid Hours	Valid Data
Month	SO <sub>2</sub>	SO <sub>2</sub>	SO <sub>2</sub>	SO <sub>2</sub>	SO <sub>2</sub>	SO <sub>2</sub>	SO <sub>2</sub>	SO <sub>2</sub>
	No.	No.	(ppb)	(ppb)	(ppb)	(ppb)	No.	%
October	0	0	0.4	3.6	3.2	1.1	742	99.7
November	0	0	0.4	1.6	1.4	0.6	714	99.2
December	0	0	0.3	2.2	1.6	0.9	741	99.6

**Table A12: 2024 Q4 Courtice Meteorological Station Windspeed Data Summary**

MET Statistics	Maximum 1 hr Mean	Minimum 1 hr	Monthly Mean	Valid Data
Month	Wind Speed	Wind Speed	Wind Speed	Wind Speed
	(km/hr)	(km/hr)	(km/hr)	(%)
October	26.8	0.2	9.8	96.8
November	35.1	0.6	14.5	100.0
December	50.6	0.4	14.4	99.9

**Table A13: 2024 Q4 Rundle Meterological Station Windspeed Data Summary**

MET Statistics	Maximum 1 hr Mean	Minimum 1 hr	Monthly Mean	Valid Hours
Month	Wind Speed	Wind Speed	Wind Speed	Wind Speed
	(km/hr)	(km/hr)	(km/hr)	(%)
October	26.7	0.1	8.0	99.7
November	27.3	0.1	11.1	99.6
December	38.0	0.2	10.9	99.9

**Table A14: 2024 Q4 Courtice Meteorological Station Wind Direction Data Summary**

MET Statistics	Valid Data
Month	Wind Direction
	(%)
October	96.8
November	100.0
December	99.9

**Table A15: 2024 Q4 Rundle Meterological Station Wind Direction Data Summary**

MET Statistics	Valid Data
Month	Wind Direction
	(%)
October	99.7
November	99.6
December	99.9

**Table A16: 2024 Q4 Courtice Meteorological Station Temperature Data Summary**

MET Statistics	Maximum 1 hr Mean	Minimum 1 hr	Monthly Mean	Valid Data
Month	Temperature	Temperature	Temperature	Temperature
	(°C)	(°C)	(°C)	(%)
October	21.6	1.3	11.4	96.8
November	20.6	-1.8	6.9	100.0
December	10.4	-18.0	-0.1	99.9

**Table A17: 2024 Q4 Rundle Meteorological Station Temperature Data Summary**

MET Statistics	Maximum 1 hr Mean	Minimum 1 hr	Monthly Mean	Valid Data
Month	Temperature	Temperature	Temperature	Temperature
	(°C)	(°C)	(°C)	(%)
October	21.6	-0.2	10.6	99.7
November	20.1	-3.6	6.0	99.6
December	11.1	-19.0	-1.1	100.0

**Table A18: 2024 Q4 Courtice Meteorological Station Relative Humidity Data Summary**

MET Statistics	Maximum 1 hr Mean	Minimum 1 hr	Monthly Mean	Valid Data
Month	Relative Humidity	Relative Humidity	Relative Humidity	Relative Humidity
	(%)	(%)	(%)	(%)
October	100.0	38.0	73.9	96.8
November	100.0	40.1	71.3	100.0
December	100.0	37.0	76.6	99.9

**Table A19: 2024 Q4 Rundle Meterological Station Relative Humidity Data Summary**

MET Statistics	Maximum 1 hr Mean	Minimum 1 hr	Monthly Mean	Valid Data
Month	Relative Humidity	Relative Humidity	Relative Humidity	Relative Humidity
	(%)	(%)	(%)	(%)
October	100.0	41.0	78.2	99.7
November	100.0	42.8	76.1	99.6
December	100.0	40.8	80.3	100.0

**Table A20: 2024 Q4 Courtice Meteorological Station Precipitation Data Summary**


MET Statistics	Maximum 1 hr Mean	Minimum 1 hr	Monthly Mean	Total	Valid Data
Month	Precipitation	Precipitation	Precipitation	Precipitation	Precipitation
	(mm)	(mm)	(mm)	(mm)	%
October	9.4	0.0	0.0	29.8	96.8
November	4.0	0.0	0.0	21.4	100.0
December	3.9	0.0	0.1	61.2	99.7

**Table A21: 2024 Q4 Rundle Meterological Station Precipitation Data Summary**

MET Statistics	Maximum 1 hr Mean	Minimum 1 hr	Monthly Mean	Total	Valid Data
Month	Precipitation	Precipitation	Precipitation	Precipitation	Precipitation
	(mm)	(mm)	(mm)	(mm)	%
October	10.2	0.0	0.1	39.7	99.7
November	4.2	0.0	0.0	25.2	99.6
December	5.6	0.0	0.1	75.2	99.9

**Table A22: 2024 Q4 Courtice Meteorological Station Pressure Data Summary**

MET Statistics	Maximum 1 hr Mean	Minimum 1 hr	Monthly Mean	Valid Data
Month	Pressure	Pressure	Pressure	Pressure
	("Hg)	("Hg)	("Hg)	(%)
October	30.3	29.4	29.8	96.8
November	30.3	29.2	29.7	100.0
December	30.7	29.1	29.8	99.9

A large, abstract graphic element occupies the left side of the page. It consists of a white curved shape on a light beige background, with a solid blue triangular area to its left.

## APPENDIX B

**Table B1: Summary of Sample Flow Rate and Sample Duration for Dioxins & Furans**

Sample Date	Courtice			Rundle		
	Filter ID	Sample Duration	Sample Volume	Filter ID	Sample Duration	Sample Volume
	No.	(min)	(m3)	No.	(min)	(m3)
October 9, 2024	L2757778-1	1440	289	L2757778-2	1440	303
November 2, 2024	L2758022-2	1440	308	L2758022-1	1440	314
November 26, 2024	L2758271-2	1440	297	L2758271-1	1440	311
December 20, 2024	L2758535-1	1440	305	L2758535-2	1440	323





**Table B4: Summary of Sample Flow Rate and Sample Duration for PAHs**

Sample Date	Courtice			Rundle		
	Filter ID	Sample Duration	Sample Volume	Filter ID	Sample Duration	Sample Volume
	No.	(min)	(m3)	No.	(min)	(m3)
October 9, 2024	L2757778-1	1440	289	L2757778-2	1440	303
October 21, 2024	L2757870-1	1440	274	L2757870-2	1440	289
November 2, 2024	L2758022-2	1440	308	L2758022-1	1440	314
November 14, 2024	L2758153-2	1435	288	L2758153-1	1437	311
November 26, 2024	L2758271-2	1440	297	L2758271-1	1440	311
December 8, 2024	L2758390-2	1440	291	L2758390-1	1440	275
December 20, 2024	-	1440	305	-	1440	323






**Table B7: Summary of Sample Flow Rate and Sample Duration for TSP**

Sample Date	Courtice			Rundle		
	Filter ID	Sample Duration	Sample Volume	Filter ID	Sample Duration	Sample Volume
	No.	(min)	(m <sup>3</sup> )	No.	(min)	(m <sup>3</sup> )
October 3, 2024	BU2400782-002	1440	1670	BU2400782-004	1440	1705
October 9, 2024	BU2400782-001	1440	1629	BU2400782-003	1440	1722
October 15, 2024	BU2400868-002	1440	1651	BU2400868-004	1440	1677
October 21, 2024	BU2400868-001	1440	1619	BU2400868-003	1440	1630
October 27, 2024	BU2400998-004	1440	1686	BU2400998-002	1440	1686
November 2, 2024	BU2400998-003	1440	1689	BU2400998-001	1440	1672
November 8, 2024	BU2401123-006	1440	1669	BU2401123-004	1440	1717
November 14, 2024	BU2401123-005	1435	1687	BU2401123-003	1437	1711
November 20, 2024	BU2401243-006	1440	1651	BU2401243-004	1440	1687
November 26, 2024	BU2401243-005	1440	1673	BU2401243-003	1440	1684
December 2, 2024	BU2401518-001	1440	1706	BU2401518-005	1440	1696
December 8, 2024	BU2401518-004	1440	1731	Invalid		
December 14, 2024	BU2401518-002	1440	1767	BU2401518-007	1440	1576
December 20, 2024	BU2401518-003	1440	1760	BU2401518-008	1440	1574
December 26, 2024	BU2500030-004	1440	1753	BU2500030-006	1440	1585









## APPENDIX C


## NO<sub>x</sub> Zeros (Courtice Monitoring Station)




## NO Zeros (Courtice Monitoring Station)





## NO<sub>2</sub> Zeros (Courtice Monitoring Station)




## SO<sub>2</sub> Zeros (Courtice Monitoring Station)









## NO<sub>2</sub> Zeros (Rundle Monitoring Station)



## SO<sub>2</sub> Zeros (Rundle Monitoring Station)



A large, abstract graphic element occupies the left side of the page. It consists of a white curved shape on a light beige background, with a solid blue rectangular area positioned above and to the left of the curve.

## APPENDIX D

**Table D1: Q4 Edit Log for PM<sub>2.5</sub> at Courtice Station**

<b>Emitter's Name:</b> Durham York Energy Centre									
<b>Contact</b>	<b>Name:</b> Ms. Lyndsay Waller	<b>Phone:</b> (905) 404-0888 ext 4107		<b>Email:</b> Lyndsay.Waller@Durham.ca					
<b>Station Number:</b> 45201			<b>Station Name:</b> Courtice Station						
<b>Station Address:</b> 100 Osbourne Road			<b>Emitter Address:</b> The Region of Durham, 605 Rossland Road, Whitby, ON						
<b>Pollutants or Parameter:</b> PM <sub>2.5</sub>		<b>Instrument Make &amp; Model:</b> Thermo Scientific Model 5030 SHARP Monitor					<b>s/n:</b> E-1563		
<b>Data Edit Period</b>		<b>Start Date:</b> October 1, 2024		<b>End Date:</b> December 31, 2024		All testing done in EST			
<b>Edit #</b>	<b>Edit date (dd/mm/yyyy)</b>	<b>Editor's Name</b>	<b>Edit Action</b>	<b>Starting</b>		<b>Ending</b>		<b>Reason</b>	
				<b>Date (dd/mm/yyyy)</b>	<b>Hour (xx:xx)</b>	<b>Date (dd/mm/yyyy)</b>	<b>Hour (xx:xx)</b>		<b>Duration Deleted Hours</b>
1	01/11/2024	AXT	Hours deleted	06/10/2024	16:00	07/10/2024	17:00	25	Computer malfunction - no data
2	22/10/2024	SRS	Hours deleted	22/10/2024	12:00	22/10/2024	13:00	1	Monthly calibration
3	28/10/2024	SRS	Hours deleted	28/10/2024	12:00	28/10/2024	13:00	1	Monthly calibration
4	01/11/2024	AXT	Zero Correction	01/10/2024	00:00	01/11/2024	00:00	-	Correcting Values <0 to 0
5	04/11/2024	SRS	Hours deleted	04/11/2024	10:00	04/11/2024	11:00	1	Quarterly Audit
6	14/11/2024	SRS	Hours deleted	14/11/2024	13:00	14/11/2024	14:00	1	Monthly calibration
7	04/12/2024	AXT	Zero Correction	01/11/2024	00:00	01/12/2024	00:00	-	Correcting Values <0 to 0
8	13/12/2024	SRS	Hours deleted	13/12/2024	11:00	13/12/2024	12:00	1	Monthly calibration
9	02/01/2025	AXT	Zero Correction	01/12/2024	00:00	01/01/2025	00:00	-	Correcting Values <0 to 0

**Table D2: Q4 Edit Log for PM<sub>2.5</sub> at Rundle Road Station**

<b>Emitter's Name:</b> Durham York Energy Centre									
<b>Contact</b>	Name: Ms. Lyndsay Waller	<b>Phone:</b> (905) 404-0888 ext 4107		<b>Email:</b> Lyndsay.Waller@Durham.ca					
<b>Station Number:</b> 45200			<b>Station Name:</b> Rundle Road Station						
<b>Station Address:</b> Rundle Road			<b>Emitter Address:</b> The Region of Durham, 605 Rossland Road, Whitby, ON						
<b>Pollutants or Parameter:</b> PM <sub>2.5</sub>		<b>Instrument Make &amp; Model:</b> Thermo Scientific Model 5030 SHARP Monitor					<b>s/n:</b> E-1569		
<b>Data Edit Period</b>		<b>Start Date:</b> October 1, 2024		<b>End Date:</b> December 31, 2024		All testing done in EST			
<b>Edit #</b>	<b>Edit date (dd/mm/yyyy)</b>	<b>Editor's Name</b>	<b>Edit Action</b>	<b>Starting</b>		<b>Ending</b>		<b>Reason</b>	
				<b>Date (dd/mm/yyyy)</b>	<b>Hour (xx:xx)</b>	<b>Date (dd/mm/yyyy)</b>	<b>Hour (xx:xx)</b>		<b>Duration Deleted Hours</b>
1	28/10/2024	SRS	Hours deleted	28/10/2024	13:00	28/10/2024	14:00	1	Monthly calibration
2	01/11/2024	AXT	Zero Correction	01/10/2024	00:00	01/11/2024	00:00	-	Correcting Values <0 to 0
3	04/11/2024	SRS	Hours deleted	04/11/2024	11:00	04/11/2024	12:00	1	Quarterly Audit
4	14/11/2024	SRS	Hours deleted	14/11/2024	15:00	14/11/2024	16:00	1	Monthly calibration
5	03/12/2024	AXT	Hours deleted	16/11/2024	11:00	16/11/2024	14:00	3	Power Outage
6	04/12/2024	AXT	Zero Correction	01/11/2024	00:00	01/12/2024	00:00	-	Correcting Values <0 to 0
7	13/12/2024	SRS	Hours deleted	13/12/2024	12:00	13/12/2024	13:00	1	Monthly calibration

**Table D3: Q4 Edit Log for NO<sub>x</sub> at Courtice Station**

<b>Emitter's Name:</b> Durham York Energy Centre									
<b>Contact</b>	Name: Ms. Lyndsay Waller	<b>Phone:</b> (905) 404-0888 ext 4107		<b>Email:</b> Lyndsay.Waller@Durham.ca					
<b>Station Number:</b> 45201			<b>Station Name:</b> Courtice Station						
<b>Station Address:</b> 100 Osbourne Road			<b>Emitter Address:</b> The Region of Durham, 605 Rossland Road, Whitby, ON						
<b>Pollutants or Parameter:</b> NOx		<b>Instrument Make &amp; Model:</b> Teledyne Nitrogen Oxide Analyzer Model T200					<b>s/n:</b> 675		
<b>Data Edit Period</b>		<b>Start Date:</b> October 1, 2024		<b>End Date:</b> December 31, 2024		All testing done in EST			
<b>Edit #</b>	<b>Edit date (dd/mm/yyyy)</b>	<b>Editor's Name</b>	<b>Edit Action</b>	<b>Starting</b>		<b>Ending</b>		<b>Reason</b>	
				<b>Date (dd/mm/yyyy)</b>	<b>Hour (xx:xx)</b>	<b>Date (dd/mm/yyyy)</b>	<b>Hour (xx:xx)</b>		<b>Deleted Hours</b>
1	01/11/2024	AXT	Hours deleted	06/10/2024	16:00	07/10/2024	16:00	24	Computer malfunction - no data
2	22/10/2024	SRS	Hours deleted	22/10/2024	12:00	22/10/2024	14:00	2	Monthly calibration
3	01/11/2024	AXT	Zero Correction	01/10/2024	00:00	01/11/2024	00:00	-	Correcting Values <0 to 0
4	04/11/2024	SRS	Hours deleted	04/11/2024	10:00	04/11/2024	11:00	1	Quarterly Audit
5	14/11/2024	SRS	Hours deleted	14/11/2024	13:00	14/11/2024	15:00	2	Monthly calibration
6	04/12/2024	AXT	Zero Correction	01/11/2024	00:00	01/12/2024	00:00	-	Correcting Values <0 to 0
7	11/12/2024	SRS	Hours deleted	11/12/2024	11:00	11/12/2024	14:00	3	Monthly calibration
8	02/01/2025	AXT	Zero Correction	01/12/2024	00:00	01/01/2025	00:00	-	Correcting Values <0 to 0

**Table D4: Q4 Edit Log for NO<sub>x</sub> at Rundle Road Station**

<b>Emitter's Name:</b> Durham York Energy Centre									
<b>Contact</b>	Name: Ms. Lyndsay Waller	<b>Phone:</b> (905) 404-0888 ext 4107		<b>Email:</b> Lyndsay.Waller@Durham.ca					
<b>Station Number:</b> 45200			<b>Station Name:</b> Rundle Road Station						
<b>Station Address:</b> Rundle Road			<b>Emitter Address:</b> The Region of Durham, 605 Rossland Road, Whitby, ON						
<b>Pollutants or Parameter:</b> NOx		<b>Instrument Make &amp; Model:</b> Teledyne Nitrogen Oxide Analyzer Model T200					<b>s/n:</b> 676		
<b>Data Edit Period</b>		<b>Start Date:</b> October 1, 2024		<b>End Date:</b> December 31, 2024		All testing done in EST			
<b>Edit #</b>	<b>Edit date (dd/mm/yyyy)</b>	<b>Editor's Name</b>	<b>Edit Action</b>	<b>Starting</b>		<b>Ending</b>		<b>Reason</b>	
				<b>Date (dd/mm/yyyy)</b>	<b>Hour (xx:xx)</b>	<b>Date (dd/mm/yyyy)</b>	<b>Hour (xx:xx)</b>		<b>Deleted Hours</b>
1	23/10/2024	SRS	Hours deleted	23/10/2024	11:00	23/10/2024	13:00	2	Monthly calibration
2	01/11/2024	AXT	Zero Correction	01/10/2024	00:00	01/11/2024	00:00	-	Correcting Values <0 to 0
3	04/11/2024	SRS	Hours deleted	04/11/2024	11:00	04/11/2024	12:00	1	Quarterly Audit
4	04/11/2024	SRS	Hours deleted	04/11/2024	12:00	04/11/2024	14:00	2	Monthly calibration
5	03/12/2024	AXT	Hours deleted	16/11/2024	11:00	16/11/2024	14:00	3	Power Outage
6	04/12/2024	AXT	Zero Correction	01/11/2024	00:00	01/12/2024	00:00	-	Correcting Values <0 to 0
7	12/12/2024	SRS	Hours deleted	12/12/2024	09:00	12/12/2024	11:00	2	Monthly calibration
8	02/01/2025	AXT	Zero Correction	01/12/2024	00:00	01/01/2025	00:00	-	Correcting Values <0 to 0

**Table D5: Q4 Edit Log for SO<sub>2</sub> at Courtice Station**

<b>Emitter's Name:</b> Durham York Energy Centre													
<b>Contact</b>	<b>Name:</b> Ms. Lyndsay Waller	<b>Phone:</b> (905) 404-0888 ext 4107		<b>Email:</b> Lyndsay.Waller@Durham.ca									
<b>Station Number:</b> 45201			<b>Station Name:</b> Courtice Station										
<b>Station Address:</b> 100 Osbourne Road			<b>Emitter Address:</b> The Region of Durham, 605 Rossland Road, Whitby, ON										
<b>Pollutants or Parameter:</b> SO <sub>2</sub>		<b>Instrument Make &amp; Model:</b> Teledyne Sulfur Dioxide Analyzer Model T100					<b>s/n:</b> 565						
<b>Data Edit Period</b>		<b>Start Date:</b> October 1, 2024		<b>End Date:</b> December 31, 2024		All testing done in EST							
<b>Edit #</b>	<b>Edit Date (dd/mm/yyyy)</b>	<b>Editor's Name</b>	<b>Edit Action</b>	<b>Starting</b>		<b>Ending</b>		<b>Reason</b>					
				<b>Date (dd/mm/yyyy)</b>	<b>Hour (xx:xx)</b>	<b>Date (dd/mm/yyyy)</b>	<b>Hour (xx:xx)</b>		<b>Deleted Hours</b>				
1	01/11/2024	AXT	Hours deleted	06/10/2024	16:00	07/10/2024	16:00	24	Computer malfunction - no data				
2	22/10/2024	SRS	Hours deleted	22/10/2024	11:00	22/10/2024	13:00	2	Monthly calibration				
3	01/11/2024	AXT	Zero Correction	01/10/2024	00:00	01/11/2024	00:00	-	Correcting Values <0 to 0				
4	04/11/2024	SRS	Hours deleted	04/11/2024	10:00	04/11/2024	11:00	1	Quarterly Audit				
5	14/11/2024	SRS	Hours deleted	14/11/2024	11:00	14/11/2024	13:00	2	Monthly calibration				
6	11/12/2024	SRS	Hours deleted	11/12/2024	13:00	11/12/2024	15:00	2	Monthly calibration				
7	02/01/2025	AXT	Zero Correction	01/12/2024	00:00	01/01/2025	00:00	-	Correcting Values <0 to 0				

**Table D6: Q4 Edit Log for SO<sub>2</sub> at Rundle Road Station**

<b>Emitter's Name:</b> Durham York Energy Centre									
<b>Contact</b>	Name: Ms. Lyndsay Waller	<b>Phone:</b> (905) 404-0888 ext 4107		<b>Email:</b> Lyndsay.Waller@Durham.ca					
<b>Station Number:</b> 45200			<b>Station Name:</b> Rundle Road Station						
<b>Station Address:</b> Rundle Road			<b>Emitter Address:</b> The Region of Durham, 605 Rossland Road, Whitby, ON						
<b>Pollutants or Parameter:</b> SO <sub>2</sub>		<b>Instrument Make &amp; Model:</b> Teledyne Sulfur Dioxide Analyzer Model T100					<b>s/n:</b> 566		
<b>Data Edit Period</b>		<b>Start Date:</b> October 1, 2024		<b>End Date:</b> December 31, 2024		All testing done in EST			
<b>Edit #</b>	<b>Edit date (dd/mm/yyyy)</b>	<b>Editor's Name</b>	<b>Edit Action</b>	<b>Starting</b>		<b>Ending</b>		<b>Reason</b>	
				<b>Date (dd/mm/yyyy)</b>	<b>Hour (xx:xx)</b>	<b>Date (dd/mm/yyyy)</b>	<b>Hour (xx:xx)</b>		<b>Deleted Hours</b>
1	23/10/2024	SRS	Hours deleted	23/10/2024	10:00	23/10/2024	12:00	2	Monthly calibration
2	01/11/2024	AXT	Zero Correction	01/10/2024	00:00	01/11/2024	00:00	-	Correcting Values <0 to 0
3	04/11/2024	SRS	Hours deleted	04/11/2024	11:00	04/11/2024	12:00	1	Quarterly Audit
4	04/11/2024	SRS	Hours deleted	04/11/2024	14:00	04/11/2024	16:00	2	Monthly calibration
5	03/12/2024	AXT	Hours deleted	16/11/2024	11:00	16/11/2024	14:00	3	Power Outage
6	04/12/2024	AXT	Zero Correction	01/11/2024	00:00	01/12/2024	00:00	-	Correcting Values <0 to 0
7	12/12/2024	SRS	Hours deleted	12/12/2024	10:00	12/12/2024	13:00	3	Monthly calibration
8	02/01/2025	AXT	Zero Correction	01/12/2024	00:00	01/01/2025	00:00	-	Correcting Values <0 to 0

**Table D7: Q4 Edit Log for Meteorological Parameters at Courtice Road Station**

<b>Emitter's Name:</b> Durham York Energy Centre									
<b>Contact</b>	<b>Name:</b> Ms. Lyndsay Waller	<b>Phone:</b> (905) 404-0888 ext 4107		<b>Email:</b> Lyndsay.Waller@Durham.ca					
<b>Station Number:</b> 45201		<b>Station Name:</b> Courtice Station							
<b>Station Address:</b> 100 Osbourne Road		<b>Emitter Address:</b> The Region of Durham, 605 Rossland Road, Whitby, ON							
<b>Pollutants or Parameter:</b> WS, WD, Ambient T, P, RH and Rain		<b>Instrument Make &amp; Model:</b> Miscellaneous Meteorological Instrumentation				<b>s/n:</b> N/A			
<b>Data Edit Period</b>		<b>Start Date:</b> October 1, 2024		<b>End Date:</b> December 31, 2024		All testing done in EST			
<b>Edit #</b>	<b>Edit date (dd/mm/yyyy)</b>	<b>Editor's Name</b>	<b>Edit Action</b>	<b>Starting</b>		<b>Ending</b>		<b>Duration</b>	<b>Reason</b>
				<b>Date (dd/mm/yyyy)</b>	<b>Hour (xx:xx)</b>	<b>Date (dd/mm/yyyy)</b>	<b>Hour (xx:xx)</b>		
1	01/11/2024	AXT	Hours deleted	06/10/2024	16:00	07/10/2024	16:00	24	Computer malfunction - no data
2	11/12/2024	SRS	Hours deleted	11/12/2024	11:00	11/12/2024	13:00	2	Annual Calibration for Rain
3	11/12/2024	SRS	Hours deleted	11/12/2024	12:00	11/12/2024	13:00	1	Annual Calibration for WS, WD, BP, RH, & Temp

**Table D8: Q4 Edit Log for Meteorological Parameters at Rundle Road Station**


<b>Emitter's Name:</b> Durham York Energy Centre													
<b>Contact</b>	<b>Name:</b> Ms. Lyndsay Waller	<b>Phone:</b> (905) 404-0888 ext 4107		<b>Email:</b> Lyndsay.Waller@Durham.ca									
<b>Station Number:</b> 45200			<b>Station Name:</b> Rundle Station										
<b>Station Address:</b> Rundle Road			<b>Emitter Address:</b> The Region of Durham, 605 Rossland Road, Whitby, ON										
<b>Pollutants or Parameter:</b> WS, WD, Ambient T, P, RH and Rain		<b>Instrument Make &amp; Model:</b> Miscellaneous Meterological Instrumentation					<b>s/n:</b> N/A						
<b>Data Edit Period</b>		<b>Start Date:</b> October 1, 2024		<b>End Date:</b> December 31, 2024		All testing done in EST							
<b>Edit #</b>	<b>Edit date (dd/mm/yyyy)</b>	<b>Editor's Name</b>	<b>Edit Action</b>	<b>Starting</b>		<b>Ending</b>		<b>Reason</b>					
				<b>Date (dd/mm/yyyy)</b>	<b>Hour (xx:xx)</b>	<b>Date (dd/mm/yyyy)</b>	<b>Hour (xx:xx)</b>		<b>Duration Deleted Hours</b>				
1	23/10/2024	AXT	Hours deleted	23/10/2024	11:00	23/10/2024	13:00	2	Data logger malfunction - no data collected				
2	03/12/2024	AXT	Hours deleted	16/11/2024	11:00	16/11/2024	14:00	3	Power Outage				
3	12/12/2024	SRS	Hours deleted	12/12/2024	10:00	12/12/2024	11:00	1	Annual Calibration for WS, WD				
4	12/12/2024	SRS	Hours deleted	12/12/2024	11:00	12/12/2024	12:00	1	Annual Calibration for Rain				

**Table D9: Q4 Edit Log for Discrete Sampling at Courtice Station**

<b>Emitter's Name:</b> Durham York Energy Center							
Contact	Name: Ms. Lyndsay Waller	Phone: (905) 404-0888 ext 4107	Email: Lyndsay.Waller@Durham.ca				
Station Number: 45201		Station Name: Courtice Station					
Station Address: 100 Osbourne Road		Emitter Address: The Region of Durham, 605 Rossland Road, Whitby, ON					
Pollutants or Parameter: N/A		Instrument Make & Model: N/A			s/n:		
Data Edit Period		Start Date: October 1, 2024	End Date: December 31, 2024	All testing done in EST			
Edit #	Edit date (dd/mm/yyyy)	Editor's Name	Edit Action	Starting	Ending	Duration	Reason
				Date (dd/mm/yyyy)	Hour (xx:xx)	Date (dd/mm/yyyy)	
**No edits required for this parameter during Q4**							

**Table D10: Q4 Edit Log for Discrete Sampling at Rundle Station**

<b>Emitter's Name:</b> Durham York Energy Center												
Contact	Name: Ms. Lyndsay Waller	Phone: (905) 404-0888 ext 4107			Email: Lyndsay.Waller@Durham.ca							
<b>Station Number:</b> 45200			<b>Station Name:</b> Rundle Station									
<b>Station Address:</b> Rundle Rd			<b>Emitter Address:</b> The Region of Durham, 605 Rossland Road, Whitby, ON									
<b>Pollutants or Parameter:</b> N/A		<b>Instrument Make &amp; Model:</b> N/A						s/n:				
<b>Data Edit Period</b>		<b>Start Date:</b> October 1, 2024		<b>End Date:</b> December 31, 2024		All testing done in EST						
Edit #	Edit date (dd/mm/yyyy)	Editor's Name	Edit Action	Starting		Ending		Duration Deleted Hours	Reason			
				Date (dd/mm/yyyy)	Hour (xx:xx)	Date (dd/mm/yyyy)	Hour (xx:xx)					
1	03/01/2025	AXT	Hours deleted	08/12/2024	00:00	09/12/2024	00:00	24	TSP - Sample Volume outside criteria ( +/- 10%)			

An abstract graphic design element consisting of two overlapping curved bands. The top band is white and the bottom band is light beige. They overlap in the center, creating a triangular shape at the top left corner.

## APPENDIX E

## SO<sub>2</sub> Exceedance Report

**Table E1**

Durham York Energy Centre  
Courtice, Ontario  
Courtice Station  
Baseline Corrected Data

Date (dd/mm/yyyy)	Time (EST)	SO <sub>2</sub>	SO <sub>2</sub>
		5-min Avg. (ppb)	10-minute Running Avg. (ppb)
2024-10-02	17:55	26	17
2024-10-02	18:00	10	18
2024-10-02	18:05	5	7
2024-10-02	18:10	294	150
2024-10-02	18:15	201	248
2024-10-02	18:20	31	116
2024-10-02	18:25	21	26
2024-10-02	18:30	10	15
2024-10-02	18:35	6	8
Hidden cells with no values exceeding limit.			
2024-10-02	18:50	12	19
2024-10-02	18:55	37	24
2024-10-02	19:00	82	59
2024-10-02	19:05	59	70
2024-10-02	19:10	20	39
2024-10-02	19:15	22	21
2024-10-02	19:20	97	59
2024-10-02	19:25	71	84
2024-10-02	19:30	66	69
2024-10-02	19:35	30	48
2024-10-02	19:40	18	24
Hidden cells with no values exceeding limit.			
2024-10-04	4:50	4	4
2024-10-04	4:55	41	22
2024-10-04	5:00	86	63
2024-10-04	5:05	70	78
2024-10-04	5:10	95	82
2024-10-04	5:15	22	58
2024-10-04	5:20	15	19
Hidden cells with no values exceeding limit.			
2024-10-04	5:45	6	7
2024-10-04	5:50	6	6
2024-10-04	5:55	9	7
2024-10-04	6:00	143	76
2024-10-04	6:05	71	107
2024-10-04	6:10	20	45

2024-10-04	6:15	12	16
Hidden cells with no values exceeding limit.			
2024-10-04	18:45	4	3
2024-10-04	18:50	6	5
2024-10-04	18:55	86	46
2024-10-04	19:00	140	113
2024-10-04	19:05	39	89
2024-10-04	19:10	69	54
2024-10-04	19:15	22	45
Hidden cells with no values exceeding limit.			
2024-10-05	2:15	4	4
2024-10-05	2:20	3	4
2024-10-05	2:25	73	38
2024-10-05	2:30	143	108
2024-10-05	2:35	48	95
2024-10-05	2:40	27	37
2024-10-05	2:45	16	21
Hidden cells with no values exceeding limit.			
2024-10-05	21:35	9	11
2024-10-05	21:40	7	8
2024-10-05	21:45	124	65
2024-10-05	21:50	117	120
2024-10-05	21:55	51	84
2024-10-05	22:00	43	47
2024-10-05	22:05	35	39
Hidden cells with no values exceeding limit.			
2024-10-08	23:00	1	1
2024-10-08	23:05	1	1
2024-10-08	23:10	24	12
2024-10-08	23:15	150	87
2024-10-08	23:20	145	147
2024-10-08	23:25	196	170
2024-10-08	23:30	98	147
2024-10-08	23:35	27	62
2024-10-08	23:40	16	21
Hidden cells with no values exceeding limit.			
2024-10-09	23:10	1	1
2024-10-09	23:15	7	4
2024-10-09	23:20	109	58
2024-10-09	23:25	49	79
2024-10-09	23:30	16	32
2024-10-09	23:35	9	12
2024-10-09	23:40	7	8
Hidden cells with no values exceeding limit.			
2024-10-10	22:05	5	7
2024-10-10	22:10	41	23
2024-10-10	22:15	64	53

2024-10-10	22:20	126	95
2024-10-10	22:25	294	210
2024-10-10	22:30	338	316
2024-10-10	22:35	63	201
2024-10-10	22:40	36	50
2024-10-10	22:45	29	33
Hidden cells with no values exceeding limit.			
2024-10-10	23:25	27	28
2024-10-10	23:30	16	21
2024-10-10	23:35	91	54
2024-10-10	23:40	219	155
2024-10-10	23:45	59	139
2024-10-10	23:50	117	88
2024-10-10	23:55	68	92
2024-10-11	0:00	237	152
2024-10-11	0:05	119	178
2024-10-11	0:10	42	81
2024-10-11	0:15	28	35
2024-10-11	0:20	21	25
2024-10-11	0:25	17	19
Hidden cells with no values exceeding limit.			
2024-10-11	2:20	16	12
2024-10-11	2:25	9	12
2024-10-11	2:30	72	40
2024-10-11	2:35	85	78
2024-10-11	2:40	30	57
2024-10-11	2:45	33	31
2024-10-11	2:50	56	44
Hidden cells with no values exceeding limit.			
2024-10-21	22:25	12	7
2024-10-21	22:30	14	13
2024-10-21	22:35	73	43
2024-10-21	22:40	106	89
2024-10-21	22:45	29	67
2024-10-21	22:50	21	25
2024-10-21	22:55	22	22
Hidden cells with no values exceeding limit.			
2024-10-22	1:15	49	60
2024-10-22	1:20	73	61
2024-10-22	1:25	58	66
2024-10-22	1:30	88	73
2024-10-22	1:35	98	93
2024-10-22	1:40	96	97
2024-10-22	1:45		96
2024-10-22	1:50		
2024-10-22	1:55		
2024-10-22	2:00		

2024-10-22	2:05		
2024-10-22	2:10		
2024-10-22	2:15	123	123
2024-10-22	2:20	77	100
2024-10-22	2:25	49	63
2024-10-22	2:30	29	39
Hidden cells with no values exceeding limit.			
2024-10-22	3:10	15	13
2024-10-22	3:15	24	19
2024-10-22	3:20	108	66
2024-10-22	3:25	205	156
2024-10-22	3:30	56	130
2024-10-22	3:35	84	70
2024-10-22	3:40	179	131
2024-10-22	3:45	72	125
2024-10-22	3:50	39	55
2024-10-22	3:55	26	32
2024-10-22	4:00	21	23
Hidden cells with no values exceeding limit.			
2024-10-22	4:35	24	19
2024-10-22	4:40	13	19
2024-10-22	4:45	11	12
2024-10-22	4:50	544	278
2024-10-22	4:55	116	330
2024-10-22	5:00	74	95
2024-10-22	5:05	56	65
2024-10-22	5:10	29	42
2024-10-22	5:15	31	30
Hidden cells with no values exceeding limit.			
2024-10-22	7:45	13	12
2024-10-22	7:50	13	13
2024-10-22	7:55	65	39
2024-10-22	8:00	112	88
2024-10-22	8:05	61	86
2024-10-22	8:10	68	64
2024-10-22	8:15	48	58
Hidden cells with no values exceeding limit.			
2024-10-23	3:05	6	6
2024-10-23	3:10	9	7
2024-10-23	3:15	51	30
2024-10-23	3:20	99	75
2024-10-23	3:25	52	75
2024-10-23	3:30	35	43
2024-10-23	3:35	27	31
Hidden cells with no values exceeding limit.			
2024-10-23	4:10	15	18
2024-10-23	4:15	16	16

2024-10-23	4:20	68	42
2024-10-23	4:25	87	78
2024-10-23	4:30	97	92
2024-10-23	4:35	42	69
2024-10-23	4:40	67	54
2024-10-23	4:45	90	78
2024-10-23	4:50	177	134
2024-10-23	4:55	96	137
2024-10-23	5:00	48	72
2024-10-23	5:05	40	44
2024-10-23	5:10	30	35
Hidden cells with no values exceeding limit.			
2024-10-25	7:00	28	28
2024-10-25	7:05	25	27
2024-10-25	7:10	103	64
2024-10-25	7:15	33	68
2024-10-25	7:20	16	25
2024-10-25	7:25	14	15
2024-10-25	7:30	36	25
2024-10-25	7:35	30	33
2024-10-25	7:40	109	70
2024-10-25	7:45	29	69
2024-10-25	7:50	24	26
2024-10-25	7:55	20	22
Hidden cells with no values exceeding limit.			
2024-10-27	20:05	21	17
2024-10-27	20:10	44	32
2024-10-27	20:15	74	59
2024-10-27	20:20	84	79
2024-10-27	20:25	18	51
2024-10-27	20:30	10	14
2024-10-27	20:35	87	49
Hidden cells with no values exceeding limit.			
2024-10-27	22:15	20	13
2024-10-27	22:20	68	44
2024-10-27	22:25	62	65
2024-10-27	22:30	139	101
2024-10-27	22:35	90	115
2024-10-27	22:40	102	96
2024-10-27	22:45	39	71
2024-10-27	22:50	22	31
2024-10-27	22:55	21	21
2024-10-27	23:00	103	62
2024-10-27	23:05	91	97
2024-10-27	23:10	47	69
2024-10-27	23:15	55	51
2024-10-27	23:20	32	43

**Notes:**

D, T & V	- Date, Time & Exceedence Value Reported
Faded Values	- Not used to calculate the number of reportable exceedences
	- Range of 5-minute measurements that contribute to the Exceedance Value Reported
<u>Max</u>	- Maximum of the Range
<u>Min</u>	- Minimum of the Range

Ambient Air Quality Criteria (AAQC) for SO2 = 67 ppb for 10-minute running average

Total Number of Reportable Exceedances:

40

## SO<sub>2</sub> Exceedance Report

**Table E2**

Durham York Energy Centre  
Courtice, Ontario  
Courtice Station  
Baseline Corrected Data

Date (dd/mm/yyyy)	Time (EST)	SO <sub>2</sub>	SO <sub>2</sub>
		5-min Avg. (ppb)	10-minute Running Avg. (ppb)
2024-11-02	17:30	20	12
2024-11-02	17:35	5	12
2024-11-02	17:40	58	31
2024-11-02	17:45	147	103
2024-11-02	17:50	41	94
2024-11-02	17:55	17	29
2024-11-02	18:00	14	15
Hidden cells with no values exceeding limit.			
2024-11-02	20:05	47	46
2024-11-02	20:10	37	42
2024-11-02	20:15	92	65
2024-11-02	20:20	102	97
2024-11-02	20:25	35	68
2024-11-02	20:30	22	28
2024-11-02	20:35	14	18
2024-11-02	20:40	10	12
2024-11-02	20:45	30	20
2024-11-02	20:50	132	81
2024-11-02	20:55	176	154
2024-11-02	21:00	78	127
2024-11-02	21:05	104	91
2024-11-02	21:10	103	104
2024-11-02	21:15	43	73
2024-11-02	21:20	27	35
2024-11-02	21:25	17	22
Hidden cells with no values exceeding limit.			
2024-11-03	0:00	12	14
2024-11-03	0:05	14	13
2024-11-03	0:10	77	46
2024-11-03	0:15	106	91
2024-11-03	0:20	88	97
2024-11-03	0:25	44	66
2024-11-03	0:30	22	33
Hidden cells with no values exceeding limit.			
2024-11-03	2:20	20	27
2024-11-03	2:25	11	15

2024-11-03	2:30	73	42
2024-11-03	2:35	116	95
2024-11-03	2:40	94	105
2024-11-03	2:45	87	91
2024-11-03	2:50	88	88
2024-11-03	2:55	62	75
2024-11-03	3:00	47	54
2024-11-03	3:05	40	44
2024-11-03	3:10	20	30
2024-11-03	3:15	41	31
2024-11-03	3:20	93	67
2024-11-03	3:25	45	69
2024-11-03	3:30	24	34
2024-11-03	3:35	46	35
2024-11-03	3:40	70	58
Hidden cells with no values exceeding limit.			
2024-11-03	3:55	21	31
2024-11-03	4:00	16	18
2024-11-03	4:05	83	50
2024-11-03	4:10	77	80
2024-11-03	4:15	74	76
2024-11-03	4:20	67	71
2024-11-03	4:25	59	63
2024-11-03	4:30	75	67
2024-11-03	4:35	58	67
2024-11-03	4:40	27	42
2024-11-03	4:45	20	23
2024-11-03	4:50	54	37
2024-11-03	4:55	98	76
2024-11-03	5:00	60	79
2024-11-03	5:05	76	68
2024-11-03	5:10	89	83
2024-11-03	5:15	69	79
2024-11-03	5:20	59	64
2024-11-03	5:25	43	51
2024-11-03	5:30	25	34
2024-11-03	5:35	32	29
2024-11-03	5:40	151	91
2024-11-03	5:45	141	146
2024-11-03	5:50	101	121
2024-11-03	5:55	91	96
2024-11-03	6:00	85	88
2024-11-03	6:05	92	88
2024-11-03	6:10	80	86
2024-11-03	6:15	32	56
2024-11-03	6:20	24	28
2024-11-03	6:25	45	34

2024-11-03	6:30	100	73
2024-11-03	6:35	73	87
2024-11-03	6:40	64	68
2024-11-03	6:45	61	62
2024-11-03	6:50	78	70
2024-11-03	6:55	96	87
2024-11-03	7:00	66	81
2024-11-03	7:05	32	49
2024-11-03	7:10	24	28
2024-11-03	7:15	19	21

Hidden cells with no values exceeding limit.

2024-11-09	17:10	1	1
2024-11-09	17:15	1	1
2024-11-09	17:20	109	55
2024-11-09	17:25	163	136
2024-11-09	17:30	128	145
2024-11-09	17:35	49	88
2024-11-09	17:40	19	34
2024-11-09	17:45	28	23
2024-11-09	17:50	14	21
2024-11-09	17:55	9	11
2024-11-09	18:00	53	31
2024-11-09	18:05	100	76
2024-11-09	18:10	36	68
2024-11-09	18:15	87	62
2024-11-09	18:20	52	69
2024-11-09	18:25	30	41
2024-11-09	18:30	14	22
2024-11-09	18:35	10	12

Hidden cells with no values exceeding limit.

2024-11-12	19:10	9	14
2024-11-12	19:15	7	8
2024-11-12	19:20	70	38
2024-11-12	19:25	74	72
2024-11-12	19:30	66	70
2024-11-12	19:35	71	69
2024-11-12	19:40	69	70
2024-11-12	19:45	69	69
2024-11-12	19:50	51	60
2024-11-12	19:55	20	36
2024-11-12	20:00	14	17

Hidden cells with no values exceeding limit.

2024-11-21	7:35	4	4
2024-11-21	7:40	4	4
2024-11-21	7:45	6	5
2024-11-21	7:50	227	117
2024-11-21	7:55	614	420

2024-11-21	8:00	567	<u>590</u>
2024-11-21	8:05	319	443
2024-11-21	8:10	174	247
2024-11-21	8:15	59	117
2024-11-21	8:20	100	80
2024-11-21	8:25	75	88
2024-11-21	8:30	41	58
2024-11-21	8:35	30	36
Hidden cells with no values exceeding limit.			
2024-11-25	1:05	7	9
2024-11-25	1:10	42	25
2024-11-25	1:15	74	58
2024-11-25	1:20	87	81
2024-11-25	1:25	125	106
2024-11-25	1:30	121	123
2024-11-25	1:35	101	111
2024-11-25	1:40	127	114
2024-11-25	1:45		127
2024-11-25	1:50		
2024-11-25	1:55		
Hidden cells with no values exceeding limit.			
2024-11-25	2:50	14	13
2024-11-25	2:55	36	25
2024-11-25	3:00	75	56
2024-11-25	3:05	61	68
2024-11-25	3:10	59	60
2024-11-25	3:15	65	62
2024-11-25	3:20	54	60
2024-11-25	3:25	83	69
2024-11-25	3:30	72	77
2024-11-25	3:35	40	56
2024-11-25	3:40	30	35
Hidden cells with no values exceeding limit.			
2024-11-27	23:45	37	19
2024-11-27	23:50	32	34
2024-11-27	23:55	83	57
2024-11-28	0:00	156	119
2024-11-28	0:05	89	123
2024-11-28	0:10	36	62
2024-11-28	0:15	19	28
2024-11-28	0:20	20	20
2024-11-28	0:25	47	33
2024-11-28	0:30	63	55
2024-11-28	0:35	98	80
2024-11-28	0:40	88	93
2024-11-28	0:45	35	61
2024-11-28	0:50	62	48

2024-11-28	0:55	75	69
2024-11-28	1:00	75	75
2024-11-28	1:05	39	57
2024-11-28	1:10	46	43
Hidden cells with no values exceeding limit.			
2024-11-28	3:20	16	20
2024-11-28	3:25	13	15
2024-11-28	3:30	33	23
2024-11-28	3:35	105	69
2024-11-28	3:40	51	78
2024-11-28	3:45	41	46
2024-11-28	3:50	33	37

**Notes:**

D, T & V	- Date, Time & Exceedence Value Reported
Faded Values	- Not used to calculate the number of reportable exceedences
	- Range of 5-minute measurements that contribute to the Exceedance Value Reported
<u>Max</u>	- Maximum of the Range
Min	- Minimum of the Range

Ambient Air Quality Criteria (AAQC) for SO2 = 67 ppb for 10-minute running average

Total Number of Reportable Exceedances:

44

## SO<sub>2</sub> Exceedance Report

**Table E3**

Durham York Energy Centre  
Courtice, Ontario  
Courtice Station  
Baseline Corrected Data

Date (dd/mm/yyyy)	Time (EST)	SO <sub>2</sub>	SO <sub>2</sub>
		5-min Avg. (ppb)	10-minute Running Avg. (ppb)
2024-12-02	2:15	8	8
2024-12-02	2:20	6	7
2024-12-02	2:25	87	46
2024-12-02	2:30	81	84
2024-12-02	2:35	25	53
2024-12-02	2:40	15	20
2024-12-02	2:45	9	12
Hidden cells with no values exceeding limit.			
2024-12-02	7:00	21	16
2024-12-02	7:05	21	21
2024-12-02	7:10	62	41
2024-12-02	7:15	81	72
2024-12-02	7:20	51	66
2024-12-02	7:25	26	38
2024-12-02	7:30	15	20
Hidden cells with no values exceeding limit.			
2024-12-08	22:20	3	3
2024-12-08	22:25	7	5
2024-12-08	22:30	66	37
2024-12-08	22:35	76	71
2024-12-08	22:40	42	59
2024-12-08	22:45	19	31
2024-12-08	22:50	13	16
Hidden cells with no values exceeding limit.			
2024-12-14	7:50	7	11
2024-12-14	7:55	5	6
2024-12-14	8:00	66	35
2024-12-14	8:05	141	104
2024-12-14	8:10	83	<u>112</u>
2024-12-14	8:15	58	70
2024-12-14	8:20	41	<u>49</u>
2024-12-14	8:25	28	34
2024-12-14	8:30	54	41
Hidden cells with no values exceeding limit.			
2024-12-28	23:50	3	3
2024-12-28	23:55	15	9

2024-12-29	0:00	98	56
2024-12-29	0:05	69	83
2024-12-29	0:10	58	64
2024-12-29	0:15	19	39
2024-12-29	0:20	26	22

**Notes:**

D, T & V	- Date, Time & Exceedence Value Reported
Faded Values	- Not used to calculate the number of reportable exceedences
	- Range of 5-minute measurements that contribute to the Exceedance Value Reported
Max	- Maximum of the Range
Min	- Minimum of the Range

Ambient Air Quality Criteria (AAQC) for SO<sub>2</sub> = 67 ppb for 10-minute running average

Total Number of Reportable Exceedances:

**6**

**SO<sub>2</sub> Exceedance Report****Table E4**

Durham York Energy Centre  
Courtice, Ontario  
Courtice Station  
Baseline Corrected Data

Date (dd/mm/yyyy)	Time (EST)	SO <sub>2</sub>	SO <sub>2</sub>
		5-min Avg. (ppb)	1-hr Running Avg. (ppb)
2024-10-02	17:10	4	1
2024-10-02	17:15	10	2
2024-10-02	17:20	9	3
2024-10-02	17:25	8	3
2024-10-02	17:30	8	4
2024-10-02	17:35	11	5
2024-10-02	17:40	13	6
2024-10-02	17:45	13	7
2024-10-02	17:50	7	7
2024-10-02	17:55	26	9
2024-10-02	18:00	10	10
2024-10-02	18:05	5	10
2024-10-02	18:10	294	34
2024-10-02	18:15	201	50
2024-10-02	18:20	31	52
2024-10-02	18:25	21	53
2024-10-02	18:30	10	53
2024-10-02	18:35	6	53
2024-10-02	18:40	4	52
2024-10-02	18:45	26	53
2024-10-02	18:50	12	54
2024-10-02	18:55	37	55
2024-10-02	19:00	82	61
2024-10-02	19:05	59	65
2024-10-02	19:10	20	42
2024-10-02	19:15	22	27
2024-10-02	19:20	97	33
2024-10-02	19:25	71	37
2024-10-02	19:30	66	42
2024-10-02	19:35	30	44
2024-10-02	19:40	18	45
2024-10-02	19:45	34	46
2024-10-02	19:50	19	46
2024-10-02	19:55	16	44
2024-10-02	20:00	10	38
2024-10-02	20:05	7	34

2024-10-02	20:10	9	33
2024-10-02	20:15	7	32
2024-10-02	20:20	5	24
2024-10-02	20:25	4	19
2024-10-02	20:30	4	13
2024-10-02	20:35	15	12

Hidden cells with no values exceeding limit.

2024-10-08	22:20	1	1
2024-10-08	22:25	1	1
2024-10-08	22:30	1	1
2024-10-08	22:35	1	1
2024-10-08	22:40	1	1
2024-10-08	22:45	1	1
2024-10-08	22:50	1	1
2024-10-08	22:55	1	1
2024-10-08	23:00	1	1
2024-10-08	23:05	1	1
2024-10-08	23:10	24	3
2024-10-08	23:15	150	15
2024-10-08	23:20	145	27
2024-10-08	23:25	196	44
2024-10-08	23:30	98	52
2024-10-08	23:35	27	54
2024-10-08	23:40	16	55
2024-10-08	23:45	12	56
2024-10-08	23:50	11	57
2024-10-08	23:55	17	58
2024-10-09	0:00	30	61
2024-10-09	0:05	26	63
2024-10-09	0:10	22	63
2024-10-09	0:15	21	52
2024-10-09	0:20	22	42
2024-10-09	0:25	39	28
2024-10-09	0:30	22	22

Hidden cells with no values exceeding limit.

2024-10-10	21:20	9	3
2024-10-10	21:25	3	3
2024-10-10	21:30	3	3
2024-10-10	21:35	2	3
2024-10-10	21:40	1	4
2024-10-10	21:45	1	4
2024-10-10	21:50	44	7
2024-10-10	21:55	21	9
2024-10-10	22:00	8	9
2024-10-10	22:05	5	10
2024-10-10	22:10	41	12
2024-10-10	22:15	64	17

2024-10-10	22:20	126	27
2024-10-10	22:25	294	51
2024-10-10	22:30	338	79
2024-10-10	22:35	63	84
2024-10-10	22:40	36	87
2024-10-10	22:45	29	89
2024-10-10	22:50	17	87
2024-10-10	22:55	13	86
2024-10-10	23:00	11	87
2024-10-10	23:05	16	87
2024-10-10	23:10	36	87
2024-10-10	23:15	18	83
2024-10-10	23:20	30	75
2024-10-10	23:25	27	53
2024-10-10	23:30	16	26
2024-10-10	23:35	91	28
2024-10-10	23:40	219	43
2024-10-10	23:45	59	46
2024-10-10	23:50	117	54
2024-10-10	23:55	68	59
2024-10-11	0:00	237	78
2024-10-11	0:05	119	86
2024-10-11	0:10	42	87
2024-10-11	0:15	28	88
2024-10-11	0:20	21	87
2024-10-11	0:25	17	86
2024-10-11	0:30	16	86
2024-10-11	0:35	14	80
2024-10-11	0:40	11	62
2024-10-11	0:45	57	62
2024-10-11	0:50	18	54
2024-10-11	0:55	13	50
2024-10-11	1:00	10	31
2024-10-11	1:05	9	21
2024-10-11	1:10	8	19
2024-10-11	1:15	10	17
2024-10-11	1:20	12	16
2024-10-11	1:25	12	16
2024-10-11	1:30	10	15

Hidden cells with no values exceeding limit.

2024-10-22	0:30	34	17
2024-10-22	0:35	20	18
2024-10-22	0:40	11	19
2024-10-22	0:45	36	20
2024-10-22	0:50	12	19
2024-10-22	0:55	8	18
2024-10-22	1:00	7	18

2024-10-22	1:05	18	19
2024-10-22	1:10	71	24
2024-10-22	1:15	49	28
2024-10-22	1:20	73	33
2024-10-22	1:25	58	33
2024-10-22	1:30	88	38
2024-10-22	1:35	98	44
2024-10-22	1:40	96	51
2024-10-22	1:45		53
2024-10-22	1:50		57
2024-10-22	1:55		62
2024-10-22	2:00		69
2024-10-22	2:05		76
2024-10-22	2:10		77
2024-10-22	2:15	123	89
2024-10-22	2:20	77	90
2024-10-22	2:25	49	88
2024-10-22	2:30	29	78
2024-10-22	2:35	21	66
2024-10-22	2:40	17	52
2024-10-22	2:45	16	47
2024-10-22	2:50	13	43
2024-10-22	2:55	13	40
2024-10-22	3:00	12	37
2024-10-22	3:05	11	34
2024-10-22	3:10	15	33
2024-10-22	3:15	24	25
2024-10-22	3:20	108	27
2024-10-22	3:25	205	40
2024-10-22	3:30	56	42
2024-10-22	3:35	84	48
2024-10-22	3:40	179	61
2024-10-22	3:45	72	66
2024-10-22	3:50	39	68
2024-10-22	3:55	26	69
2024-10-22	4:00	21	70
2024-10-22	4:05	15	70
2024-10-22	4:10	12	70
2024-10-22	4:15	10	69
2024-10-22	4:20	14	61
2024-10-22	4:25	22	46
2024-10-22	4:30	14	42
2024-10-22	4:35	24	37
2024-10-22	4:40	13	23
2024-10-22	4:45	11	18
2024-10-22	4:50	544	60
2024-10-22	4:55	116	68

2024-10-22	5:00	74	72
2024-10-22	5:05	56	76
2024-10-22	5:10	29	77
2024-10-22	5:15	31	79
2024-10-22	5:20	79	84
2024-10-22	5:25	27	85
2024-10-22	5:30	20	85
2024-10-22	5:35	16	85
2024-10-22	5:40	17	85
2024-10-22	5:45	17	85
2024-10-22	5:50	12	41
2024-10-22	5:55	10	32
2024-10-22	6:00	14	27
2024-10-22	6:05	14	24
2024-10-22	6:10	9	22
2024-10-22	6:15	8	20
2024-10-22	6:20	7	14
2024-10-22	6:25	9	13
2024-10-22	6:30	8	12

Hidden cells with no values exceeding limit.

2024-10-23	2:55	8	16
2024-10-23	3:00	6	15
2024-10-23	3:05	6	14
2024-10-23	3:10	9	14
2024-10-23	3:15	51	16
2024-10-23	3:20	99	22
2024-10-23	3:25	52	23
2024-10-23	3:30	35	25
2024-10-23	3:35	27	26
2024-10-23	3:40	38	29
2024-10-23	3:45	35	31
2024-10-23	3:50	44	34
2024-10-23	3:55	72	39
2024-10-23	4:00	57	44
2024-10-23	4:05	21	45
2024-10-23	4:10	15	45
2024-10-23	4:15	16	43
2024-10-23	4:20	68	40
2024-10-23	4:25	87	43
2024-10-23	4:30	97	48
2024-10-23	4:35	42	49
2024-10-23	4:40	67	52
2024-10-23	4:45	90	56
2024-10-23	4:50	177	67
2024-10-23	4:55	96	69
2024-10-23	5:00	48	69
2024-10-23	5:05	40	70

2024-10-23	5:10	30	72
2024-10-23	5:15	26	72
2024-10-23	5:20	24	69
2024-10-23	5:25	18	63
2024-10-23	5:30	15	56
2024-10-23	5:35	13	54
2024-10-23	5:40	11	49
2024-10-23	5:45	10	42
2024-10-23	5:50	9	28
2024-10-23	5:55	9	21
2024-10-23	6:00	8	18
2024-10-23	6:05	7	15

Hidden cells with no values exceeding limit.

2024-10-25	6:55	29	8
2024-10-25	7:00	28	9
2024-10-25	7:05	25	11
2024-10-25	7:10	103	19
2024-10-25	7:15	33	21
2024-10-25	7:20	16	22
2024-10-25	7:25	14	23
2024-10-25	7:30	36	25
2024-10-25	7:35	30	27
2024-10-25	7:40	109	36
2024-10-25	7:45	29	38
2024-10-25	7:50	24	40
2024-10-25	7:55	20	39
2024-10-25	8:00	60	42
2024-10-25	8:05	51	44
2024-10-25	8:10	22	37
2024-10-25	8:15	15	36
2024-10-25	8:20	14	35
2024-10-25	8:25	16	36
2024-10-25	8:30	12	34
2024-10-25	8:35	11	32
2024-10-25	8:40	12	24
2024-10-25	8:45	12	23
2024-10-25	8:50	10	21
2024-10-25	8:55	9	20
2024-10-25	9:00	8	16
2024-10-25	9:05	7	12

Hidden cells with no values exceeding limit.

2024-10-27	19:40	13	3
2024-10-27	19:45	14	4
2024-10-27	19:50	7	5
2024-10-27	19:55	18	6
2024-10-27	20:00	14	7
2024-10-27	20:05	21	9

2024-10-27	20:10	44	12
2024-10-27	20:15	74	18
2024-10-27	20:20	84	25
2024-10-27	20:25	18	27
2024-10-27	20:30	10	28
2024-10-27	20:35	87	34
2024-10-27	20:40	30	35
2024-10-27	20:45	78	40
2024-10-27	20:50	31	42
2024-10-27	20:55	15	42
2024-10-27	21:00	13	42
2024-10-27	21:05	9	41
2024-10-27	21:10	8	38
2024-10-27	21:15	7	33
2024-10-27	21:20	7	26
2024-10-27	21:25	6	25
2024-10-27	21:30	5	25
2024-10-27	21:35	14	19
2024-10-27	21:40	18	18
2024-10-27	21:45	19	13
2024-10-27	21:50	9	11
2024-10-27	21:55	38	13
2024-10-27	22:00	9	12
2024-10-27	22:05	8	12
2024-10-27	22:10	6	12
2024-10-27	22:15	20	13
2024-10-27	22:20	68	18
2024-10-27	22:25	62	23
2024-10-27	22:30	139	34
2024-10-27	22:35	90	41
2024-10-27	22:40	102	48
2024-10-27	22:45	39	49
2024-10-27	22:50	22	50
2024-10-27	22:55	21	49
2024-10-27	23:00	103	57
2024-10-27	23:05	91	64
2024-10-27	23:10	47	67
2024-10-27	23:15	55	70
2024-10-27	23:20	32	67
2024-10-27	23:25	68	68
2024-10-27	23:30	26	58
2024-10-27	23:35	30	53
2024-10-27	23:40	21	46
2024-10-27	23:45	14	44
2024-10-27	23:50	11	43
2024-10-27	23:55	9	42
2024-10-28	0:00	8	34

2024-10-28	0:05	7	27
2024-10-28	0:10	6	24
2024-10-28	0:15	5	20
2024-10-28	0:20	5	17
2024-10-28	0:25	5	12
2024-10-28	0:30	4	<u>10</u>
2024-10-28	0:35	4	8
2024-10-28	0:40	4	7

**Notes:**

D, T & V	- Date, Time & Exceedence Value Reported
Faded Values	- Not used to calculate the number of reportable exceedences
	- Range of 5-minute measurements that contribute to the Exceedance Value Reported
Max	- Maximum of the Range
Min	- Minimum of the Range

Ambient Air Quality Criteria (AAQC) for SO2 = 40 ppb for 1-hour running average

Total Number of Reportable Exceedances:

16

**SO<sub>2</sub> Exceedance Report****Table E5**

Durham York Energy Centre  
Courtice, Ontario  
Courtice Station  
Baseline Corrected Data

Date (dd/mm/yyyy)	Time (EST)	SO <sub>2</sub>	
		5-min Avg. (ppb)	1-hr Running Avg. (ppb)
2024-11-02	19:30	6	19
2024-11-02	19:35	4	19
2024-11-02	19:40	4	19
2024-11-02	19:45	11	13
2024-11-02	19:50	6	10
2024-11-02	19:55	71	15
2024-11-02	20:00	45	18
2024-11-02	20:05	47	21
2024-11-02	20:10	37	24
2024-11-02	20:15	92	31
2024-11-02	20:20	102	36
2024-11-02	20:25	35	38
2024-11-02	20:30	22	40
2024-11-02	20:35	14	40
2024-11-02	20:40	10	41
2024-11-02	20:45	30	43
2024-11-02	20:50	132	53
2024-11-02	20:55	176	62
2024-11-02	21:00	78	65
2024-11-02	21:05	104	69
2024-11-02	21:10	103	75
2024-11-02	21:15	43	71
2024-11-02	21:20	27	64
2024-11-02	21:25	17	63
2024-11-02	21:30	13	62
2024-11-02	21:35	10	62
2024-11-02	21:40	9	62
2024-11-02	21:45	8	60
2024-11-02	21:50	7	50
2024-11-02	21:55	6	35
2024-11-02	22:00	6	29
2024-11-02	22:05	5	21
2024-11-02	22:10	5	13
2024-11-02	22:15	4	10
2024-11-02	22:20	4	8
2024-11-02	22:25	31	9

2024-11-02	22:30	13	9
2024-11-02	22:35	8	9
2024-11-02	22:40	5	9
Hidden cells with no values exceeding limit.			
2024-11-02	23:15	7	18
2024-11-02	23:20	7	18
2024-11-02	23:25	8	17
2024-11-02	23:30	34	18
2024-11-02	23:35	54	22
2024-11-02	23:40	49	26
2024-11-02	23:45	20	25
2024-11-02	23:50	28	23
2024-11-02	23:55	16	22
2024-11-03	0:00	12	21
2024-11-03	0:05	14	21
2024-11-03	0:10	77	27
2024-11-03	0:15	106	35
2024-11-03	0:20	88	42
2024-11-03	0:25	44	45
2024-11-03	0:30	22	44
2024-11-03	0:35	15	41
2024-11-03	0:40	15	38
2024-11-03	0:45	14	37
2024-11-03	0:50	9	36
2024-11-03	0:55	8	35
2024-11-03	1:00	7	35
2024-11-03	1:05	6	34
2024-11-03	1:10	6	28
2024-11-03	1:15	6	20
2024-11-03	1:20	5	13
2024-11-03	1:25	4	10
2024-11-03	1:30	4	8
2024-11-03	1:35	4	7
2024-11-03	1:40	4	7
2024-11-03	1:45		6
2024-11-03	1:50		6
2024-11-03	1:55		5
2024-11-03	2:00		5
2024-11-03	2:05		5
2024-11-03	2:10		5
2024-11-03	2:15	35	10
2024-11-03	2:20	20	12
2024-11-03	2:25	11	13
2024-11-03	2:30	73	24
2024-11-03	2:35	116	43
2024-11-03	2:40	94	58
2024-11-03	2:45	87	62

2024-11-03	2:50	88	66
2024-11-03	2:55	62	65
2024-11-03	3:00	47	63
2024-11-03	3:05	40	61
2024-11-03	3:10	20	58
2024-11-03	3:15	41	58
2024-11-03	3:20	93	64
2024-11-03	3:25	45	67
2024-11-03	3:30	24	63
2024-11-03	3:35	46	57
2024-11-03	3:40	70	55
2024-11-03	3:45	51	52
2024-11-03	3:50	42	48
2024-11-03	3:55	21	45
2024-11-03	4:00	16	42
2024-11-03	4:05	83	46
2024-11-03	4:10	77	51
2024-11-03	4:15	74	53
2024-11-03	4:20	67	51
2024-11-03	4:25	59	53
2024-11-03	4:30	75	57
2024-11-03	4:35	58	58
2024-11-03	4:40	27	54
2024-11-03	4:45	20	52
2024-11-03	4:50	54	53
2024-11-03	4:55	98	59
2024-11-03	5:00	60	63
2024-11-03	5:05	76	62
2024-11-03	5:10	89	63
2024-11-03	5:15	69	63
2024-11-03	5:20	59	62
2024-11-03	5:25	43	61
2024-11-03	5:30	25	56
2024-11-03	5:35	32	54
2024-11-03	5:40	151	65
2024-11-03	5:45	141	75
2024-11-03	5:50	101	79
2024-11-03	5:55	91	78
2024-11-03	6:00	85	80
2024-11-03	6:05	92	82
2024-11-03	6:10	80	81
2024-11-03	6:15	32	78
2024-11-03	6:20	24	75
2024-11-03	6:25	45	75
2024-11-03	6:30	100	81
2024-11-03	6:35	73	84
2024-11-03	6:40	64	77

2024-11-03	6:45	61	71
2024-11-03	6:50	78	69
2024-11-03	6:55	96	69
2024-11-03	7:00	66	68
2024-11-03	7:05	32	63
2024-11-03	7:10	24	58
2024-11-03	7:15	19	57
2024-11-03	7:20	68	60
2024-11-03	7:25	57	61
2024-11-03	7:30	50	57
2024-11-03	7:35	62	56
2024-11-03	7:40	57	56
2024-11-03	7:45	51	55
2024-11-03	7:50	47	52
2024-11-03	7:55	25	46
2024-11-03	8:00	21	43
2024-11-03	8:05	18	41
2024-11-03	8:10	20	41
2024-11-03	8:15	29	42
2024-11-03	8:20	21	38
2024-11-03	8:25	24	35
2024-11-03	8:30	19	33
2024-11-03	8:35	14	29
2024-11-03	8:40	16	25
2024-11-03	8:45	14	22
2024-11-03	8:50	11	19
2024-11-03	8:55	10	18
Hidden cells with no values exceeding limit.			
2024-11-09	16:40	1	1
2024-11-09	16:45	1	1
2024-11-09	16:50	1	1
2024-11-09	16:55	1	1
2024-11-09	17:00	1	1
2024-11-09	17:05	1	1
2024-11-09	17:10	1	1
2024-11-09	17:15	1	1
2024-11-09	17:20	109	10
2024-11-09	17:25	163	23
2024-11-09	17:30	128	34
2024-11-09	17:35	49	38
2024-11-09	17:40	19	39
2024-11-09	17:45	28	42
2024-11-09	17:50	14	43
2024-11-09	17:55	9	43
2024-11-09	18:00	53	48
2024-11-09	18:05	100	56
2024-11-09	18:10	36	59

2024-11-09	18:15	87	66
2024-11-09	18:20	52	61
2024-11-09	18:25	30	50
2024-11-09	18:30	14	41
2024-11-09	18:35	10	38
2024-11-09	18:40	8	37
2024-11-09	18:45	6	35
2024-11-09	18:50	10	35
Hidden cells with no values exceeding limit.			
2024-11-12	18:35	56	14
2024-11-12	18:40	52	18
2024-11-12	18:45	30	20
2024-11-12	18:50	27	21
2024-11-12	18:55	25	23
2024-11-12	19:00	31	25
2024-11-12	19:05	18	26
2024-11-12	19:10	9	26
2024-11-12	19:15	7	27
2024-11-12	19:20	70	32
2024-11-12	19:25	74	38
2024-11-12	19:30	66	39
2024-11-12	19:35	71	40
2024-11-12	19:40	69	41
2024-11-12	19:45	69	45
2024-11-12	19:50	51	47
2024-11-12	19:55	20	46
2024-11-12	20:00	14	45
2024-11-12	20:05	11	44
2024-11-12	20:10	33	46
2024-11-12	20:15	45	50
2024-11-12	20:20	51	48
2024-11-12	20:25	44	45
2024-11-12	20:30	46	44
2024-11-12	20:35	44	42
2024-11-12	20:40	26	38
2024-11-12	20:45	14	33
2024-11-12	20:50	10	30
2024-11-12	20:55	23	30
2024-11-12	21:00	61	34
2024-11-12	21:05	40	36
2024-11-12	21:10	64	39
2024-11-12	21:15	59	40
2024-11-12	21:20	55	40
2024-11-12	21:25	65	42
2024-11-12	21:30	31	41
2024-11-12	21:35	17	39
2024-11-12	21:40	13	38

2024-11-12	21:45	22	38
2024-11-12	21:50	17	39
2024-11-12	21:55	17	38
2024-11-12	22:00	12	34
2024-11-12	22:05	10	32
2024-11-12	22:10	9	27
2024-11-12	22:15	8	23
2024-11-12	22:20	7	19
Hidden cells with no values exceeding limit.			
2024-11-21	6:50	3	2
2024-11-21	6:55	4	3
2024-11-21	7:00	2	3
2024-11-21	7:05	2	3
2024-11-21	7:10	3	3
2024-11-21	7:15	4	3
2024-11-21	7:20	4	3
2024-11-21	7:25	4	3
2024-11-21	7:30	4	3
2024-11-21	7:35	4	3
2024-11-21	7:40	4	3
2024-11-21	7:45	6	3
2024-11-21	7:50	227	22
2024-11-21	7:55	614	73
2024-11-21	8:00	567	120
2024-11-21	8:05	319	146
2024-11-21	8:10	174	161
2024-11-21	8:15	59	165
2024-11-21	8:20	100	173
2024-11-21	8:25	75	179
2024-11-21	8:30	41	182
2024-11-21	8:35	30	185
2024-11-21	8:40	25	187
2024-11-21	8:45	22	<u>188</u>
2024-11-21	8:50	18	170
2024-11-21	8:55	20	121
2024-11-21	9:00	18	75
2024-11-21	9:05	18	50
2024-11-21	9:10	18	37
2024-11-21	9:15	84	39
2024-11-21	9:20	33	34
2024-11-21	9:25	21	29
2024-11-21	9:30	52	30
2024-11-21	9:35	23	29
2024-11-21	9:40	27	29
2024-11-21	9:45	42	31
2024-11-21	9:50	25	32
2024-11-21	9:55	22	32

2024-11-21	10:00	72	36
Hidden cells with no values exceeding limit.			
2024-11-25	0:20	23	5
2024-11-25	0:25	28	7
2024-11-25	0:30	15	8
2024-11-25	0:35	78	14
2024-11-25	0:40	46	18
2024-11-25	0:45	28	20
2024-11-25	0:50	15	22
2024-11-25	0:55	12	22
2024-11-25	1:00	11	23
2024-11-25	1:05	7	24
2024-11-25	1:10	42	27
2024-11-25	1:15	74	32
2024-11-25	1:20	87	37
2024-11-25	1:25	125	45
2024-11-25	1:30	121	54
2024-11-25	1:35	101	56
2024-11-25	1:40	127	63
2024-11-25	1:45		66
2024-11-25	1:50		71
2024-11-25	1:55		77
2024-11-25	2:00		86
2024-11-25	2:05		97
2024-11-25	2:10		106
2024-11-25	2:15	26	98
2024-11-25	2:20	18	87
2024-11-25	2:25	14	68
2024-11-25	2:30	12	50
2024-11-25	2:35	11	35
2024-11-25	2:40	10	15
2024-11-25	2:45	12	15
2024-11-25	2:50	14	15
2024-11-25	2:55	36	17
2024-11-25	3:00	75	23
2024-11-25	3:05	61	26
2024-11-25	3:10	59	29
2024-11-25	3:15	65	32
2024-11-25	3:20	54	35
2024-11-25	3:25	83	41
2024-11-25	3:30	72	46
2024-11-25	3:35	40	48
2024-11-25	3:40	30	50
2024-11-25	3:45	25	51
2024-11-25	3:50	18	51
2024-11-25	3:55	15	50
2024-11-25	4:00	13	44

2024-11-25	4:05	11	40
2024-11-25	4:10	11	36
2024-11-25	4:15	10	32
2024-11-25	4:20	8	28
2024-11-25	4:25	7	22
2024-11-25	4:30	6	16
Hidden cells with no values exceeding limit.			
2024-11-27	23:20	2	10
2024-11-27	23:25	2	10
2024-11-27	23:30	2	9
2024-11-27	23:35	2	7
2024-11-27	23:40	1	5
2024-11-27	23:45	37	6
2024-11-27	23:50	32	8
2024-11-27	23:55	83	14
2024-11-28	0:00	156	27
2024-11-28	0:05	89	34
2024-11-28	0:10	36	37
2024-11-28	0:15	19	38
2024-11-28	0:20	20	40
2024-11-28	0:25	47	44
2024-11-28	0:30	63	49
2024-11-28	0:35	98	57
2024-11-28	0:40	88	64
2024-11-28	0:45	35	64
2024-11-28	0:50	62	66
2024-11-28	0:55	75	66
2024-11-28	1:00	75	59
2024-11-28	1:05	39	55
2024-11-28	1:10	46	56
2024-11-28	1:15	50	58
2024-11-28	1:20	29	59
2024-11-28	1:25	19	57
2024-11-28	1:30	28	54
2024-11-28	1:35	20	47
2024-11-28	1:40	36	43
2024-11-28	1:45		44
2024-11-28	1:50		42
2024-11-28	1:55		38
2024-11-28	2:00		33
2024-11-28	2:05		33
2024-11-28	2:10		30
2024-11-28	2:15	28	27
2024-11-28	2:20	22	26
2024-11-28	2:25	12	24
2024-11-28	2:30	9	21
2024-11-28	2:35	8	19

2024-11-28	2:40	8	14
2024-11-28	2:45	49	19
2024-11-28	2:50	67	25
2024-11-28	2:55	67	30
2024-11-28	3:00	62	33
2024-11-28	3:05	63	36
2024-11-28	3:10	61	38
2024-11-28	3:15	24	38
2024-11-28	3:20	16	37
2024-11-28	3:25	13	37
2024-11-28	3:30	33	39
2024-11-28	3:35	105	47
2024-11-28	3:40	51	51
2024-11-28	3:45	41	50
2024-11-28	3:50	33	47
2024-11-28	3:55	29	44
2024-11-28	4:00	22	41
2024-11-28	4:05	17	37
2024-11-28	4:10	12	33
2024-11-28	4:15	11	32
2024-11-28	4:20	10	31
2024-11-28	4:25	9	31
2024-11-28	4:30	8	29
2024-11-28	4:35	14	21
2024-11-28	4:40	28	19

**Notes:**

D, T & V	- Date, Time & Exceedence Value Reported
Faded Values	- Not used to calculate the number of reportable exceedences
	- Range of 5-minute measurements that contribute to the Exceedance Value Report
<u>Max</u>	- Maximum of the Range
<u>Min</u>	- Minimum of the Range

Ambient Air Quality Criteria (AAQC) for SO2 = 40 ppb for 1-hour running average

Total Number of Reportable Exceedances:

19

**SO2 Exceedance Report****Table E6**

Durham York Energy Centre  
 Courtice, Ontario  
 Courtice Station  
 Baseline Corrected Data

Date (dd/mm/yyyy)	Time (EST)	SO <sub>2</sub>	
		5-min Avg. (ppb)	1-hr Running Avg. (ppb)
2024-12-14	7:15	2	3
2024-12-14	7:20	9	4
2024-12-14	7:25	6	4
2024-12-14	7:30	6	4
2024-12-14	7:35	27	6
2024-12-14	7:40	34	8
2024-12-14	7:45	14	9
2024-12-14	7:50	7	9
2024-12-14	7:55	5	9
2024-12-14	8:00	66	15
2024-12-14	8:05	141	26
2024-12-14	8:10	83	33
2024-12-14	8:15	58	38
2024-12-14	8:20	41	41
2024-12-14	8:25	28	42
2024-12-14	8:30	54	46
2024-12-14	8:35	23	46
2024-12-14	8:40	16	45
2024-12-14	8:45	11	44
2024-12-14	8:50	24	46
2024-12-14	8:55	61	50
2024-12-14	9:00	52	49
2024-12-14	9:05	36	40
2024-12-14	9:10	29	36
2024-12-14	9:15	27	33
2024-12-14	9:20	28	32
2024-12-14	9:25	21	32

**Notes:**

D, T & V	- Date, Time & Exceedence Value Reported
Faded Values	- Not used to calculate the number of reportable exceedences
	- Range of 5-minute measurements that contribute to the Exceedance Value Reported
Max	- Maximum of the Range
Min	- Minimum of the Range

Ambient Air Quality Criteria (AAQC) for SO<sub>2</sub> = 40 ppb for 1-hour running average

Total Number of Reportable Exceedances:

**1**

An abstract graphic design element consisting of two large, overlapping curved bands. The top band is white and the bottom band is light beige. They overlap in the center, creating a triangular shape at the top left. The background behind the text is a solid blue.

## APPENDIX F



600 Southgate Drive  
Guelph, ON N1G 4P6  
Canada

Tel: +1.519.823.1311  
Fax: +1.519.823.1316  
E-mail: [solutions@rwdi.com](mailto:solutions@rwdi.com)

January 7, 2024

Lyndsay Waller  
Operations Technician  
The Regional Municipality of Durham  
Durham York Energy Centre  
605 Rossland Road East, 1st Floor.  
Corporate Services-Legislative Services Division  
Whitby, ON L1N 6A3  
[Lyndsay.Waller@durham.ca](mailto:Lyndsay.Waller@durham.ca)  
Lipika.Saha@durham.ca

**Re: Durham York Energy Centre (DYEC)**  
**2024 Ambient Air Q4 Sulphur Dioxide Emissions**  
**RWDI Reference No. 2505260**

In support of the 2024, Q4 Ambient Air Quality Monitoring Report prepared by RWDI Inc., the following information is provided in relation to the performance of the DYEC during the periods of elevated sulphur dioxide ( $\text{SO}_2$ ) concentrations observed at the facility's Courtice and Rundle ambient air monitoring stations.

The Emission Summary and Dispersion Modelling (ESDM) report submitted as part of the DYEC ECA Application modelled  $\text{SO}_2$  concentrations at the maximum point of impingement (POI) for a facility operating at 110% maximum continuous rating (MCR) with in-stack  $\text{SO}_2$  concentrations at the permit limit of 35 mg/m<sup>3</sup>. Under this conservative assumed facility operating condition, the predicted maximum 1-hour average concentration at the POI was 8.62  $\mu\text{g}/\text{m}^3$ , which represents 8.62% of the new ambient air standard of 100  $\mu\text{g}/\text{m}^3$ , which was implemented in 2020.

During Q4, there were ninety (90) exceedance events above the rolling 10-minute  $\text{SO}_2$  Ambient Air Quality Criteria (AAQC) and thirty-six (36) exceedance events above the rolling 1-hour  $\text{SO}_2$  AAQC recorded at the Courtice station. There were no exceedance events above the rolling 10-minute  $\text{SO}_2$  Ambient Air Quality Criteria (AAQC) or rolling 1-hour  $\text{SO}_2$  AAQC recorded at the Rundle Road station.

Each of the date and times of the  $\text{SO}_2$  AAQC exceedances were compared against the wind direction recorded at the ambient air stations as well as the  $\text{SO}_2$  concentrations measured at the DYEC by the continuous emissions monitoring system (CEMS).

As indicated by RWDI in the 2024 DYEC Ambient Air Q4 Report, the Courtice Station pollution rose in **Figure 6** shows that the majority of elevated  $\text{SO}_2$  events at Courtice occurred from the north-northwest to northeast directions. The events were likely a result of emissions from surrounding industrial sources with contributions from the DYEC in the northeast direction. The Courtice station pollution rose in **Figure 7** shows that <0.66% of the 5-min  $\text{SO}_2$  events are elevated >67 ppb and the majority occurred from north-northeast directions. The pollution rose indicates that emissions were likely from surrounding industrial sources.

The Rundle Road Station pollution rose in **Figure 6** shows that there were no elevated  $\text{SO}_2$  events at Rundle Road. The Rundle Road station pollution rose in **Figure 7** shows that there were no 5-min  $\text{SO}_2$  events elevated >67 ppb.

During the times the  $\text{SO}_2$  AAQC events occurred, both boilers CEMS concentrations, comprised of 24-hour rolling arithmetic average, were recorded between 0-9 mg/Rm3. The DYEC's CEMS concentrations for both boilers were below the DYEC regulatory compliance limit of 35 mg/Rm3 and the facility was operating under normal conditions.