



**Stantec Consulting Ltd.**  
401 Wellington Street West, Suite 100  
Toronto ON M5V 1E7  
Tel: (416) 596-6686  
Fax: (416) 596-6680

November 14, 2014  
File: 160950528

**Attention: Mr. Greg Borchuk, P.Eng.**  
**Project Manager, EFW**  
**Waste Management Services**

The Region of Durham  
605 Rossland Rd.,  
Whitby, ON L1N 6A3

Dear Mr. Borchuk,

**Reference: Q3 2014 Ambient Air Quality Monitoring Report for the Durham York Energy Centre**

Please find attached with this letter the Q3 2014 quarterly report for the Durham York Energy Centre (DYEC).

The quarterly reports for the DYEC monitoring are prepared to present monitoring data to the MOE. The MOE requires that several statistics, including maximum levels, be presented in these reports, but does not require 98<sup>th</sup> percentile values to be included in quarterly reports. Regional Council has requested that 98<sup>th</sup> percentile PM<sub>2.5</sub> data also be provided along with the quarterly reports, which is provided in Table 1 below. A comparison to the CWS for PM<sub>2.5</sub> requires averaging the 98<sup>th</sup> percentile daily average levels in each of three consecutive years. The values presented in Table 1 correspond to the 98<sup>th</sup> percentile in the first year of PM<sub>2.5</sub> measurements and the 98<sup>th</sup> percentiles for the subsequent 3 months of data for second year of the three year averaging period. One year and 9-months of additional data will be required in order to provide an explicit comparison to the current CWS criteria of 30 µg/m<sup>3</sup>.



November 14, 2014  
Mr. Greg Borchuk, P.Eng.  
Project Manager, EFW  
Waste Management Services

Page 2 of 2

Reference: Q3 2014 Ambient Air Quality Monitoring Report for the Durham York Energy Centre

**Table 1 Summary of the 98th Percentile Daily Average PM<sub>2.5</sub> Concentrations Measured to Date (µg/m<sup>3</sup>)**

Period	Courtice Monitoring Station	Rundle Road Monitoring Station
June 2013 - June 2014 (Year 1)	22.6	23.5
July 2014 – September 2014	18.4	18.9

Regards,

**STANTEC CONSULTING LTD.**

**Original Signed by G. Crooks**

Gregory Crooks, M.Eng., P.Eng.  
Principal, Environmental Services  
Phone: (416) 598-7687  
Fax: (416) 596-6680  
gregory.crooks@stantec.com

c. Gio Anello, Region of Durham  
Lindsay Waller, Region of Durham  
Luis Carvalho, Region of York  
Seth Dittman, Region of York  
C. Lim, T. Hung, Stantec

as m:\01609\active\160950528\planning\report\final\2014\2014 q3 report\q3\_2014\_cover\_letter\_final\_14nov2014.docx