

**Ministry of the Environment**

Central Region  
Technical Support Section

5775 Yonge Street  
8<sup>th</sup> Floor  
Toronto, ON, M2M 4J1  
Tel.: 416-326-6700  
Fax: 416-325-6347

**Ministère de l'Environnement**

Région du Centre  
Section d'appui technique

5775, rue Yonge 12<sup>e</sup> étage  
8<sup>e</sup> étage  
Toronto, ON, M2M 4J1  
Tél.: 416-325-6966  
Télééc: 41-325-6347



June 5, 2012

Greg Borchuk  
Regional Municipality of Durham

**RE: Ambient Air Quality Monitoring Plan Locations**

I am writing to confirm acceptance of the proposed upwind (Courtice Water Control Plant), the Durham York Energy Centre property line and the downwind ambient air monitoring locations.

The Regions in consultation with the Ministry of the Environment agreed to monitor ambient air in three locations at an upwind, the Durham York Energy Centre property line and a downwind location. Your proposed Durham York Residual Waste Study dated February 10, 2012, indicated the upwind location to be situated at 180 Courtice Road. An alternative upwind site at the Courtice Water Control Plant was found which optimizes siting criteria requirements. This new location would replace the proposed site as indicated in the Durham York Residual Waste Study. This site is an adequate replacement upwind monitoring location. The proposed downwind location (D-2) is also acceptable as a monitoring location.

It is the Regions' responsibility to ensure data quality and integrity for all three air monitoring sites.

If you have any further questions concerning the acceptance of these locations please contact me at 416-326-3477.

Sincerely,

A handwritten signature in black ink that reads "Dan Panko".

Dan Panko  
APEP Supervisor  
Central Region  
Ministry of the Environment

cc. Dave Fumerton MOE

